



ALL DISTURBED GRASSAREAS SHALL BE RESTORED TO ORIGINAL CONDITION OR BETTER WITH SOD ON MINIMUM 100mm TOPSOIL. THE RELOCATION OF TREES AND SHRUBS SHALL BE SUBJECT TO APPROVAL BY THE PROJECT ENGINEER.

ALL GRANULAR BASE AND SUB-BASE MATERIALS SHALL BE GRADED AND COMPACTED TO 98% STANDARD PROCTOR DENSITY, FREE OF DEPRESSIONS AS PER THE GEOTECHNICAL REPORT.

THE PAVING SHADE SHALL BE SPECIFIED AS PER THE GEOTECHNICAL REPORT.

PROVIDE SUBDRAINS, MINIMUM LENGTH OF 3.0M, EXTENDING FROM ALL CATCHBASINS AND CATCHBASIN INLETS TO DRAIN THE GRANULAR SUB-BASE LAYER AS PER DETAIL ON DRAWING M1.

ALL BARRIER CURBS WITHIN THE SITE TO BE CONSTRUCTED AS PER DETAIL ON DRAWING D1, UNLESS OTHERWISE SPECIFIED.

ALL DRIVEWAYS WITHIN THE RIGHT OF WAY SHALL BE UNSHINKABLE FILL AND SHALL EXTEND TO THE BASE OF ASPHALT. LANDSCAPED AREA MAY BE EMPLOYED.

ALL WORK SHALL BE SUBJECT TO THE CONDITIONS AND REQUIREMENTS OF CITY ROAD OCCUPANCY PERMIT AND ANY OTHER APPLICABLE REGULATIONS.

THE MUNICIPALITY PRIOR TO BACKFILLING, ALL WORK RELATING TO WATERMAINS AND SEWERS TO BE INSPECTED AND APPROVED BY THE MUNICIPALITY PRIOR TO COMMENCEMENT OF CONSTRUCTION.

STEP JOINTS ARE TO BE USED WHERE PROPOSED ASPHALT MEETS EXISTING ASPHALT AS PER DETAIL ON DRAWING D1. ALL JOINTS MUST BE SEALED AS PER DETAIL.

TRANSITIONS BETWEEN THE SUBGRADE AND UNDERLAYMENT SHALL BE 1.2m LONG WITH TRANSITIONS AS PER DETAIL ON DRAWING D1.

EMBANKMENTS TO BE SLOPED AT MAX. 3:1, UNLESS OTHERWISE SPECIFIED.

ALL EROSION CONTROL MEASURES SHALL BE INSTALLED IMMEDIATELY AFTER CONSTRUCTION. SLOPES SHALL BE PLANTED IN ACCORDANCE WITH THE ARCHITECTURAL SITE PLAN OR THE OWNER'S TRAFFIC ENGINEERING CONSULTANT'S DRAWINGS, LINE PAINTING AND DIRECTIONAL SYMBOLS SHALL BE APPLIED WITH A MINIMUM OF TWO COATS OF ORGANIC POLYURETHANE PAINT.

WHERE APPLICABLE THE CONTRACTOR IS TO SUBMIT SHOP DRAWINGS FOR THE RETAINING WALL (INCLUDE RAILINGS IF APPLICABLE) TO THE ENGINEER FOR APPROVAL PRIOR TO CONSTRUCTION. SHOP DRAWINGS MUST BE PROVIDED TO THE ENGINEER PRIOR TO CONSTRUCTION.

THE CONTRACTOR SHALL PROVIDE TO THE ENGINEER (ONE) SET OF CONSTRUCTION SITE SERVICES INCLUDING GRADING, AND SITE ELECTRICAL DRAWINGS.

