

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

2 Wylie Lane, Whitchurch-Stouffville, Ontario

Project #: 23-0462

Prepared for: Eco Lake Home Inc.

Date: December 18, 2024

Report Version: 01



December 18, 2024

Eco Lake Home Inc.
57 Rosehill Drive
Stouffville, Ontario L4A 3X7

Attention: James Spratley

SUBJECT: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT, 2 WYLIE LANE, WHITCHURCH-STOUFFVILLE, ONTARIO

EnVision Consultants Ltd. is pleased to present the enclosed Phase One Environmental Site Assessment report for the above-noted property. This Phase One Environmental Site Assessment was completed in accordance with Ontario Regulation 153/04, as amended and, as such, can be used to file a Record of Site Condition with the Ministry of Environment, Conservation and Parks within 18 months. This Phase One Environmental Site Assessment does not include sampling or testing and is based solely on visual observations and a review of available or supplied factual data.

The report provides site information from the site reconnaissance, records reviews, interviews, and our conclusions for your consideration.


We thank you for utilizing EnVision for this assignment. If there are any questions regarding the enclosed report, please do not hesitate to contact us.

Yours sincerely,

Rodney Obdeyn, P.Eng., QP_{ESA}
Principal Engineer, Site Assessment & Remediation
robdeyn@envisionconsultants.ca



QUALITY MANAGEMENT

ISSUE	FIRST ISSUE	REVISION 1	REVISION 2
PROJECT NUMBER	23-0462		
PROJECT REFERENCE	Phase One Environmental Site Assessment, 2 Wylie Lane, Whitchurch-Stouffville, Ontario		
VERSION NO.	01		
REMARKS	Final Report		
PREPARED BY	Nikita van Loon		
SIGNATURE			
REVIEWED BY	Shawna Lundrigan		
SIGNATURE			
REVIEWED BY	Rodney Obdeyn		
SIGNATURE			
DATE	December 18, 2024		

The original of this digital file will be kept by EnVision for a period of not less than 10 years. As the digital file transmitted to the intended recipient is no longer under the control of EnVision, its integrity cannot be assured. As such, EnVision does not guarantee any modifications made to this digital file subsequent to its transmission to the intended recipient



TABLE OF CONTENTS

1.	Executive Summary	1
2.	Introduction	3
2.1.	Phase One Property Information	3
3.	Overview of the Investigation.....	5
3.1.	Objectives.....	5
3.2.	Scope.....	5
4.	Records Review	6
4.1.	Preliminary Records Review.....	6
4.2.	General Records Review.....	6
4.3.	Environmental Source Information.....	7
4.4.	Physical Setting Sources	10
4.5.	Site Operating Records	12
5.	Interview.....	13
6.	Site Reconnaissance	14
6.1.	General Requirements.....	14
6.2.	Specific Observations Within the Phase One Property	15
6.3.	Observations Within the Study Area.....	17
7.	Review And Evaluation of Information.....	18
7.1.	Conceptual Site Model	18
8.	Closing	20
8.1.	Conclusions	20
8.2.	Whether Phase Two Environmental Site Assessment Required Before Record Of Site Condition Submitted	20
8.3.	Record Of Site Condition Based On Phase One Environmental Site Assessment Alone	20
8.4.	Qualifications of the Assessors	20
8.5.	Certification and Signatures.....	21
8.6.	Qualifier	21
9.	References	23



LIST OF TABLES *(INCLUDED WITHIN THE REPORT)*

Table 2-1:	Phase One Property Information.....	3
Table 4-1:	Summary of the Preliminary Records Review.....	6
Table 4-2:	Summary of Occupancy and Ownership Information	7
Table 4-3:	Summary of Environmental Source Records Review	7
Table 4-4:	Summary of Aerial Photograph and Satellite Imagery Review	10
Table 4-5:	Summary of the Physical Setting Records Review	11
Table 5-1:	Summary of the Phase One Interview(s).....	13
Table 6-1:	Summary of General Requirements of the Site Reconnaissance	14
Table 6-2:	Summary of Specific Observations within the Phase One Property	15
Table 6-3:	Summary of Observations within the Study Area.....	17
Table 7-1:	Summary of a Review and Evaluation of Information gathered during the Phase One ESA.....	18
Table 7-2:	Written Description of the Conceptual Site Model.....	19

LIST OF TABLES *(ATTACHED TO THE REPORT)*

Table 1	Current and Past Uses of the Phase One Property
Table 2	Summary of Potentially Contaminating Activities
Table 3	Areas of Potential Environmental Concern

LIST OF FIGURES *(ATTACHED TO THE REPORT)*

Figure 1	Phase One Conceptual Site Model
Figure 2	Areas of Potential Environmental Concern



LIST OF APPENDICES

APPENDIX A: Plan of Survey

APPENDIX B: City Directories

APPENDIX C: ERIS Report

APPENDIX D: Regulatory Requests

APPENDIX E: Aerial Photographs

APPENDIX F: Interview and Site Reconnaissance

APPENDIX G: Site Photographs



GLOSSARY

TERM	DEFINITION
ABNs	Acid-base neutral compounds
APEC	area(s) of potential environmental concern as defined in O. Reg. 153/04, “the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through (a) identification of past or present uses on, in or under the phase one property, and (b) identification of potentially contaminating activity”
APU	Assessment of Past Uses
As	arsenic
AST	above ground storage tank
B-HWS	boron (hot water soluble)
BTEX	benzene, toluene, ethylbenzene, xylene
CA	Certificate of Approval
Ca	calcium
CN-	cyanide
COPC	contaminant(s) of potential concern
CPS	chlorophenols
Cr-	chromium
Cr (VI)	hexavalent chromium
CSM	conceptual site model
EASR	Environmental Activity and Sector Registry
EBR	Environmental Registry
EC	electrical conductivity
ECA	Environmental Compliance Approval
ERIS	Environmental Risk Information Services
ESA	environmental site assessment
ESR	environmental site registry
FIP	fire insurance plan
FOI	freedom of information
ha	hectare(s)



TERM	DEFINITION
Hg	mercury
km	kilometre(s)
L	litre(s)
m	metre(s)
masl	metres above sea level
mbgs	metres below ground surface
Mg	magnesium
Metals	O. Reg. 153/04 regulated metals as per Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act
MNDM	Ministry of Northern Development and Mines
MNRF	Ministry of Natural Resources and Forestry
MECP	Ministry of Environment, Conservation and Parks
NPRI	National Pollutant Release Inventory
N/S	not specified in Table 2, Schedule D, of O. Reg. 153/04
Na+	sodium
OCs	organochlorine pesticides
O. Reg. 153/04	Ontario Regulation 153/04, as amended
O. Reg. 347	Ontario Regulation 347, as amended
O. Reg. 406/19	Ontario Regulation 406/19, as amended
ORPs	other regulated parameter(s) per Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act
PAH	polycyclic aromatic hydrocarbon
PCA	potentially contaminating activity as defined in O. Reg. 153/04, "a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One study area"
PCB	polychlorinated biphenyl
PHC	petroleum hydrocarbon
PIN	property identification number
PTTW	permission to take water
PUP	property underwriter plan
PUR	property underwriter report



TERM	DEFINITION
QA/QC	quality assurance/quality control
QP _{ESA}	Qualified Person for ESAs according to MECP (O. Reg. 153/04)
RA	risk assessment
RSC	Record of Site Condition
Rules Document	Rules for Soil Management and Excess Soil Quality Standards
SAP	Sampling and Analysis Plan
SAR	sodium adsorption ratio
Sb	antimony
SCR	Soil Characterization Report
SCS	Site Condition Standards
Se	selenium
THM	trihalomethane
TSSA	Technical Standards and Safety Authority
UST	underground storage tank
VOC	volatile organic compound
WWIS	water well information system



1. EXECUTIVE SUMMARY

EnVision Consultants Ltd. (EnVision) was retained by Eco Lake Home Inc. (the 'Client') to conduct a Phase One Environmental Site Assessment (ESA) for the property municipally identified as 2 Wylie Lane, Whitchurch-Stouffville, Ontario (the 'Phase One Property' or the 'Site').

The Site is located in a rural residential area in the community of Musselman's Lake, Whitchurch-Stouffville. The Site is irregular in shape, occupying an area of approximately 31 ha (76 acre). The western portion of the Site is situated south of Stapleton Drive and west & southwest of Wylie Lane while the eastern portion of the Site is situated south of Valley Road and west of Ninth Line.

The property is primarily comprised of land used for agricultural purposes and hosts a single-family detached dwelling, two (2) sheds, an unused grain elevator, a small solar panel, and a single wind turbine. Portions of the Site are part of a large, regulated woodlot.

It is our understanding that the proposed residential redevelopment of the Site will include the construction of a number of freehold single family residential dwellings, semi-detached units, and townhomes situated within two (2) development areas on the property. A new cul-de-sac will extend from Stapleton Drive and will support the majority of the new dwellings, while additional lots will be created fronting onto Wylie Lane. It is anticipated that private servicing will be required for both water and sewage.

It is also understood that an approximately 5m wide strip of land at the far east end of the site, adjacent to the west side of Ninth Line is required to be conveyed to the Region of York for road widening purposes.

As a change in land use to a more sensitive land use is not proposed, filing of a Record of Site Condition (RSC) with the Ministry of the Environment, Conservation, and Parks (MECP) will not be required.

The scope of this Phase One ESA conforms to the requirements as outlined in Ontario Regulation 153/04, as amended (O.Reg.153/04). The general objectives of the assessment were to develop a preliminary determination of the likelihood that one or more contaminants have affected soil and/or groundwater at the Site and determine the need for additional investigation in the form of a Phase Two ESA.

Based on the records review, site reconnaissance, and evaluation of information, EnVision presents the following findings:

- The date of the first developed use of the Phase One Property was determined to be as early as 1954 through a review of aerial photographs, in which an unidentified structure, anticipated to be an agricultural-related building, was observed in the northeast portion of the property in 1954. The client informed EnVision personnel that the current on-site residential dwelling was constructed in the early 1970s, and that prior to that, the property owners resided in a dwelling located off Lakeshore Road, northeast adjacent to the Phase One Property.
- The topography of the overall site is somewhat undulating ranging in elevation from approximately 330 to 340 metres above sea level (mASL). Groundwater flow direction is anticipated to follow the



general topography of the Site, the western portion of which appears to slope towards Musselman Lake situated to the northeast while the eastern portion of the Site and areas surrounding Windsor Lake situated on the eastern portion of the Site appear to slope towards the lake. Groundwater flow direction can be influenced by seasonal fluctuation, utility services, and other subsurface features and can only be confirmed with long term monitoring.

- Based on a review of available well records, the stratigraphy within the vicinity of the Site was generally described as brown clay and gravel ranging in depth from surface to approximately 13.4 to 24.1 metres below ground surface (mbgs), underlain by coarse sand at depths ranging from 21.0 mbgs to the maximum depth of investigation (29.3 mbgs). Bedrock was not identified in the records and is therefore anticipated at depths greater than 29.3 mbgs. The depth to groundwater measured in the Study Area ranged from 13.4 to 24.4 mbgs.
- Based on the interview with the Site representative, the currently occupied northeastern portion of the Site is serviced for municipal water. It is understood that the community of Musselman Lake is serviced by the Town of Whitchurch-Stouffville via two (2) ground production wells. It is noted that the records review identified four (4) potable wells on the Site; however, it is assumed that these are no longer in use. The Site representative could not confirm if the on-site potable wells were decommissioned.
- The Phase One Property and Study Area are located entirely within the Oak Ridges Moraine Area of Natural Significance. Provincially significant wetlands are located within the southeast portion of the Phase One Property (Musselman Lake Wetland) and the southeast and southwest portions of the Study Area (approximately 60 m southeast and 60 m southwest of the Phase One Property). Additionally, the majority of the Phase One Property and Study Area falls within Lake Simcoe Region Conservation Authority (LSRCA) regulated lands. Areas of Natural and Scientific Interest (ANSI) were identified in portions of the Study Area located west adjacent of the Phase One Property and in the south portion of the Study Area.

Based on a review of the information obtained as part of the Phase One ESA, it is concluded that there are no potentially contaminating activities (PCAs) on the Phase One Property or within the Phase One Study Area that are considered to contribute to an area of potential environmental concern (APEC) on the Site. More specifically, the above-noted conclusion is applicable to the lands to be conveyed to the Region of York for an expanded road allowance along the west side of Ninth Line. Based on the foregoing conclusion, no further investigation of the Site is considered warranted or required.



2. INTRODUCTION

EnVision Consultants Ltd. (EnVision) was retained by Eco Lake Home Inc. (the 'Client') to conduct a Phase One ESA for the property municipally identified as 2 Wylie Lane, Whitchurch-Stouffville, Ontario (the 'Phase One Property' or 'Site').

The Site is located in a rural residential area in the community of Musselman's Lake, Whitchurch-Stouffville. The Site is irregular in shape, occupying an area of approximately 31 ha (76 acre). The western portion of the Site is situated south of Stapleton Drive and west & southwest of Wylie Lane while the eastern portion of the Site is situated south of Valley Road and west of Ninth Line.

The property is primarily comprised of land used for agricultural purposes and hosts a single-family detached dwelling, two (2) sheds, an unused grain elevator, a small solar panel, and a single wind turbine. Portions of the Site are part of a large, regulated woodlot.

It is our understanding that the proposed residential redevelopment of the Site will include the construction of a number of freehold single family residential dwellings, semi-detached units, and townhomes situated within two (2) development areas on the property. A new cul-de-sac will extend from Stapleton Drive and will support the majority of the new dwellings, while additional lots will be created fronting onto Wylie Lane. It is anticipated that private servicing will be required for both water and sewage.

It is also understood that an approximately 5m wide strip of land at the far east end of the site, adjacent to the west side of Ninth Line is required to be conveyed to the Region of York for road widening purposes.

The location and orientation of the Site is depicted on **Figure 1** and **Figure 2**, attached.

As a change in land use to a more sensitive land use is not proposed, filing of a Record of Site Condition (RSC) with the Ministry of the Environment, Conservation, and Parks (MECP) will not be required.

This Phase One ESA was prepared in accordance with O. Reg. 153/04, as amended, under the Environmental Protection Act.

2.1. PHASE ONE PROPERTY INFORMATION

Information pertaining to the Phase One Property is provided in *Table 2-1*, below:

Table 2-1: Phase One Property Information

CRITERION	PHASE ONE PROPERTY INFORMATION
MUNICIPAL ADDRESS(S)	2 Wylie Lane, Whitchurch-Stouffville, Ontario
LEGAL DESCRIPTION	Part of Lot 16, Concession 8, Town of Whitchurch-Stouffville, Regional Municipality of York (Geographic Township of Whitchurch-Stouffville of York)
PROPERTY IDENTIFICATION NUMBER(S) (PIN)	03690-0570 (LT)



CRITERION	PHASE ONE PROPERTY INFORMATION
GEOGRAPHICAL COORDINATES	638,081 m E 4,876,247 m N
OWNER OF THE PHASE ONE PROPERTY	James Spratley, Eco Lake Home Inc. 57 Rosehill Drive, Stouffville, ON L4A 3X7
PERSON WHO ENGAGED THE QP TO CONDUCT THE PHASE ONE ESA	James Spratley Eco Lake Home Inc. 57 Rosehill Drive, Stouffville, ON L4A 3X7 Tel: 647-987-7871 email: jamestothenet@gmail.com
QUALIFIED PERSON (QP)	Rodney Obdeyn, P.Eng., QP _{ESA} EnVision Consultants Ltd. 6415 Northwest Drive U37-40, Mississauga, Ontario, L4V 1X1 Tel: 905-677-0202 Email: robdeyn@envisionconsultants.ca

A Plan of Survey for the Site is presented in **Appendix A**.



3. OVERVIEW OF THE INVESTIGATION

3.1. OBJECTIVES

The general objectives of the Phase One ESA are to do the following:

- To develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Phase One Property;
 - To determine the need for a Phase Two ESA; and,
 - To provide a basis for carrying out subsequent investigation(s) of the Site based on the Phase One ESA findings.
-

3.2. SCOPE

The scope of the Phase One ESA included the following components:

- A records review;
- Interview;
- Site reconnaissance;
- A review and evaluation of the information gathered from the records review, and the site reconnaissance, including the preparation of a CSM; and,
- The preparation of a Phase One ESA report.

The following key elements were conducted in accordance with O. Reg. 153/04 as part of this assessment:

- Establishment of an appropriate search radius (the 'Study Area') to adequately evaluate adjacent and neighbouring properties;
- Request and review of historical information (i.e., previous reports, site operating records, fire insurance plans, aerial photographs, occupancy search, etc.) to establish current and past land uses of the Phase One Property and identify PCAs at or affecting the surrounding Study Area;
- Request and review of an Environmental Risk Information Services (ERIS) database report for the Phase One Property and properties within the Study Area. The ERIS provides information with respect to storage tanks, waste disposal Sites, PCB storage, compliance, convictions, and spills;
- Request and review of applicable physical setting sources and documents (i.e., maps, provincial and federal archives, etc.);
- Request and review of applicable federal and provincial databases, including information available from the TSSA with regards to any storage tanks at the Phase One Property and/or on adjacent properties;
- Completion of a site reconnaissance and interviews with knowledgeable site representatives; and,
- Documentation of the findings in tables and figures summarizing information of each PCA and APEC.

4. RECORDS REVIEW

The records review was conducted to obtain and review records that relate to the Study Area, including both the current and past uses of the Phase One Property and the PCAs at or affecting the Phase One Property, in order to determine if an APEC exists on, in or under the Phase One Property.

The records review complies with the requirements outlined in Section 3 of Schedule D to O. Reg. 153/04.

4.1. PRELIMINARY RECORDS REVIEW

Preliminary records were reviewed to determine the history of development and land use of the Phase One Property and properties within the Study Area. The preliminary record sources and results of the review are provided in *Table 4-1*, below:

Table 4-1: Summary of the Preliminary Records Review

CRITERION	RECORDS REVIEW RESULTS
PHASE ONE STUDY AREA	The Study Area for this undertaking included properties wholly, or partially, within 250 m of the Phase One Property boundary. Properties wholly beyond 250 m of the Phase One Property boundary were not added to the Study Area due to low potential to impact the environmental condition of the Phase One Property. The limits of the Phase One Study Area are presented on Figure 1 , attached.
FIRST DEVELOPED USE OF THE PHASE ONE PROPERTY	The date of the first developed use of the Phase One Property was determined to be as early as 1954 through a review of aerial photographs, in which an unidentified structure anticipated to be an agricultural-related building, was observed in the northeast portion of the property in 1954.

4.2. GENERAL RECORDS REVIEW

As part of the records review, the QP made all reasonable inquiries to determine the following general information pertaining to the Phase One Property and properties within the Study Area, including inquiries to obtain reasonably accessible records pertaining to the current use(s) and all past uses of the Phase One Property. The general information sources and results of the review are provided in subsequent sections below.

4.2.1. Historical Insurance Information

Historical insurance products, including FIPs, PURs, and PUPs were not available for the Phase One Property or Study Area.

4.2.2. Occupancy and Ownership Information

A summary of occupancy and ownership Information pertaining to the Phase One Property and/or properties within the surrounding Study Area is presented in *Table 4-2*, below.



Table 4-2: Summary of Occupancy and Ownership Information

YEAR	SUMMARY OF SALIENT INFORMATION
CITY DIRECTORIES	As part of this assessment, EnVision reviewed a summary of Digital Business Directory, Polks, and Mights Criss-Cross directories between 1958 and 2021 at approximately 5-year intervals, provided by ERIS. Wylie Lane was not listed from 1958 to 2000, and no listing was found for the Site from 2012 to 2022. Generally, properties within the Study Area were first listed in the early 1990s, primarily for residential use. No PCAs were identified in the Study Area from the city directories. A copy of the City Directories is included in Appendix B.
TITLE SEARCH AND ASSESSMENT ROLLS	A chain of title search was not completed as part of this assessment. Information pertaining to the ownership and/or use of the Phase One Property was obtained from the City Directories and other records reviewed as part of this assessment, as detailed in previous and subsequent sections of this report.

4.2.3. Previous Reports

Previous reports pertaining to the Phase One Property were not provided for EnVision to review as part of this assessment.

4.3. ENVIRONMENTAL SOURCE INFORMATION

The QP made all reasonable inquiries to obtain information that pertains to the following subsections, as are reasonably accessible and pertain to the Phase One Property and properties within the Study Area.

EnVision obtained ERIS Database Reports for the Phase One Property and lands within a 250 m radius of the Phase One Property. The ERIS reports tabulate the results of a search of provincial, federal, and private source databases which are considered relevant in the identification of potential environmental risks associated with the Phase One Property. A copy of the ERIS reports is included as [Appendix C](#).

To supplement the ERIS report and meet the requirements of the regulatory information review, available information from the MECP and other regulatory agencies was requested through the Freedom of Information (FOI) and Protection of Privacy Act for review. Further, information pertaining to fuel storage was requested from the Technical Standards and Safety Authority (TSSA) for review.

A summary of the results of the Environmental Source record review is provided in *Table 4-3*, below.

Table 4-3: Summary of Environmental Source Records Review

CRITERION	SUMMARY OF RECORDS REVIEW RESULTS
NATIONAL POLLUTANT RELEASE INVENTORY (NPRI)	The ERIS report did not identify any NPRI records for the Phase One Property or properties within the Study Area.
PCB INVENTORIES	The ERIS report did not identify any PCB Inventory records for the Phase One Property or properties within the Study Area.



CRITERION	SUMMARY OF RECORDS REVIEW RESULTS
ENVIRONMENTAL COMPLIANCE APPROVAL (ECA), CERTIFICATE OF APPROVAL (CA), PERMITS TO TAKE WATER (PTTW), AND CERTIFICATE OF PROPERTY USE (CPU)	The ERIS report did not identify MECP ECA, CA, PTTW, or CPU records for the Phase One Property. Records pertaining to properties within the Study Area were identified, as summarized below: • Two (2) CA records were registered in connection with the intersection of Lakeshore Road and Appleton Avenue, located approximately 186 m northwest of the Phase One Property, in 1996 for approval for municipal sewage. One (1) of the records was cancelled in May 1996 and the other was approved in June 1996. • One (1) CA was registered to R.M. of York, located at Ninth Line and Hillsdale Drive, southeast adjacent to the Site in 1997 for an approval relating to municipal water works; • One (1) ECA was registered to 2022988 Ontario Inc. and 2036737 Ontario Inc., located approximately 235 m west of the Site, in 2020 for an approval relating to municipal and private sewage works; and, • One (1) ECA was registered to Cedar Beach Park Limited, located approximately 240 m north of the Site, for an approval relating to municipal and private water works.
INVENTORY OF COAL GASIFICATION PLANTS	The ERIS report did not identify records of coal gasification plants or coal tar sites associated with the Phase One Property or properties within the Study Area.
RECORDS OF ENVIRONMENTAL INCIDENTS, ORDERS, OFFENCES, SPILLS, DISCHARGES OF CONTAMINANTS, OR INSPECTIONS	The ERIS report did not identify any records pertaining to spills, incidents, and/or releases at the Phase One Property. Two (2) records pertaining to incidents and/or releases at two (2) properties within the Study Area were identified, including: • In 1999, an unknown quantity of furnace oil was leaked to gravel from a tank pinhole at a private residence located at 45 Valley Road, approximately 178 m east of the Phase One Property. • Three (3) records of spills and one (1) pipeline incident were identified within the Study Area for the Phase One Property; however, these incidences were related to the release of natural gas and were not anticipated to have the potential to have impacted the environmental quality of the Phase One Property and are therefore not listed herein. Due to distance from the Phase One Property, the location relative to the inferred groundwater flow direction, and/or the nature of the products released, the remaining incidents/releases identified in these databases were not anticipated to have the potential to have impacted the environmental quality of the Phase One Property and are therefore not listed herein. Details pertaining to these additional records can be found in the ERIS report in Appendix C. An FOI request was submitted to the MECP, requesting information pertaining to environmental incidents, orders, offences, spills, discharges of contaminants, or inspections for the Phase One Property. A letter response was received on October 16, 2023 (File # A-2023-05747) stating that no records were located responsive to EnVision's request. A copy of the FOI request and/or response is provided in Appendix D.



CRITERION	SUMMARY OF RECORDS REVIEW RESULTS
WASTE MANAGEMENT RECORDS, INCLUDING CURRENT AND HISTORICAL WASTE STORAGE LOCATIONS, O. REG. 347 WASTE GENERATOR / RECEIVER SUMMARY RECORDS, AND MECP WASTE DISPOSAL INVENTORY	The ERIS report identified one (1) O. Reg. 347 Waste Generator Summary Record pertaining to 7 Victoria Drive, a residential dwelling located approximately 290 m northeast of the Site; however, no further details were provided. Details pertaining to this record can be found in the ERIS report in Appendix C. The ERIS report did not identify records pertaining to the Phase One Property or properties within the Study Area with regards to large or small scale, active or closed landfill sites.
RECORDS OF FUEL STORAGE MAINTAINED BY TECHNICAL STANDARDS AND SAFETY AUTHORITY (TSSA)	The ERIS report did not identify records of fuel storage for the Phase One Property or properties within the Study Area. An information request was submitted to the TSSA pertaining to underground and aboveground fuel storage for the Phase One Property and adjacent properties. The TSSA response indicated that no records were identified pursuant to this request. A copy of the TSSA response and request is provided in Appendix D.
NOTICES AND INSTRUMENTS, INCLUDING RECORDS OF SITE CONDITION (RSCS) POSTED ON THE SITE REGISTRY	The ERIS report did not identify Environmental Registry records relating to the Phase One Property or properties within the Study Area.
OTHER COMMERCIAL AND INDUSTRIAL RECORDS	No additional commercial and/or industrial records were identified in the ERIS report for the Phase One Property. Two (2) records pertaining to one (1) property within the Study Area were identified in the Pesticide Register, as summarized below: • Tall Oaks Property Services Ltd. located at 5 Appleton Avenue, approximately 130 m northwest of the Phase One Property, was listed in the Pesticide Register as a pesticide operator. Due to the location and nature of this operation, it is not considered to contribute to an APEC.



CRITERION	SUMMARY OF RECORDS REVIEW RESULTS
AREAS OF NATURAL SIGNIFICANCE MAINTAINED BY THE MINISTRY OF NATURAL RESOURCES AND FORESTRY (MNR)	The Natural Heritage Areas database lists areas of natural significance including provincial parks, conservation reserves, areas of natural and scientific interest, wetlands environmentally significant areas, habitats of a threatened or endangered species, and wilderness areas. A review of this database listed no threatened or endangered species within 1 km of the Phase One Property. The Phase One Property and Study Area are located in the Oak Ridges Moraine Area of Natural Significance. Further, as depicted on Figure 1: • Provincially significant wetlands are located within the southeast portion of the Phase One Property and the southeast and southwest portions of the Study Area (approximately 60 m southeast and 60 m southwest of the Phase One Property). • The majority of the Phase One Property and Study Area falls within Lake Simcoe Region Conservation Authority (LSRCA) regulated lands. • Areas of Natural and Scientific Interest (ANSI) were identified in portions of the Study Area located west adjacent of the Phase One Property and in the south portion of the Study Area.

4.4. PHYSICAL SETTING SOURCES

4.4.1. Aerial Photographs and Satellite Imagery

Aerial photographs from the University of Toronto Map Library and Region of York were reviewed as part of this assessment. Aerial photographs were obtained for review at approximately ten-year intervals, as available (i.e., 1954, 1970, 1978, 1988, 1999, 2007, 2016, and 2022) in order to observe changes to the Phase One Property and Study Area over time. The York County Atlas was utilized to obtain a more historical image from 1878. Significant information depicted in these photographs is summarized in *Table 4-4*, below and a copy of the aerial photographs reviewed are provided in **Appendix E**.

Table 4-4: Summary of Aerial Photograph and Satellite Imagery Review

YEAR	SUMMARY OF SALIENT INFORMATION
1878 YORK COUNTY ATLAS	The Phase One Property was a portion of a large parcel of land anticipated to be used for agricultural and/or residential use, owned by William Farrier. Neighboring/adjacent properties are also anticipated to have been used for agricultural and/or residential use.
1954	The Phase One Property was primarily comprised of a portion of a larger lot utilized for agricultural purposes. A driveway and unidentified structure anticipated to be an agricultural-related building, appeared to be developed on the northeast portion of the Phase One Property. Neighboring/adjacent properties appear to be used primarily for agricultural and residential purposes. Residential dwellings and roadways were located north and east of the Phase One Property. A small portion of the Study Area, located southwest of the Phase One Property was observed to be comprised of woodland.



YEAR	SUMMARY OF SALIENT INFORMATION
1970, 1978, 1988, 1999	More specifically regarding the proposed conveyance lands at the east end of the Site adjacent to Ninth Line, these lands appeared to have been inundated by Windsor Lake. Neighbouring properties north and east of the Site appeared to be utilized for residential purposes. The Phase One Property and properties within the surrounding Study Area appeared similar to the 1954 aerial photograph, with the exception of the development of a residential dwelling within the northeast portion of the Phase One Property. With respect to the proposed conveyance lands along Ninth Line, Windsor Lake appeared to have receded by 1970 and this portion of the Site comprised vacant land.
2007, 2016, 2022	The Phase One Property and properties within the surrounding Study Area appeared similar to the 1999 aerial photograph, with the exception of a large shed developed in the northern portion of the Phase One Property, observed in the 2007 aerial photograph. The Phase One Property and Study Area appeared similar to the present-day configuration.

4.4.2. Regional Topography, Physiography, Geology, and Hydrogeology

Mapping resources available from federal, provincial, and territorial agencies were reviewed to assess the physical settings of the Phase One Property. The findings of the review are summarized in *Table 4-5*, below:

Table 4-5: Summary of the Physical Setting Records Review

CRITERION	PHYSICAL SETTING RECORDS REVIEW RESULTS
TOPOGRAPHY	The topography of the overall site is somewhat undulating ranging in elevation from approximately 330 to 340 metres above sea level (mASL). Groundwater flow direction is anticipated to follow the general topography of the Site, the western portion of which appears to slope towards Musselman Lake situated to the northeast while the eastern portion of the Site and areas surrounding Windsor Lake situated on the eastern portion of the Site appear to slope towards the lake. Groundwater flow direction can be influenced by seasonal fluctuation, utility services, and other subsurface features and can only be confirmed with long term monitoring. The approximate topography and inferred groundwater flow direction within the Study Area is depicted on Figure 1.
PHYSIOGRAPHY	The Phase One Property is situated within the Kame Moraines physiographic region.
MECP WELL RECORDS, GEOLOGY AND HYDROGEOLOGY	The surficial geology in the vicinity of the Phase One Property is described as “clay to silt-textured till”. The bedrock in the Study Area is shale, limestone, dolostone, and siltstone of the Georgian Bay, Queenston, Billings, and Blue Mountain Formations, as well as the Collingwood and Eastview Members. The ERIS report identified five (5) well records for the Phase One Property and eighty-eight (88) records for the surrounding Study Area. Based on a review of these records, the stratigraphy in the Phase One Property was generally described as brown clay and gravel ranging in depth from surface to approximately 13.4 to 24.1 mbgs, underlain by coarse sand at depths ranging from 21.0 to the maximum depth of investigation (29.3 mbgs). Bedrock was not identified in the records and is therefore anticipated at depths greater than 29.3 mbgs. The depth to groundwater measured in the Study Area ranged from 13.4 to 24.4



CRITERION	PHYSICAL SETTING RECORDS REVIEW RESULTS

	mbgs. Four (4) of the five (5) wells located within the Phase One Property were identified as potable/domestic wells. The approximate well locations are depicted on Figure 1.

4.5. SITE OPERATING RECORDS

To be classified as an enhanced investigation property, the Phase One Property must be used or have been used in whole or in part for any of the following uses:

- any industrial use;
- as a garage;
- as a bulk liquid dispensing facility, including a gasoline outlet; or,
- or the operation of dry-cleaning equipment.

The Phase One Property has been used for residential and agricultural purposes and/or comprises vacant/woodland areas and is not considered an enhanced investigation property; as such, site operating records were not reviewed as part of this assessment.

5. INTERVIEW

An interview was conducted to obtain information to assist in determining if any APECs exists within the Phase One Property, including identifying details of PCAs or potential contaminant pathways in, on, or under the Phase One Property.

The interview was conducted in accordance with the requirements outlined in Section 5 through Section 8 of Schedule D to O. Reg. 153/04. A copy of the interview is included as **Appendix F**.

Table 5-1: Summary of the Phase One Interview(s)

CRITERION	SUMMARY OF INTERVIEW DETAILS
DATE	November 14, 2023
LOCATION	2 Wylie Lane, Whitchurch-Stouffville, Ontario
METHOD	In-person
INTERVIEWEE(S)	James Spratley
RATIONALE	James Spratley is the owner of the Site and developer of the property and is considered knowledgeable about the current operations within the Phase One Property
RELEVANT INFORMATION CONCERNING PCAS AND APECS	Mr. Spratley informed EnVision personnel that the majority of the property has been used for agricultural purposes for over 100 years. He also indicated that the agricultural uses of the small area on the northern portion of the Site includes organic farming techniques. Mr. Spratley noted that the residential dwelling located within the Phase One Property was constructed in the early 1970s, and the large shed within the property was constructed in approximately 2002. Prior to the construction of the on-site dwelling, the property owners' resided in a dwelling located on Lakeshore Road, northeast adjacent to the Phase One Property.
ASSESSMENT OF VALIDITY OF INFORMATION PROVIDED BY THE INTERVIEWEE	The information provided by the interviewee regarding property uses is consistent with the aerial photographs reviewed. Through a comparison of the information provided by the interviewee with information collected through the records review, the QP believes that the interviewees are reliable sources for valid information about the Phase One Property.

6. SITE RECONNAISSANCE

A site reconnaissance of the Phase One Property was conducted by EnVision as part of this assessment to determine if any APECs exists through observations about current and past uses and PCAs on, in or under the Phase One Property. The reconnaissance included a visual inspection of adjacent properties and properties located within the Study Area, conducted from the boundary of the Site and from publicly accessible areas to identify any PCAs.

A written description documenting the observations and investigation of the Phase One Property and Phase One Study Area is provided in the following subsections. The site reconnaissance was conducted in accordance with the requirements outlined in Section 10 through Section 15 of Schedule D to O. Reg. 153/04. A copy of the site reconnaissance is included as **Appendix F**.

6.1. GENERAL REQUIREMENTS

A summary of the general requirements of the site reconnaissance is provided in *Table 6-1*, below:

Table 6-1: Summary of General Requirements of the Site Reconnaissance

CRITERION	SUMMARY OF GENERAL DETAILS
DATE AND TIME	November 14, 2024, 10:30 – 12:30
WEATHER CONDITIONS	The temperature was approximately 5°C and weather conditions were overcast.
LENGTH OF TIME	2 hours
WHETHER THE FACILITY WAS OPERATING AT THE TIME OF THE INVESTIGATION AS AN ENHANCED INVESTIGATION PROPERTY	At the time of the site reconnaissance, the west portion of the Phase One Property was used for residential and agricultural purposes and the east portion of the site (proposed for conveyance to the Region of York) was vacant. The Site is not considered to be an enhanced investigation property.
THE NAME AND QUALIFICATIONS OF THE INVESTIGATOR	The site reconnaissance was conducted by Nikita van Loon, B.Sc., GIT. Nikita's qualifications are outlined in <i>Section 8.2</i> .
IMPEDIMENTS AND/OR LIMITATIONS	No limitations.

Select photographs taken during the Site reconnaissance, including a written description and explanation, are provided in **Appendix G**.



6.2. SPECIFIC OBSERVATIONS WITHIN THE PHASE ONE PROPERTY

The reconnaissance included a visual inspection of the Phase One Property. A summary of the specific observations within the Phase One Property is provided in *Table 6-2*, below:

Table 6-2 Summary of Specific Observations within the Phase One Property

	CRITERION	SUMMARY OF SPECIFIC OBSERVATIONS
STRUCTURES	STRUCTURES AND OTHER IMPROVEMENTS, INCLUDING NUMBER AND AGE OF BUILDINGS AND BELOW-GROUND STRUCTURES	The Phase One Property was occupied by a single-family detached dwelling, two (2) sheds, an unused grain elevator, a small solar panel, and a single wind turbine. The on-site building and small shed were constructed in approximately the early 1970s, and the large shed located in the northern portion of the Phase One Property was constructed in 2002. The grain elevator is anticipated to have been present on the Phase One Property as early as 1954. A small back-up generator (Generac) was observed adjacent to the front of the residential dwelling. The generator was observed to use natural gas and is not considered to be of environmental concern. Areas west, south, and southeast of the above-noted buildings comprised vacant, agricultural, or wooded lands. The eastern portion of the Site proposed for conveyance to the Region of York was vacant.
	DETAILS OF ALL ASTS AND USTS, INCLUDING MATERIAL, METHOD OF CONSTRUCTION, AGE, CONTENTS, VOLUME, AND DETAILS OF USE	There was no evidence of ASTs or USTs observed at the Phase One Property during the site reconnaissance, including vent pipes, fill pipes, or soil depressions.
	POTABLE AND NON-POTABLE WATER SOURCES	Potable water is supplied by the municipality to the Phase One Property, however, potable water wells were observed within the Phase One Property during the reconnaissance. It is anticipated that these wells are no longer in use. The Site representative could not confirm if the on-site potable wells were decommissioned. It is understood that the community of Musselman's Lake is serviced by the Town of Whitchurch-Stouffville via two (2) ground production wells.
UTILITIES	UNDERGROUND UTILITIES AND CORRIDORS	It is anticipated that underground utilities and corridors exist within the Phase One Property to connect the residential dwelling to municipal water and supplied utilities. EnVision personnel was informed by the client that underground hydro, bell and water lines were likely to enter the residence on the Phase One Property from Wylie Lane to the east.



CRITERION		SUMMARY OF SPECIFIC OBSERVATIONS
INTERIOR OF STRUCTURES	EXIT AND ENTRY POINTS	The main entrance/exit to the Phase One Property was located west adjacent to the intersection between Wylie Lane and Windsor Drive.
	DETAILS OF EXISTING AND FORMER HEATING AND COOLING SYSTEMS, INCLUDING FUEL SOURCE	The on-site residential dwelling and large shed were heated and cooled via forced air utilizing natural gas-fired heating/ventilation/air-conditioning (HVAC) units.
	DETAILS OF DRAINS, PITS, AND SUMPS, INCLUDING CURRENT AND FORMER USE AND ANY EVIDENCE OF STAINING OR CORROSION	None identified.
	DETAILS OF ANY UNIDENTIFIED SUBSTANCES	None identified.
MISCELLANEOUS	DETAILS AND LOCATIONS OF WELLS	No monitoring wells were observed during the reconnaissance, however potable wells were observed on the Phase One Property. EnVision personnel was informed by the client that one (1) well was present adjacent to the grain elevator; however, the well was previously decommissioned.
	DETAILS OF SEWAGE WORKS, INCLUDING LOCATION	The client informed EnVision personnel that a septic tank is located within the Phase One Property near the residential dwelling. The septic tank services the dwelling as well as the bathroom located in the large shed. As the residential dwelling, large shed, and location where the septic tank is located will not undergo demolition, the septic tank is not considered to be of environmental concern.
	DETAILS OF GROUND SURFACE, INCLUDING TYPE OF COVER	The ground surface within the Phase One Property is primarily agricultural fields, with a driveway and landscaped areas in the northeast portion. The balance of the Site comprises vacant and/or wooded lands and Windsor Lake is present on the southeastern portion of the Site.
	DETAILS OF CURRENT OR FORMER RAILWAYS LINES OR SPURS	No evidence of current or former railway lines or spurs were identified at the Phase One Property during the site reconnaissance.
EXTERIOR OBSERVATIONS	AREAS OF STAINED SOIL, VEGETATION, OR PAVEMENT	No areas of stained soil, pavement, or vegetation were observed.
	AREAS OF STRESSED VEGETATION	There was no evidence of stressed vegetation observed.
	AREAS WHERE FILL AND DEBRIS MATERIALS HAVE BEEN PLACED OR GRADED	Small amounts of branches, mulch, rocks, and some building materials were observed on the site.



CRITERION	SUMMARY OF SPECIFIC OBSERVATIONS
POTENTIALLY CONTAMINATING ACTIVITY	No potentially contaminating activities were observed that are considered to contribute to an area of potential environmental concern.
DETAILS OF UNIDENTIFIED SUBSTANCES	There were no unidentified substances observed within the Phase One Property.

6.3. OBSERVATIONS WITHIN THE STUDY AREA

The reconnaissance included a visual inspection of adjacent properties and properties located within the Study Area conducted from the boundary of the Phase One Property and from publicly accessible areas. A summary of the specific observations within the Study Area is provided in *Table 6-3*, below:

Table 6-3: Summary of Observations within the Study Area

CRITERION	SUMMARY OF OBSERVATIONS
ADJACENT LAND USES	Adjacent land uses observed at the time of the site reconnaissance were noted as follows: North: Neighbouring residential dwellings, Lakeshore Road, Valley Road, and Musselman Lake. South: Forested areas and agricultural fields. East: Wylie Lane and Ninth Line followed by residential dwellings. West: Forested areas. A high-level summary of adjacent land uses is depicted on Figure 1 .
POTENTIALLY CONTAMINATING ACTIVITY	PCAs were not identified within the Study Area during the site reconnaissance. The locations PCAs identified in the Study Area during the records review are depicted on Figure 1 and further discussed in Table 2 , attached.
WATER BODIES	Musselman Lake was located approximately 50 m northeast of the Phase One Property and Windsor Lake is located on the eastern portion of the Site.
AREAS OF NATURAL SIGNIFICANCE	Land located within the Oak Ridges Moraine Area of Natural Significance was observed throughout the entirety of the Phase One Property and the majority of the Study Area. Additionally, a large portion of the Phase One Property and Study Area was observed to be within the Lake Simcoe Region Conservation Authority (LSRCA) regulated lands. Portions of the Study Area located west adjacent of the Phase One Property and in the south portion of the Study Area were observed to be within Areas of Natural and Scientific Interest (ANSI). Provincially significant wetlands were observed within the southeast portion of the Phase One Property and the southeast and southwest portions of the Study Area (approximately 60 m southeast and 60 m southwest of the Phase One Property).

7. REVIEW AND EVALUATION OF INFORMATION

A review and evaluation of information gathered from the records review, interviews, and site reconnaissance was conducted in accordance with the requirements of Subsections (1) to (6) of Section 16 of Schedule D to O. Reg. 153/04, as summarized in Table 7-1, below:

Table 7-1: Summary of a Review and Evaluation of Information gathered during the Phase One ESA

CRITERION	SUMMARY OF REVIEW AND EVALUATION
CURRENT AND PAST USES	The table of current and past uses of the Phase One Property is provided as Table 1, attached. The date and names of owners and the historical property uses were inferred from records obtained during the records review.
POTENTIALLY CONTAMINATING ACTIVITY	PCAs identified within the Phase One Property and/or the Study Area, along with EnVision's assessment for the potential for these activities to impact the environmental quality of the Phase One Property are summarized in Table 2, attached. PCAs, including the number and location of any ASTs and USTs (if known), are illustrated on Figure 1.
AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	Based on a review of the PCAs summarized in Table 2, APECs were identified within the Phase One Property. No areas of potential environmental concern were identified based on a review of the documentation collected as part of this Phase One ESA.

7.1. CONCEPTUAL SITE MODEL

Through analysis and interpretation of available information gathered during the Phase One ESA, a CSM was developed for the Phase One Property, as depicted on **Figure 1**, attached, which includes:

- Existing buildings and structures on the Phase One Property;
- Roads, including names, within the Study Area;
- Uses of properties adjacent to the Phase One Property;
- Areas where PCAs have occurred, including the location of any tanks;
- Location of APECs;
- Water bodies located in whole, or in part, within the Study Area;
- Areas of natural significance located in whole, or in part, within the Study Area; and,
- Water wells within the Study Area.

A written description of the CSM is summarized in *Table 7-2*, below:



Table 7-2: Written Description of the Conceptual Site Model

CRITERION	WRITTEN DESCRIPTION
ANY AREAS WHERE PCAS ON, OR POTENTIALLY AFFECTING THE PHASE ONE PROPERTY HAVE OCCURRED	Table 2 provides a summary and assessment of the identified PCAs within the Study Area, including an assessment of which PCAs were determined to be contributing to an APEC on, in or under the Phase One Property. PCAs identified within the Phase One Property and/or Study Area are depicted on Figure 1.
CONTAMINANTS OF POTENTIAL CONCERN (COPCS)	No APECs were identified on the Phase One Property and therefore no contaminants of potential concern were identified.
AVAILABLE REGIONAL OR SITE SPECIFIC GEOLOGICAL AND HYDROGEOLOGICAL INFORMATION	Surficial geology in the vicinity of the Site is described as “clay to silt-textured till”. The underlying bedrock within the Phase One Property is shale, limestone, dolostone, and siltstone of the Georgian Bay, Queenston, Billings, and Blue Mountain Formations, as well as the Collingwood and Eastview Members. Based on a review of available well records for the Study Area, the stratigraphy in the vicinity of the Phase One Property was generally described as brown clay and gravel ranging in depth from surface to approximately 13.4 to 24.1 mbgs, underlain by coarse sand at depths ranging from 21.0 to the maximum depth of investigation (29.3 mbgs). Bedrock was not identified in the records and is therefore anticipated at depths greater than 29.3 mbgs. The depth to groundwater measured in the Study Area ranged from 13.4 to 24.4 mbgs. Based on the local topography, the inferred shallow groundwater flow direction within the Study Area is anticipated to be to the northeast towards Musselman’s Lake, located approximately 20 m northeast of the Phase One Property.
HOW UNCERTAINTY OR ABSENCE OF INFORMATION OBTAINED IN EACH OF THE COMPONENTS OF THE PHASE ONE ESA COULD AFFECT THE VALIDITY OF THE MODEL	During the records review, EnVision relied on information obtained from municipal, provincial, and independent sources as referenced in this report. Although the information was assessed for consistency, verification of the accuracy or the completeness of this third-party information was not completed. EnVision made all reasonable inquiries to obtain accessible information for this assessment as outlined in each subsection. The evaluation provided in this report reflects our best judgement considering the information available at the time of the report preparation.



8. CLOSING

8.1. CONCLUSIONS

Based on the information obtained as part of the Phase One ESA, it is concluded that no potentially contaminating activities were identified which are considered by the Qualified Person to contribute to an area of potential environmental concern on the Phase One Property. Based on the foregoing, no further assessment of the Site is considered warranted or required.

8.2. WHETHER PHASE TWO ENVIRONMENTAL SITE ASSESSMENT REQUIRED BEFORE RECORD OF SITE CONDITION SUBMITTED

Based on the findings of the Phase One ESA, a Phase Two ESA would not be required before an RSC could be filed.

8.3. RECORD OF SITE CONDITION BASED ON PHASE ONE ENVIRONMENTAL SITE ASSESSMENT ALONE

Based on the analysis of the results of this Phase One ESA, a Record of Site Condition (RSC) could be filed for the property based on this report. It is noted, however, that filing of an RSC is not required under O. Reg. 153/04 as there is no proposed change in land use to a more sensitive use. It is also noted that the MECP has proposed amendments to the O.Reg. 153/04 that would prohibit the filing of RSCs that are not required under the regulation. This amendment has not yet been approved or implemented.

8.4. QUALIFICATIONS OF THE ASSESSORS

Nikita van Loon, B.Sc., GIT, Environmental Scientist

Nikita van Loon is an Environmental Scientist with EnVision Consultants Ltd. Nikita has obtained a Bachelor of Science, specializing in Geosciences from the University of Waterloo and has a geoscientist-in-training (GIT) designation. Additionally, she has completed two (2) minors, Biology and Geography & Environmental Management, and two (2) diplomas, Certificate of Excellence in GIS and Diploma for Ecological Restoration and Rehabilitation. Nikita has experience with remediation projects, environmental sampling, and geochemical analysis for a variety of sites, in particular those contaminated by mine tailings. Further duties include technical report writing and data analysis.

Shawna Lundrigan, B.Sc., EP, Team Coordinator – Environment

Shawna Lundrigan is a Certified Environmental Professional (EP) and is a Team Coordinator and Project Manager with EnVision Consultants Ltd. Shawna has ten years of experience conducting Phase One and Two ESAs on a variety of residential, commercial, and industrial properties. Shawna's project management experience includes preparation of proposals, work plans and cost estimates, setting, maintaining, and tracking project schedules and budgets, overseeing, assisting with, and reviewing the



execution of projects and report writing, and liaising with technical specialists to ensure technical integrity. Shawna also has experience in coordinating projects, field supervision, geo-environmental drilling, and collecting environmental samples of different mediums. Additionally, she has been involved in soil vapour and air monitoring on various Risk Assessment projects and overseen remedial excavations for various tank and gasoline service station decommissioning. Further technical duties include data analysis and technical report writing.

Rodney Obdeyn, P.Eng., QP_{ESA}, Senior Environmental Engineer

Rodney Obdeyn is a Senior Environmental Engineer with EnVision Consultants Ltd., licensed in the Province of Ontario. Rodney obtained a Bachelor of Engineering Degree from McMaster University and has been involved with hundreds of Phase One and Phase Two Environmental Site Assessments for both private and public sector projects including residential, commercial, and industrial land uses as well as large infrastructure projects. He also possesses extensive experience in soil and groundwater remediation, Risk Assessment, Record of Site Conditions, and Excess Soil Management in accordance with O. Reg. 406/19 and is a Qualified Person (QP_{ESA}) under O. Reg. 153/04 and O. Reg 406/19.

8.5. CERTIFICATION AND SIGNATURES

Prepared by

Nikita van Loon, B.Sc., GIT
Environmental Scientist
nvanloon@envisionconsultants.ca

Reviewed by

Shawna Lundrigan, B.Sc., EP
Team Coordinator, Environment
slundrigan@envisionconsultants.ca



Rodney Obdeyn, P.Eng., QP_{ESA}
Principal Engineer, Environment
robdeyn@envisionconsultants.ca

8.6. QUALIFIER

EnVision prepared this report solely for the use of the intended recipient in accordance with the professional services agreement. In the event a contract has not been executed, the parties agree that the EnVision General Terms and Conditions, which were provided prior to the preparation of this report, shall govern their business relationship.



The report is intended to be used in its entirety. No excerpts may be taken to be representative of the findings in the assessment. The conclusions presented in this report are based on work performed by trained, professional and technical staff, in accordance with their reasonable interpretation of current and accepted engineering and scientific practices at the time the work was performed.

The content and opinions contained in the report are based on the observations and/or information available to EnVision at the time of preparation, using investigation techniques and engineering analysis methods consistent with those ordinarily exercised by EnVision and other engineering/scientific practitioners working under similar conditions, and subject to the same time, financial and physical constraints applicable to this project.

EnVision disclaims any obligation to update this report if, after the date of this report, any conditions appear to differ significantly from those presented in this report; however, EnVision reserves the right to amend or supplement this report based on additional information, documentation or evidence.

EnVision makes no other representations whatsoever concerning the legal significance of its findings. The intended recipient is solely responsible for the disclosure of any information contained in this report. If a third party makes use of, relies on, or makes decisions in accordance with this report, said third party is solely responsible for such use, reliance or decisions. EnVision does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken by said third party based on this report.

EnVision has provided services to the intended recipient in accordance with the professional services agreement between the parties and in a manner consistent with that degree of care, skill and diligence normally provided by members of the same profession performing the same or comparable services in respect of projects of a similar nature in similar circumstances. It is understood and agreed by EnVision and the recipient of this report that EnVision provides no warranty, express or implied, of any kind. Without limiting the generality of the foregoing, it is agreed and understood by EnVision and the recipient of this report that EnVision makes no representation or warranty whatsoever as to the sufficiency of its scope of work for the purpose sought by the recipient of this report.

In preparing this report, EnVision has relied in good faith on information provided by others, as noted in the report. EnVision has reasonably assumed that the information provided is correct and EnVision is not responsible for the accuracy or completeness of such information.

Unless otherwise agreed in writing by EnVision, the Report shall not be used to express or imply warranty as to the suitability of the site for a particular purpose. EnVision disclaims any responsibility for consequential financial effects on transactions or property values, or requirements for follow-up actions /or costs. This limitations statement is considered an integral part of this report.



9. REFERENCES

- Environmental Risk Information Services (ERIS) 2019. ERIS Database Report, Wylie Lane Development. 2 Wylie Lane, Whitchurch-Stouffville, ON. Requested by EnVision Consultants Ltd. on September 18, 2023.
- Google Earth (Google). 2019. Image © 2018 DigitalGlobe Image NASA.
- Government of Ontario (Ontario). 2018. Brownfields Environmental Registry. <https://www.ontario.ca/page/brownfields-redevelopment>.
- McGill University (McGill). 2001. The Canadian County Atlas Digital Project. <http://digital.library.mcgill.ca/countyatlas/searchmapframes.php>.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2010. Access Environment – Certificates of Approval. <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic>.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2011. Ontario Regulation 153/04, as amended, Records of Site Condition – Part XV.1 of The Act, made under the Environmental Protection Act. July 1, 2011
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2019. Ontario Regulation 406/19, as amended, On-Site and Excess Soil Management, made under the Environmental Protection Act. December 4, 2019.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2020. Rules for Soil Management and Excess Soil Quality Standards. December 8, 2020
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2016a. Environmental Monitoring and Reporting Branch Well Records. <https://www.ontario.ca/environment-and-energy/map-well-records>.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2016b. Hazardous Waste Information Network. <https://www.hwin.ca/hwin/index.jsp>.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2016c. National Pollutant Release Inventory. <https://www.ec.gc.ca/inrp-npri/>.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2008. Ontario Base Map Index. <https://www.ontario.ca/data/ontario-base-map-index>.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2015. Natural Heritage Areas. http://www.gisoeapp.lrc.gov.on.ca/Mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage&viewer=NaturalHeritage&locale=en-US.
- Ontario Ministry of Northern Development and Mines (MNDM). 2016. Ontario Geological Society Maps. 2016



TABLES



Table 1 - Current and Past Uses of the Phase One Property

(Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04)

2 Wylie Lane, Whitchurch-Stouffville, ON

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1878	William Farrier	Mixed agricultural and residential	Agriculture or other use	Based on a review of the 1878 York County Atlas, the Phase One Property was a part of a larger agricultural lot owned by William Farrier.
1949 - Present	Robert & Maryanne James	Mixed agricultural and residential	Residential Use	The Site comprises an approximately 76 acre property that is occupied by residential building on the northeast portion of the site, Lake Windsor on the east portion of the Site, and vacant or wooded land over the balance of the property. Based on a review of available aerial photographs, the Site has been used for similar purposes since the mid 1950s. Based on the interview conducted with the site representative, the Site has been owned by Mr. and Mrs. James for approximately 75 years. Mr. Spratley, the site representative, is currently in the process of purchasing the Site for residential redevelopment.

Notes:

1 - for each owner, specify one of the following types of property use (as defined in O. Reg. 153/04) that applies:

Agriculture or other use

Commercial use

Community use

Industrial use

Institutional use

Parkland use

Residential use



Table 2 - Summary of Potentially Contaminating Activities

(Refer to Table 2, Schedule D, O. Reg. 153/04)

Potentially Contaminating Activity (PCA)		Description
40 .1	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	<u>Phase One Property</u> - Based on a review of the ERIS report, Tall Oaks Property Services Ltd. located at 5 Appleton Avenue, situated approximately 130 m northwest of the Phase One Property was listed in the Pesticide Register as a pesticide operator. Due to the distance from the Site, location relative to inferred groundwater flow direction, and the nature of this PCA, this is not considered to contribute to an APEC on the Site.
B .1	Spills	Study Area - Based on a review of the ERIS report, an unknown quantity of furnace oil was reportedly leaked from a tank pinhole to gravel in 1999 at a private residence at 45 Valley Road, situated approximately 178 m east of the Phase One Property. Due to the distance from the Site and the location relative to inferred groundwater flow direction, this PCA, this is not considered to contribute to an APEC on the Site.

Notes:

1 - Potentially Contaminating Activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D of O.Reg 153/04

2 - A, B, C represent PCAs not specified in Table 2, Schedule D of O. Reg 153/04



3 - Red highlighting indicates that the PCA is considered contributing to an APEC



FIGURES

Prepared By: Tanya Peterson

C:\Users\Tanya Peterson\OneDrive - Evolution Consultants\Documents\112_GIS\Projects\2023\23-0462\APP\A01_FLM\23-0462_Figure 1_CSM.aprx



POTENTIALLY CONTAMINATING ACTIVITIES (PCAs)

40 PESTICIDES (INCLUDING HERBICIDES, FUNGICIDES AND ANTI-FOULINGAGENTS)
MANUFACTURING, PROCESSING, BULK STORAGE AND
LARGE-SCALE APPLICATIONS

B SPILLS

CLIENT

ECO LAKE HOMES

PROJECT

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
WYLIE LANE SUBDIVISION - 2 WYLIE LANE
WHITCHURCH-STOUFFVILLE, ONTARIO

TITLE

PHASE ONE CONCEPTUAL SITE MODEL

PROJECT NO.	DATE	PREPARED BY	APPROVED BY	FIGURE
23-0462	DECEMBER 2024	TP	RO	1

LEGEND

SITE BOUNDARY

250 m STUDY AREA

1 m TOPOGRAPHIC CONTOURS (mASL)

INFERRED GROUNDWATER FLOW DIRECTION

MECP WATER WELL

UNEVALUATED WETLAND

PROVINCIALY SIGNIFICANT WETLAND

WATERBODY

WATERCOURSE

AREAS OF NATURAL & SCIENTIFIC INTEREST

OAK RIDGES MORAINÉ

REGULATION LIMIT (LSRCA)

PCA NOT CONTRIBUTING TO APEC

PCA CONTRIBUTING TO APEC

CLIENT

ECO LAKE HOMES

PROJECT

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
WYLIE LANE SUBDIVISION - 2 WYLIE LANE
WHITCHURCH-STOUFFVILLE, ONTARIO

TITLE

PHASE ONE CONCEPTUAL SITE MODEL

PROJECT NO.	DATE	PREPARED BY	APPROVED BY	FIGURE
23-0462	DECEMBER 2024	TP	RO	1



APPENDIX A:

Plan of Survey



SURVEYOR'S REAL PROPERTY REPORT
PART 1 - PLAN OF SURVEY OF
CONCESSION 8
TOWN OF WHITCHURCH-STOUFFVILLE
REGIONAL MUNICIPALITY OF YORK
(GEOGRAPHIC TOWNSHIP OF WHITCHURCH-COUNTY OF YORK)

SCALE 1:750
37.5m 18.75 0 37.5 METRES

MANDARIN SURVEYORS LIMITED, O.L.S. ©
METRIC
DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE
CONVERTED TO FEET BY DIVIDING BY 0.3048

LEGEND

- DENOTES MONUMENT FOUND
- SSB DENOTES STANDARD IRON BAR
- SB DENOTES SHORT STANDARD IRON BAR
- P1 DENOTES PLAN 65R-17656
- P2 DENOTES PLAN 65R-20820
- P3 DENOTES PLAN 65R-33006
- P4 DENOTES PLAN 65R-29219
- PIN DENOTES PROPERTY IDENTIFIER NUMBER
- M DENOTES MEASURED
- N.S.E.W. DENOTES NORTH, SOUTH, EAST, WEST
- B.F. DENOTES BOARD FENCE
- C.L.F. DENOTES CHAIN LINK FENCE
- LAP DENOTES LLOYD & PURCELL, O.L.S.
- W.P. DENOTES MALCOLM PHILLIPS, O.L.S.
- 117N DENOTES DONALD ROBERTS SURVEYING LTD., O.L.S.
- 1137 DENOTES R. G. McKEOWN, O.L.S.
- Q.U. DENOTES ORIGINAL UNKNOWN
- N DENOTES NOT IDENTIFIABLE
- D.S. DENOTES DOOR SILL ELEVATION AT ENTRY
- O.H.W. DENOTES OVERHEAD WIRE
- C.S.P. DENOTES CORRUGATED STEEL PIPE
- W.V. DENOTES WHEAT ELEVATION
- T.O.B. DENOTES TOP OF BANK
- S.O.B. DENOTES BOTTOM OF BANK
- Y.H. DENOTES FIRE HYDRANT
- O.M. DENOTES MANHOLE
- U.P. DENOTES UTILITY POLE
- W.V. DENOTES WATER VALVE
- M.C. DENOTES CATCH BASIN
- DENOTES CONIFEROUS TREE
- DENOTES DECIDUOUS TREE

ALL TIES TO CONCRETE FOUNDATION, UNLESS NOTED OTHERWISE.
BEARINGS ARE UTM GRID, DERIVED FROM OBSERVED REFERENCE POINTS A & B
BY REAL TIME NETWORK OBSERVATIONS, UTM ZONE 17, NAD 83.

SPECIFIED CONTROL POINTS (SCP's)
UTM, ZONE 17, NAD83 (CSRS) (1997.0)
COORDINATES TO URBAN ACCURACY PER SEC. 14 (2) OF O.R.C. 216/10

POINT ID	NORTHING	EASTING
A	4878102.814	638760.970
B	4878103.643	637783.665

COORDINATES CANNOT, IN THEMSELVES, BE USED TO
RE-ESTABLISH CORNERS OR BOUNDARIES SHOWN ON THIS PLAN

BENCHMARK NOTE
ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE REFERRED TO THE TOWN OF WHITCHURCH-STOUFFVILLE BENCHMARK No.13020160016, HAVING AN ELEVATION OF 233.224 METRES DATUM: CGVD28-PIN#76. BRASS TABLET SET IN CONCRETE HEADWALL ON EAST SIDE OF SOMER RUM COURT, 34.2 M SOUTHEAST OF THE MOST SOUTHERLY CORNER OF 35 SOMER RUM COURT, 11.2 M SOUTHEAST OF CHAIN LINK FENCE, 12.9 M SOUTHWEST OF THE SOUTH END OF A CONCRETE HEADWALL, 26.0 M NORTHWEST OF AN IRON BAR, 22.6 M NORTHEAST OF A CHAIN LINK FENCE, AND 33.3 M NORTHEAST OF THE NORTHEAST CORNER OF 27 SOMER RUM COURT.

THIS REPORT WAS PREPARED FOR JAMES SPRATLEY AND THE UNDERSIGNED ACCEPTS NO RESPONSIBILITY FOR ITS USE BY OTHER PARTIES.

PART 2 (SURVEY REPORT)

1. REGISTERED EASEMENTS AND/OR RIGHT OF WAYS: NONE.
2. ADDITIONAL COMMENTS: NOTE THE LOCATION OF THE FENCES AROUND THE EASTERN LIMITS OF THE SUBJECT PROPERTY.
3. THIS PLAN DOES NOT CERTIFY COMPLIANCE WITH ZONING BY-LAWS.

SURVEYOR'S CERTIFICATE

I CERTIFY THAT:

1. THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYS ACT, THE SURVEYORS ACT AND THE REGULATIONS MADE UNDER THEM.
2. THE SURVEY WAS COMPLETED ON THE 12th DAY OF JULY, 2023.

DATE: JULY 21, 2023

ASSOCIATION OF ONTARIO LAND SURVEYORS
PLAN 2209790

MANDARIN SURVEYORS LIMITED
ONTARIO LAND SURVEYOR
CANADA LANDS SURVEYOR
WWW.MANDARINSURVEYORS.COM
2400 MIDLAND AVE., #211 PHONE: (647)430-1366 FAX: (647)799-4068
SCARBOROUGH, ONTARIO, M1S 2C1 E-MAIL: MANDARINSURVEY@GMAIL.COM
REGISTRATION NO. 90899R PIN 03690-0000
SURVEY BY: J.L. DRAWN BY: S.N. CAD FILE: 23-18869R 2023-18869R

THIS PLAN IS NOT VALID UNLESS IT IS A LIMITED ORIGINAL COPY ISSUED BY THE SURVEYOR.
Regulation 2023-01-01 (2023)



APPENDIX B:

City Directories



CITY DIRECTORY

Project Property: 2 Wylie Lane
2 Wylie Lane
Whitchurch-Stouffville, ON
Project No: 23-0462
Requested By: EnVision Consultants Ltd.
Order No: 24111200171
Date Completed: November 20, 2024

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
		Total:	5	96	101

November 20, 2024
RE: CITY DIRECTORY RESEARCH
2 Wylie Lane
Whitchurch-Stouffville, ON

Thank you for contacting ERIS regarding our City Directory Search services. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. When searching a range of addresses, all civic addresses within that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on highly developed areas, while newly developed areas may be covered in the more recent years, older directories tend to cover only "central" parts of the city. To complete the search, we have either utilized the Toronto Reference Library, Library & Archives Canada and multiple digitized directories. While these do not claim to be a complete collection of all reverse listing city directories produced, ERIS has made every effort to provide accurate and complete information. ERIS shall not be held liable for missing, incomplete, or inaccurate information. If you believe there are additional addresses or streets that require searching, please contact us.

Search Criteria:

5800-5900 of Lakeshore Road
All of Stapleton Drive
40-80 of Valley Road
40-60 of Windsor Drive
All of Wylie Lane

Search Notes:

Search Results Summary

Data from 2012 to 2017 does not include residential information

Date	Source	Comment
2023	DIGITAL BUSINESS DIRECTORY	
2021	DIGITAL BUSINESS DIRECTORY	
2017	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2008	COLE	
2000	POLKS	
1995	POLKS	
1991	MIGHTS	
1985	MIGHTS	
1981	MIGHTS	
1975	MIGHTS	
1970-1971	MIGHTS	
1966	MIGHTS	
1958	MIGHTS	

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

5801

L OUTRAM...RESIDENTIAL

5805

R EVERS...RESIDENTIAL

5809

A RILEY...RESIDENTIAL

5823

JOHN WYLIE...RESIDENTIAL

5823

YINGJI DONG...RESIDENTIAL

5831

B REYNOLDS...RESIDENTIAL

5851

J HORNE...RESIDENTIAL

5867

S MULLIN...RESIDENTIAL

5873

W ASSINCK...RESIDENTIAL

5883

P MCQUADE...RESIDENTIAL

5889

I BILlich...RESIDENTIAL

5895

M MATTHIESSEM...RESIDENTIAL

3

H TILLYER...RESIDENTIAL

3

S KANE-KENNEDY...RESIDENTIAL

7

D SMITH...RESIDENTIAL

8

LARRY STEAD...RESIDENTIAL

8

N RIORDAN...RESIDENTIAL

9

LUCILLE SAMBORSKY...RESIDENTIAL

11

J KING...RESIDENTIAL

14

B THOMPSON...RESIDENTIAL

40 L KUNCH...RESIDENTIAL
41 R LANDRY...RESIDENTIAL
42 Z JARRETT...RESIDENTIAL
45 B ONGMAN...RESIDENTIAL
47 A ZANNELLA...RESIDENTIAL
47 S LEGAULT...RESIDENTIAL
49 A KAPELL...RESIDENTIAL
51 C BURROWS...RESIDENTIAL
51 J BURROWS...RESIDENTIAL
54 D BIRD...RESIDENTIAL
56 W WONG...RESIDENTIAL
62 K PLITONG...RESIDENTIAL
67 DEBBY GLENN...RESIDENTIAL
68 C GAUDET...RESIDENTIAL
68 L CRAWFORD...RESIDENTIAL

40 G CHIN...RESIDENTIAL
41 T DAVIDSON...RESIDENTIAL
42 B KOKINIAS...RESIDENTIAL
48 M AMELL...RESIDENTIAL
48 M VICKERS...RESIDENTIAL
50 BR LIVINGSTONE...RESIDENTIAL
51 C MULLEN...RESIDENTIAL
53 P NOBLE...RESIDENTIAL
54 B POWELL...RESIDENTIAL
54 ROSEWILL POOLS...SWIMMING POOL CONTRS DEALERS & DESIGNERS
55 K BOWMAN...RESIDENTIAL
56 K BARCLAY...RESIDENTIAL
58 A BENOIT...RESIDENTIAL
59 R HAINES...RESIDENTIAL

2

A BRITTEN...RESIDENTIAL

2

R JAMES...RESIDENTIAL

5801

L OUTRAM...RESIDENTIAL

5805

R EVERS...RESIDENTIAL

5809

A RILEY...RESIDENTIAL

5823

JOHN C WYLIE...RESIDENTIAL

5823

YINGJI DONG...RESIDENTIAL

5831

B J REYNOLDS...RESIDENTIAL

5851

J HORNE...RESIDENTIAL

5867

S MULLIN...RESIDENTIAL

5873

W ASSINCK...RESIDENTIAL

5883

P J MCQUADE...RESIDENTIAL

5889

I BILLICH...RESIDENTIAL

5895

M MATTHIESSEM...RESIDENTIAL

3 H TILLYER...RESIDENTIAL
3 S KANE-KENNEDY...RESIDENTIAL
8 LARRY STEAD...RESIDENTIAL
8 N RIORDAN...RESIDENTIAL
9 LUCILLE SAMBORSKY...RESIDENTIAL
11 J KING...RESIDENTIAL
14 B THOMPSON...RESIDENTIAL

40 P L KUNC...RESIDENTIAL
42 Z JARRETT...RESIDENTIAL
45 B ONGMAN...RESIDENTIAL
47 A ZANNELLA...RESIDENTIAL
47 S LEGAULT...RESIDENTIAL
49 A KAPELL...RESIDENTIAL
51 C BURROWS...RESIDENTIAL
51 J C BURROWS...RESIDENTIAL
54 D BIRD...RESIDENTIAL
62 K PLITONG...RESIDENTIAL
67 DEBBY GLENN...RESIDENTIAL
68 C GAUDET...RESIDENTIAL
68 L CRAWFORD...RESIDENTIAL

40G CHIN...RESIDENTIAL

41T DAVIDSON...RESIDENTIAL

42B KOKINIAS...RESIDENTIAL

48M AMELL...RESIDENTIAL

48M VICKERS...RESIDENTIAL

50BR LIVINGSTONE...RESIDENTIAL

51C MULLEN...RESIDENTIAL

53P NOBLE...RESIDENTIAL

54B POWELL...RESIDENTIAL

54ROSEWILL POOLS...SWIMMING POOL CONTRS DEALERS & DESIGNERS

55K BOWMAN...RESIDENTIAL

56K BARCLAY...RESIDENTIAL

58A BENOIT...RESIDENTIAL

59R HAINES...RESIDENTIAL

2A BRITTEN...RESIDENTIAL

2R D JAMES...RESIDENTIAL

2R JAMES...RESIDENTIAL

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

40

BURNS BROTHERS EXCAVATING...SITE PREPARATION CONTRS

54

ROSEWILL POOLS...COMMERCIAL BUILDING CONSTRUCTION

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

40BURNS BROTHERS EXCAVATING...SITE PREPARATION CONTRS

54ROSEHILL...COMMERCIAL BUILDING CONSTRUCTION

54ROSSWILL POOLS...SPORTING GOODS MERCHANT WHOLS

NO LISTING FOUND

2008 LAKESHORE ROAD

SOURCE: COLE

18	C Bann	905.642.0800	
19	T Terpolde	905.642.9953	
22	G McGhee	905.642.1128	
23	C Flanagan	905.640.4258	
7 RESIDENCE			

LAKE WOODS DR

CT 431.01	9- 86	\$8
9	Ibrahim Rahman	+ 905.640.1330
15	Rafat Mansour	+ 905.642.2013
20 Woodlands Of Camelot Model Home		
23	R Case	+ 905.640.0344
	D Coletto	+ 905.640.0607
24	M Hadjilamid	+ 905.642.2807
28		NP
31	P Hardy	+ 905.642.4244
37	Charlotte B Chesham	+ 905.640.7267
38	V Galanis	+ 905.640.1688
42	Karl Vendrov	+ 905.640.0245
43	J Cross	+ 905.640.2740
53	Brent Chapman	+ 905.640.7775
61	K Hoang	+ 905.642.9513
65	K Scenna	+ 905.640.0097
69	J Cufley	+ 905.640.0598
77	K Cho	+ 905.642.6077
80	D Crank	+ 905.642.4737
88	D Nichol	+ 905.640.7903
18 RESIDENCE		
1 BUSINESS		

LAKESHORE

CT 430.02	5410 - 5987	\$E
	5410 - 5987	...L4A0A1
	5612 - 5681	...L4A1A1
5410	M Kirkpatrick	+ 905.642.5487
5451	M Pintaric	+ 905.640.0001
5511	S McCanthy	+ 905.642.1984
5584	P Carwardine	+ 905.640.9059
	Rick Schickelanz	+ 905.642.9811
5601	*Your Printing Matters	+ 905.642.9579
5612		NP
5615	T Disterano	+ 905.642.0018
5619	V Denev	+ 905.640.5951
	J Sues	+ 905.640.5663
5628	C Whiteway	+ 905.642.5650
	T Whiteway	+ 905.642.5650
5629	C Gray	+ 905.640.5826
5633	Andrew Fidler	+ 905.642.3127
5639	R Bettencourt	+ 905.642.3632
	L Sedon	+ 905.642.4498
5657	K Montgomery	+ 905.642.9883
	T Montgomery	+ 905.640.1400
5670	R S Wilmore	+ 905.640.1768
5773	Mark G Harper	+ 905.640.8379
5778	B Abbott	+ 905.640.7474
5785	J Gurnett	+ 905.642.4347
5789		NP
5793	M Marstrand	+ 905.642.6819
5794	B Laine	+ 905.642.1594
5801	P Bansen	+ 905.640.8313
	L Outram	+ 905.640.8313
5823		NP
5831	B J Reynolds	+ 905.640.4487
5851	Sally Cotton	+ 905.642.6033
	J Home	+ 905.640.0522
	Johnathan Home	+ 905.642.6033
5883	P J McQuade	+ 905.642.4975
5895	M Matthiessen	+ 905.642.4965
5907	R Ambrose	+ 905.642.2884
	J Huntley	+ 905.642.2884
5919	G Duccette	+ 905.642.6331
5981		NP
5987	Jean M Sellen	+ 905.642.5301
39 RESIDENCE		
1 BUSINESS		

LAKESHORE RD

CT 431.01	5280 - 5981	\$8
CT 430.02	5410 - 5993	\$E
	5280 - 5981	...L4A7X3
	5410 - 5993	...L4A0A1
	5411 - 5411	...L4A1R1
5280	Kent B Armstrong	+ 905.640.0015
5302		NP
5312	J Over	+ 905.640.9531
5322	D Harold	+ 905.640.1809
5375		NP
5376	R J Windsor	+ 905.640.1459
5410	Alaina Antoni	+ 905.640.2147
	A Edwards	+ 905.642.1918
5411	*Greystone Developments Ltd	+ 905.640.0218
5426	L D Coldin	+ 905.642.4366
5583	J Dalton	+ 905.642.2595
5634	C Goodard-Carward	+ 905.642.2595
5619	E Bumie	+ 905.640.2962
	D Wallbridge	+ 905.591.0094
5623	A Kelly	+ 905.640.3389
5625	C Fawthrop	+ 905.640.1039
5628		NP
5648	R Magee	+ 905.640.7895
5696	Michael Benjamin	+ 905.642.1606
5720	D Monieth	+ 905.642.2424
5721	Michael Buttery	+ 905.642.7077
	S Robson	+ 905.642.7077
5729	Wm Johnston	+ 905.640.4250
5737	R Frison	+ 905.642.0817
5741	Jason Desjardins	+ 905.642.1663
5745	J Nolan	+ 905.642.3912
5749	Wayne Graves	+ 905.640.2760
	*R & R TouchUps	+ 905.642.6891
5757	A Brea	+ 905.642.0830
5761	C Lewis	+ 905.642.1927
5765	M Kubbinga	+ 905.640.6277
5790	F Bolo	+ 905.640.4914
5794	Brian Laine	+ 905.640.7224
5805	R Evers	+ 905.640.8014
5809	A Riley	+ 905.642.5995
5823	John C Wylie	+ 905.640.3603
5857	M R Young	+ 905.640.1511
5861	T Wirth	+ 905.640.5660

5867		NP
5873	W Assink	+ 905.640.5389
5879		NP
5889	I Billich	+ 905.640.8095
5981	T Tsetsinas	+ 905.640.1983
5993	S Bull	+ 905.640.7204
42 RESIDENCE		
2 BUSINESS		

LAKESPRING DR

CT 430.02	0	5- 5	\$E
	0	5- 5,....	L4A0A1
5 Stanley Ng		+ 905.888.1326	
1 RESIDENCE			

LAKEVIEW

CT 430.02	2 - 98	SE
	2 - 98.....	L4A0A1
	0	39 - 87.....
		L4A1A1
2	T Crowe	905.888.4692
4	D Capozzolo	905.888.1671
6	Vesa M Ustupa	905.888.1306
10	R Baranowski	905.888.5222
	R Baranowski	905.888.5111
11	C Smith	905.888.5872
18	D Meams	905.888.1616
	*Renforth Agencies	905.888.1607
26	J Serez	905.888.9736
34		NP
35	K Gillman	905.888.1615
39		NP
42	J W Elliot	905.888.0048
50	W McCulloch	905.888.5338
51		NP
54	P Barretto	905.888.5610
	*Bigtree	905.888.5493
	R Mathias	905.888.5610
55	Elaine Irwin	905.888.9788
62	Fernando Campos	905.888.0123
66	Soon-Hyung You	905.888.5001
70	John Dittich	905.888.1351
74	D Bailey	905.888.1444
75	Michael A Kirby	905.888.0719
83	B Kelly	905.888.5195
87		NP
95	R Empringham	905.888.1654
98	P Hengen	905.888.1094
26 RESIDENCE		2 BUSINESS

LAKEVIEW AVE

CT 430.02	9- 94	\$E
	9- 94	...L4A0A1
9	F Meneses	+ 905.591.0662
14	J Korkoski	+ 905.888.1043
34	J Grove	+ 905.504.0101
39	T Augustyn	+ 905.504.0066
	T Augustyn	+ 905.504.0070
51	H Hoover	+ 905.888.9158
58	M Neeb	06 905.888.6332
70	M Machkur	+ 905.888.5679
86	C Cheng	+ 905.888.5628
87	L Gills	+ 905.504.0052
94	J Spooner	+ 905.888.4605
11 RESIDENCE		

LAMBS RN

CT 430.02	E	8 - 8	\$E
	E	8 - 8.....	L4A0A1
6	G Jordan	06	905.642.2033
1. apartment			

LAMBS RUN

CT 430.02	2- 37	\$E
	2- 37..... L4A0A1	
2	D Farmer	06 905.640.6650
5	P Serreau	06 905.642.8080
	P Serreau	06 905.642.6060
9	J A Bonner	06 905.640.6205
10	S Berg	06 905.642.0045
14	D Simpson	06 905.640.1626
15	S R Singer	06 905.642.3731
18	Kwan Lo	06 905.640.6376
21	Evelyn R Jones	06 905.642.2573
22	R Ainsworth	06 905.591.0057
25	C Rosenfeldt	06 905.640.9289
26	D Kingston	06 905.642.0426
	Trevor L. Kington	06 905.642.8428
29	T Mouratidis	06 905.640.7968
33	Lawrence Levin	06 905.640.5667
37	C Copeland	06 905.642.9497
16 RESIDENCE		

LANCELOT LANE

CT 430.02	E	26 - 32	\$E
	E	26 - 32	L4A0A1
26	D Liang	06	905.888.5801
32	R Ibrahim	06	905.888.5840
2 RESIDENCE			

LAPIER

CT 430.02	2- 12	SE
	2- 12....	L4A0A1
0	11- 11....	L4A1A1
2 J Venditti	+	905.642.6386
Linda Vince	+	905.642.0101
5 P Westermann		905.640.3993
7 N Findlay		905.642.1948

2008 STAPLETON DRIVE

SOURCE: COLE

15	H R Sear	+ 905.642.0601
18	P Nielsen	+ 905.642.4338
19	T Marshall	+ 905.642.1092
23	E Mansfield	+ 905.642.3331
26	U Dow	+ 905.640.0855
	Carl Dow	+ 905.640.0855
27	S Frankuyter	+ 905.640.4245
31	James Farwell	+ 905.640.2902
35	Robert G Hall	+ 905.640.0143
39	M Topping	+ 905.640.2582
15 RESIDENCE		
1 BUSINESS		

SOMERVILLE ST

CT 430.01	E	56 - 64	
	E	56 - 64, ... L4A1G	
56	V Smith	06	905.640.26
	*Smith D & J Plumbing Co.		905.642.31
64	M R Curtis		905.640.20
2 RESIDENCE		1 BUSINESS	

SOUTH

CT 430.02	328 - 381	
	328 - 381	... L4A0A1
0	343 - 369	... L4A1A1
328	B Allen	905.642.6724
333	T Emmer	905.642.0754
334	J E Macdonald	905.640.1838
337	T McAlister	06 905.591.0018
338	A F Jammer	905.640.2748
343		
344	L Stover	905.642.8460
350	Ray A Heppner	905.642.5494
351		NP
356	Bernard Reesor	905.640.5569
357	K Walk	905.640.8532
362	*Nelson Billiards	06 905.640.0011
363	368,369	NP
372	Mark Beckett	905.640.2862
377	M J Macaulay	905.640.4162
378	N A Leonard	905.640.5677
381	S Clabine	06 905.642.2247
	18 RESIDENCE	
	1 BUSINESS	

SOUTH RD

CT 430.02		\$E
		...L4A0A1
	S J Gordon	+ 905.640.3788
1 RESIDENCE		

SOUTH ST

CT 430.02	E	368 - 368	
	E	368 - 368	... L4A0A1
368	G Coombs		+ 905.640.7886

SPRING ST

CT 430.01	3- 30	
	3- 30.....	L4A7W9
	0	7- 29.....
3	David Joudray	+ 905.640.0361
	Spence Webster	+ 905.642.7091
5	I Pankratz	+ 905.642.9415
7	M Cussion	+ 905.642.0676
	*Stouffville Air Systems	+ 905.642.4926
9	R McInnes	+ 905.642.5072
10	S Cringan	+ 905.642.8869
11		NP
13	Robert Little	+ 905.642.1799
15	L J Bruce	+ 905.640.9468
16	Jim Moule	+ 905.642.2207
17	D Popa	+ 905.640.3717
20	K Sandford	+ 905.642.3718
	K Sandford	+ 905.642.8778
21		NP
23	K Fillingham	+ 905.640.8959
25	R Niessl	+ 905.640.7788
26	J Bartley	+ 905.640.2963
27	Art Smith	+ 905.640.6757
29		NP
30	J Richards	+ 905.640.7972
20 RESIDENCE		
1 BUSINESS		

SPRING VISTA

CT 430.02	E	2- 2	
	E	2- 2.....	L4A0A1
2 D Wang			06 905.888.5914

● UXBIDGE PICKERING TOWNLINE

CT	430.02	0	685 - 685	SE
685	L Lewis	1	685 - 685	L4A0A1
				905.640.8907

● UXBIDGE PICKERING TOWNLINE RD

CT	430.02	45 - 685	SE
45	Roy Kerswill	905.642.4488	
104	Lionel Elson	905.640.4925	
106	Gordon Eckardt	905.640.1574	
132	Gill Window Cleaning	905.640.7700	
	Dave Harris	905.640.9444	
152	D J Mercer	905.640.8612	
160	J R Johnson	905.640.3893	
168	A Bisschop	905.640.4228	
174	B Frisoli	905.640.6540	
176	E Stygardeks	905.642.1696	
185	Joe M Nighswander	905.640.1536	
188	M Straughan	905.640.1173	
190	Jims Small Engines	905.640.1926	
	J A Lyon	905.640.9256	
192	N Harris	905.640.4218	
196	P Crowe	905.640.3534	
215	K W Splice	905.640.4129	
230	Donald W Eriksen	905.640.1398	
250	D Lewis	905.642.0135	
265	A Parente	905.640.3760	
275	E Leger	905.640.3294	
385	W D Cuthbertson	905.642.8424	
625	K Gladding	905.640.6330	
685	Harry Brock	NP	
		23 RESIDENCE	2 BUSINESS

● VALLEY

CT	430.02	SE
		L4A0A1
	Tom Snow	905.640.3497
		1 RESIDENCE

● VALLEY RD

CT	431.01	1 - 68	SE
		1 - 68	L4A7X3
1	T Schevers	905.642.3134	
2	K Akay	905.640.3217	
3	J Hennings	905.642.8959	
3	S Pelletier	905.640.9775	
4	L Bulloch	905.640.1986	
5	Donald Assink	905.640.1862	
6	D J O'Brien	905.642.8645	
7	G Judge	905.640.4458	
		NP	
8	Lori McRae	905.642.0897	
12	S Stephens	905.640.1543	
12	Rhona Norton	905.642.8124	
15	K Robinson	905.642.9516	
16	H Pongracz	905.640.4947	
17	B Baumhour	905.642.1416	
18	A Elson	905.642.9841	
21	G Brown	905.640.8452	
22	Branslav Swink	905.640.3044	
25	B Fletcher	905.591.1414	
28	Marcelle Carter	905.642.2352	
29	Patrick Saul	905.640.8928	
30	M Drexler	905.640.7856	
32	D Bateman	905.640.5627	
33	S Muir	905.642.0874	
33	B Bird	905.640.5068	
37	C Wong	905.642.1432	
37	G Legault	905.640.8279	
38	D Zikavitz	905.642.4871	
39	C Maengaa	905.640.5876	
40	L Kunc	905.642.1460	
42	A Casan	905.591.0477	
45	B Ongman	905.642.3259	
47	S Legault	905.642.0522	
49	S Lockhart	905.642.3790	
51	J Burrows	905.642.1047	
54	D Bird	905.642.0411	
55	L Cox	905.640.2512	
61	J Armstrong	905.640.7162	
62	D Mackenzie	905.640.7109	
63	K Pittong	905.642.5242	
		NP	
66	D Turcotte	905.642.3752	
67	D Glenn	905.640.7567	
68	C Gaudet	905.640.3647	
	L Kungsepp	905.640.4352	
		46 RESIDENCE	

● VALLEYFIELD RD

CT	431.01	6 - 27	SE
		6 - 27	L4A7X3
6	S Burford	905.642.2241	
	M Kral	905.640.7723	
	A Mooney	905.642.5950	
8	P Sorichetti	905.642.9784	
		NP	
14	B Garner	905.642.2512	
27	Clifford Horton	905.640.2716	
		7 RESIDENCE	

● VAN DORF SDRD

CT	430.02	E	3678 - 3678	SE

3678	J D Clarke	905.888.1797
	1 RESIDENCE	

● VANDORF SDRD

CT	430.02	3125 - 5166	SE
		3125 - 5166	L4A0A1
		3853 - 4631	L4A1A1
			905.888.1228
3125	J Henry	905.888.0926	
	King Equestrian Club	905.888.7433	
3253	E Pine	905.888.7773	
3281	Teodor Grantcharov	905.888.6086	
3325	Ritta Vint	905.888.5721	
3360	R N Staley	905.888.1248	
3399	D S Neuman	905.888.0124	
3435	I Marchese	905.888.5921	
3471	I Tait	905.888.0125	
3472	Alex Stewart	905.888.4944	
3617	F J Muhr	905.888.9632	
3727	W McCart	905.888.0757	
3802	Paul Murray	905.888.9087	
3821	C E Toole	905.640.4169	
3840	B Long	905.640.8824	
3876	Ken Dekkema	905.642.0993	
	T Dekkema	905.642.8675	
3891	E Amato	905.640.0919	
3914	J De Weerd	905.640.0678	
3927		NP	
3948	Herbert Bell	905.642.0187	
	C Teixeira	905.642.0317	
3965	D Brockels	905.642.2468	
4001	E Lihopoulos	905.642.8457	
4018	B J Steck	905.642.1223	
4037	S Savage	905.642.0268	
4042	W Mackenzie	905.640.9757	
4067	4068	NP	
4111	S Littlechild	905.640.2246	
4162		NP	
4181	Steve Boston	905.640.0107	
4194	R O Dobson	905.642.2141	
	L A Dobson	905.642.2141	
4230	T S Martin	905.640.4484	
4279	Janet Kaiman	905.642.2325	
	Rocio Pagnello	905.642.1743	
4304	K Dickie	905.640.8086	
4561	D Gentile	905.640.4212	
4604	D King	905.642.0365	
4631		NP	
4657	K Temelkos	905.640.5125	
4725	S Ruple	905.642.5772	
4812	Als Tack Shop	905.640.2011	
	A S Humphrey	905.640.1727	
	J Humphrey	905.640.2909	
	L D Humphrey	905.640.9573	
4829	A Boston	905.640.0509	
4852	L Hunter	905.642.8001	
4901	J Macdonald	905.642.1149	
5007	W Hanlon	905.642.1170	
5042	M J Jansen	905.642.1895	
	Richview Nursery	905.642.1449	
5078	W E Madden	905.642.8416	
	W E Madden	905.642.4504	
5166	Ralph K Wise	905.640.1930	
		55 RESIDENCE	4 BUSINESS

● VANZANT CRT

CT	430.01	75 - 122	SD
		114 - 114	SE
		75 - 119	L4A4Z2
		110 - 122	L4A4Z1
		114 - 114	L4A0A1
75		NP	
79	A Stover	905.640.8348	
83	Z Kif	905.640.1544	
87	Panorama Internet Publishing	905.640.5990	
90	D Booth	905.642.1068	
	Starshine Music Archives	905.642.8455	
99	G Venner	905.642.8193	
100	D Kennedy	905.642.5075	
103	David Morris	905.642.5652	
106	Elwyn Jones	905.640.3124	
107	W S Austin	905.640.0230	
110	G D Ratloff	905.640.6030	
111		NP	
114	R Tabone	905.640.3601	
115	Gerald McGuckin	905.640.3572	
118		NP	
119	K Cowan	905.642.1060	
122	David Barr	905.640.7747	
	Via Foods Inc	905.640.9997	
		16 RESIDENCE	3 BUSINESS

● VICTOR DR

CT	431.01	5 - 16	SE
		5 - 16	L4A7X3
5	R Bennett	905.591.0469	
	Mark McKelvey	905.640.9415	
6	S Vincent	905.642.0866	
7	R Leblanc	905.642.5636	
8	M Baynes	905.642.8205	
10	S C Thompson	905.640.9419	
12	W Wiscombe	905.642.5787	
	Possibilities Unlimited	905.642.3245	
16	T D'amato	905.642.3292	
	J Prentice	905.640.1494	
		905.642.5272	
		10 RESIDENCE	1 BUSINESS

● VICTORIA ST

CT	430.02	4 - 60	SE
		4 - 57	L4A3R7
		46 - 60	L4A3R6
			905.640.3781
4	CanBal Inc	905.640.1023	
	L Moyne	905.642.1845	
	P H McPherson	NP	
14			

● WILLIAM STARK RD

6- 57	L4A0H5	
6	A Kennedy	+ 905.591.0314
7	J O'Brien	+ 905.640.6111
8	Whitell M Maciver	+ 905.642.6759
10	V De Franco	+ 905.591.0351
11	Chan L Young	+ 905.591.0271
12	Chan L Young	+ 905.591.0267
14	P Gobin	+ 905.642.3749
15	S Vicente	+ 905.591.0433
18	M Sclarra	+ 905.640.0839
19	L Vanderkolk	+ 905.640.3410
23	C Finnelly	+ 905.640.0333
26	J Tong	+ 905.642.2771
27	C Thompson	+ 905.591.0588
36	H Sin	+ 905.640.0168
37	Troy Fisher	+ 905.640.9185
39	L Devogel	+ 905.640.9996
40	A Galagol	+ 905.591.0310
41	M Chaput	+ 905.591.0727
44	A Gallienne	+ 905.591.0341
45	C Polyblank	+ 905.642.0638
49	R Johnstone	+ 905.642.5035
51	K Burnett	+ 905.642.1167
52	K Arcinas	+ 905.591.0302
53	A Chin	+ 905.591.0788
56	S Chan	+ 905.591.0389
57	I Reddica	+ 905.591.5757

● WILLIES ROUND

CT	431.01	2 - 15	SE
		2 - 15	L4A1N6
2	C R Peterson	905.640.0718	
6	L B Babcock	905.642.9667	
7	A F Flow	905.640.1993	
10	M Porter	905.640.3796	
11	J Smith	905.640.6004	
	Maurice Smith	905.640.4098	
	S Smith	905.642.2232	
15	David J Lewis	905.640.9432	
		8 RESIDENCE	

● WILLOWAY

CT	430.01	8 - 92	SE
		8 - 11	L4A5E1
		12 - 40	L4A1K7
		44 - 92	L4A1K6
8	Paul Russell	905.640.7790	
11	Eugene Reesor	905.640.6737	
12		NP	
	J Dinatale	905.640.7842	
20	S Smith	905.640.1507	
24	P D Hetherington	905.642.0947	
28	T Mine	905.642.1512	
32	G Skitch	905.640.8028	
36	M Winn	905.642.7422	
37	N Moonsawmy	905.642.9771	
40	A McCubbin	905.642.8584	
44	Adam Rogerson	905.642.9648	
45	D Gilmore	905.640.7548	
48	B Downie	905.640.6856	
51	Grant Helchen	905.642.8879	
52	J Heron	905.642.9786	
56	C Hubers	905.640.6069	
63	S Thomson	905.640.0706	
64	Thomas Dinsmore	905.642.3233	
		NP	
67	R Cilla	905.642.0226	
68	J Hutchinson	905.640.3581	
72	S Sandford	905.640.5528	
75	B Hutchison	905.640.1724	
	W Hutchison	905.640.4929	
	The Hutchison Group Inc	905.642.2938	
76	J Patten	905.640.1239	
80	J P Farrell	905.642.2997	
83	J Marshall	905.640.2404	
84	D Caterer	905.640.6317	
88	L Enmar	905.640.0727	
89	B Taylor	905.640.7054	
92	I Jaworek	905.642.8704	
		32 RESIDENCE	1 BUSINESS

● WINDSOR DR

CT	431.01	3- 59	\$8
CT	430.02	20- 60	SE
			L4A0A1
		3- 59	L4A7X3
	E	20- 60	L4A1A1
	E Ando	06	905.640.5704
	R Herle	06	905.640.2408
3	T Bankard	+	905.642.1067
8	R Wood		905.640.3212
8	Denise Ball		905.640.1996
9	T Gottschalk		905.642.3939
11	D Waddington	06	905.640.5634
13	S Toel		905.642.8715
14	J Reynolds		905.640.0966
16	S Morgan	06	905.640.0234
17	J Whitworth	+	905.642.5826
19	S Smickland		905.640.8834
20	21		NP
22	K Leggat		905.642.0879
25	Robert Anglis	06	905.640.5446
26	P McNeil		905.642.1312
27	Bill Anglis	06	905.642.9379
28	B A McPhail		905.642.6854
29	K Orpwood		905.642.2805
31	Paula Jagt		905.640.2567
33	D McDougall	06	905.640.4746
34	K Brady		905.640.5331
35	C Ross		905.640.5055
36	L Wilson		905.640.0336
40	W B Bros Excavating...		905.640.6722
41	N Davidson		905.640.5100
44	E Smith		905.640.8696
48	M Vickers		905.642.5696

M Vickers	06	905.888.1999	
John Ward	06	905.888.1084	
12307 *Ratcliff Lumber Inc	06	905.888.1971	
*Ratcliff Lumber Inc Gormley Yard	06	905.888.1971	
12385 *Battlefield Equipment Rentals	06	905.887.0707	
C Lightfoot	06	905.888.9372	
12586 Soros Marmas	06	905.888.5609	
12612 Joseph Roche	06	905.888.5711	
12717 Pat Pacelli	06	905.888.5558	
*Pats Auto Shop	06	905.888.6161	
Ronald Holmes	06	905.888.1970	
*Holmes Ronald Electrical Contr	06	905.888.1970	
13053 *Tarcova Precast Ltd	06	905.888.1648	
13190 *Simson Park	06	905.888.1648	
9 RESIDENCE			7 BUSINESS

WOODGROVE TRL

CT 430.02	0	25 - 25	\$E
0	25 - 25		L4A0A1
25 W F Tung	06	905.888.8886	
1 RESIDENCE			

WOODLOT CRT

CT 430.02	2 - 18	\$E
	2 - 18....	L4A0A1
2 W A Kemp		905.640.6186
10 A Hamid	06 +	905.642.4876
15 B Spagnolo	06	905.642.1979
18 F Carpino		905.642.8196
4 RESIDENCE		

WOODRUFF

CT 430.02	E	28 - 28	\$E
E	28 - 28		L4A0A1
28 W Tse	06	905.888.8881	
1 RESIDENCE			

WYLIE LANE

CT 431.01	E	2 - 2	\$B
E	2 - 2		L4A7X3
2 A Britten	06	905.640.4992	
R D James	06	905.640.2203	
2 RESIDENCE			

YAKE CRES

CT 430.02	5049 - 5099	\$E
	5049 - 5049 ...	L4A0A1
0	5099 - 5099 ...	L4A1A1
J W Teeter	06	905.640.2081
C Schwab		905.640.8993
5049		NP
5099		
3 RESIDENCE		

YORK DURHAM LINE

CT 430.02	1289 - 11584	\$E
CT 832.00	1309 - 15676	\$E
	1289 - 11410 ... L4A0A1	
	1309 - 15676 ... L4A7X4	
E	11190 - 11584 ... L4A1A1	
1289	B Willis	905.642.2759
1309	R Skelton	905.642.4525
1329	J Mizzi	905.642.0541
1349	Thos E Winters	06 905.640.1867
1429	A Ahmad	905.642.4988
1469	M Jamnik	905.640.3743
1501	Bill Hassard	905.640.3081
1609	Robt Hassard	905.640.3585
1697		NP
1779	Gerald Brilling	905.640.3625
2299	S Gomes	905.640.3996
2499	R Gabelhoff	06 905.640.3936
2699	Jeff Cunningham	+ 905.642.3063
	*Granite Golf Inc.	905.642.4418
2829	R D Wyllis	06 905.640.1841
3003	*Bruce Robert A Bldg Contrs	06 905.640.1787
3199	*St Lawrence Farm Supplies	905.640.9476
	*St Lawrence Grain Ltd	06 905.640.2260
3229	L Fletcher	+ 905.642.1454
3949	R Cairo	06 905.642.0233
	R Cairo	06 905.642.3535
4645	Fred Rawlings	+ 905.642.3826
4699	J E Hewlett	905.640.4409
4705		905.640.1479
4715	Dennis Mountney	NP
4725	R Evelyn	905.640.5011
4735	*Aspects	905.642.8207
	Michael Heydon	905.640.6314
4819	R Campkin	06 905.640.0103
4929	J McCall	905.640.7059
5095	S A Wideman	905.642.5877
5199		NP
5293	Dennis Lofthouse	905.642.1233
5295	R Wideman	905.642.1490
5309	Gerald Grooters	905.642.6130
	Ken Reesor	905.640.6065
	Terry Reesor	905.642.6130
5319	M Anstett	+ 905.640.1844
	R G Swain	905.642.0811
5329	R Morris	905.640.1970
5549	I Caldwell	905.642.2370
5749	Don Taber	+ 905.642.2370
5849	A Kugler	+ 905.642.2337
6089	M Cross	905.640.7781
	Mike Cross	06 905.642.4521
		06 905.642.4555
	*Cross Canada Balloons	06 905.642.4554
6109	P S Christie	905.640.1554
6189	*Timbers Don Heating & Air Condition	06 905.642.3109

6269 *B & M Towing Ltd	06	905.642.4291	
G L Smith	06	905.640.6750	
6349 Don Parrott	06	905.640.5853	
11190	NP		
11410 Dave Armstrong	06	905.642.5393	
11584	NP		
12036 *Tacc Construction Co Ltd	06	905.642.3868	
D A Brown	06	905.640.3899	
12096	06	905.642.0964	
12420 William C Brown	06	905.640.6494	
12452 J Crawford	06	905.642.9494	
12472 *Caregiver Services	06	905.642.9494	
*Country Home Care Services	06	905.642.9494	
L Mountford	06	905.642.6869	
12490 C Earle	06	905.642.6869	
*Earlescourt Contracting Group Ltd	06	905.642.4800	
L Shasky	06	905.642.0827	
13190 *Pacific Northern Rail	06	905.642.9808	
14834 Richard Poole	06	905.642.2663	
14960 *Stouffville Electrical Co Ltd	06	905.640.1152	
Brown G	06	905.640.8902	
15434 V Kinsella	06	905.640.1047	
15612 R Mc Givrey	06	905.640.7406	
15622 V C Orser	06	905.640.2916	
15676 L Kuhlmann	06	905.642.4659	
L Kuhlmann	06	905.642.0460	
60 RESIDENCE			14 BUSINESS

LAKESHORE RD

Address	Phone
5425 Jarzabek Joe	L4A 7X3 640-8339
5425 Coldin L D	L4A 7X3 642-4366
5511 Houston J	L4A 7X3 642-6788
5583 Dalton J E	L4A 7X3 640-8932
5584 Schickendanz Rick	L4A 7X3 642-9811
5612 Rose Carl	L4A 7X3 640-1620
5615 Ellis T W	L4A 7X3 640-4912
5619 Buckley R	L4A 7X3 642-0005
Burns E	L4A 7X3 640-2982
Carlton G	L4A 7X3 640-1046
Douglas John	L4A 7X3 640-8990
Kolica M	L4A 7X3 642-1339
Strudwick G W	L4A 7X3 642-2784
D	L4A 7X3 640-3389
5623 Smith J	L4A 7X3 640-7235
Bungaro Luigi J	L4A 7X3 640-1689
Gray Robt E	L4A 7X3 642-1679
5633 Delcourt R	L4A 7X3 640-7895
5648 Magee R	L4A 7X3 640-8965
5657 Brown G	L4A 7X3 640-1400
Montgomery T	L4A 7X3 642-1606
5696 Benjamin M	L4A 7X3 642-2424
5720 Monlieth D	L4A 7X3 642-8449
5729 Johnston Wm	L4A 7X3 640-2760
5745 Giddings D G	L4A 7X3 642-6891
5749 Graves Wayne	L4A 7X3 640-8379
Pragle Derek	L4A 7X3 642-4256
5765 Kubbinga M	L4A 7X3 640-4914
5773 Harper Mark G	L4A 7X3 642-8819
5789 Caldarella Mike	L4A 7X3 640-8313
Bollo F & A	L4A 7X3 640-8014
5793 Marsland M & S	L4A 7X3 642-5995
5794 Laing Brian	L4A 7X3 640-2203
5801 Outram L	L4A 7X3 640-4832
5805 Evers R	L4A 7X3 642-0052
5809 Riley A	L4A 7X3 640-7032
5831 James R D	L4A 7X3 640-7032
5841 Moorby Gregory	L4A 7X3 642-0052
John	L4A 7X3 640-7032
5851 Jurnett J	L4A 7X3 640-7032
5861 Paju R	L4A 7X3 642-4638
5867 Hallkainer P	L4A 7X3 640-4280
5879 Mc Munn Chris	L4A 7X3 640-8095
5883 Rabbior P	L4A 7X3 640-2006
5889 Billich I	L4A 7X3 640-8024
5911 Farren B E	L4A 7X3 642-6331
5919 Nichols T	L4A 7X3 640-6074
Seymour G	L4A 7X3 640-8446
5981 Milner W	L4A 7X3 640-7204
5987 Oliver Robert	L4A 7X3 640-7204
5993 Bull S	L4A 7X3 640-7204

cont'd

LAKEVIEW BLVD

Address	Phone
282 Lahinen J & S	L4P 2Y7 989-1099
283 Barrieau C	L4P 2Y7 989-1935
284 Griffiths Glenn B	L4P 2Y7 989-1935
285 Gilroy Garry	L4P 2Y7 476-7282
287 Ward Don	L4P 2Y7 476-6317
287 Flood E Martin	L4P 2Y7 476-3337
288 Hout Mustapha	L4P 2Y7 476-7965
Wahab Hussein	L4P 2Y7 476-8317
289 Lee J	L4P 2Y7 476-9860
290 Kerrison Steven	L4P 2Y7 989-2053
291 Mac Lennan	L4P 2Y7 476-3118
Angus	L4P 2Y7 989-9948
293 Tremblait P J	L4P 2Y7 476-3431
294 Arnold A & N	L4P 2Y7 476-7442
295 Mc Arthur W J	L4P 2Y7 476-4033
297 Godden P	L4P 2Y7 476-9984
300 Bent R	L4P 2Y7 476-0155
301 Mc Kay Bruce	L4P 2Y7 476-1167
302 Vanex W	L4P 2Y7 989-1597
303 Thain Louie	L4P 2Y7 476-4510
304 Cook D	L4P 2Y7 476-6789
305 Laking N M	L4P 2Y7 989-1447
306 Adamson C	L4P 2Y7 476-7815
307 Van Sluytman L	L4P 2Y7 476-3044
308 Deavitt D	L4P 2Y7 476-8449
309 Hannam Chris	L4P 2Y7 476-5233
311 Kavanagh Robert	L4P 2Y7 989-2012
312 Van Loonon D	L4P 2Y7 476-1864
313 Wilson M	L4P 2Y7 476-8303
314 ALDON CARPET & JANITORIAL SERVICES	L4P 2Y7 476-7698
Last Don D	L4P 2Y7 476-9551
315 Chadwick T & L	L4P 2Y7 989-2092
316 Gillard M	L4P 2Y7 989-1449
317 Weston B & S	L4P 2Y7 476-6399
318 Edwards E	L4P 2Y7 476-9697
322 Souliere E P	L4P 2Y7 476-6339
323 Bevers D	L4P 2Y7 476-2190
325 Amarat G	L4P 2Y7 476-1423
326 Cridland M	L4P 2Y7 989-2033
327 Stringer C	L4P 2Y7 476-4578
329 Noseworthy E	L4P 2Y7 476-4272
331 Ryan Raymond P	L4P 2Y7 989-1031
333 Kababajian H	L4P 2Y7 476-6360
335 Mounce Brian	L4P 2Y7 476-6360

BUSINESSES 3

HOUSEHOLDS 60

LAKESIDE CRES (O)

1 Corcoran C	L4E 3C8 773-1457
Corcoran G	L4E 3C8 773-6447

HOUSEHOLDS 2

LAKESIDE CRES (R)

Haynes B	L4E 3C8 773-1030
2 Jones P	L4E 3C8 773-7029

HOUSEHOLDS 2

LAKEVIEW AVE (BT)

Crowe T	888-4692
3 Copp Gary	888-8812
4 Capotosto D	888-1671
6 Ushuppa Vesa M	888-1306
10 Baranowski R & K	888-5111
14 Korpikoski Jussi P	888-1043
18 RENFORTH	
AGENCIES	
Mearns D & J	888-1607
26 Serez E	888-1616
Serez J	888-9974
34 Boysen A & T	888-9736
35 Gillman K	888-0063
42 Elliott J W	888-1615
50 AUTOMATED	888-0048
SYSTEMS	
INTERNATIONAL	
Barnet Jim	888-0565
51 Hoover A & C	888-0407
Hoover H	888-1488
Seelley B & J	888-9158
62 Parkinson M	888-0691
Silver J	888-9136
Silver Jack	888-0795
63 Lash M & T	888-9136
Pikainen R	888-0738
888-1217	
66 Roberts R A	888-1541
70 Dietrich John	888-1351
74 Kidd Noel	888-1601
75 Kirby Michael A	888-0719
82 Rankin M	888-0825
83 Capotosto C	888-1276
Capotosto Joseph	888-1080
86 Traill I	888-9578
91 PRESTON LAKE CONSULTING	888-9514
94 Spooner J	888-4605
95 Empringham R	888-1654
98 Hengen P	888-1094

BUSINESSES 3

HOUSEHOLDS 32

LAKEVIEW BLVD (K)

256 Mitchell Pat B	L4P 2Y3 476-2111
258 Pinkerton J	L4P 2Y3 476-3585
259 Vanderburgh Darren	L4P 2Y4 989-2955
261 VISTA GEOGRAPHIC INC	L4P 2Y4 476-1222
VISTA GEOGRAPHICS INC	L4P 2Y4 476-1222
Davies T W P	L4P 2Y4 476-5732
262 Kuwada H	L4P 2Y3 476-8243
263 Byam M & S	L4P 2Y4 476-1223
265 Sedore B	L4P 2Y4 989-1682
266 Schonauer B	L4P 2Y3 476-7171
267 Erb I A	L4P 2Y4 476-2070
268 Johnston W	L4P 2Y3 476-5482
270 Wainwright G	L4P 2Y4 476-9536
275 Sippl Mike	L4P 2Y4 476-2019
277 Mc Innis F	L4P 2Y7 476-6220
278 Lavers A	L4P 2Y4 476-8184
279 Mac Donald T	L4P 2Y7 476-5576
280 Inson M	L4P 2Y4 476-5525
281 Woolven M	L4P 2Y4 476-5525

LAKEVISTA AVE (MA)

1 Sherman William E	L3P 1H4 472-4115
Tucker E	L3P 1H4 294-0879</

STANLEY LANE		
Address	cont'd	Phone
65 Sanders J.	L3S 4E3	472-0465
67 Lasha Karim	L3S 4C5	471-3615

STANLEY ST (N)

238 Buchanan W J V	L3Y 4M9	895-5445
237 Todd D	L3Y 4N1	895-4011
241 Sutherland P	L3Y 4N1	898-4754
242 Quail C	L3Y 4M9	830-9219
245 Scott William K	L3Y 4N1	853-2219
246 Liddle H	L3Y 4M9	898-5082
249 Sargent V	L3Y 4N1	895-5063
250 Pereira J	L3Y 4M9	954-0820
253 Little Brian	L3Y 4N1	898-1290
254 Hooper A L	L3Y 4M9	893-4551
257 Forrester A & N	L3Y 4N1	895-7913
258 Mullen J & T	L3Y 4M9	895-2535
261 White J & L	L3Y 4N1	895-3410
262 Evans Stan	L3Y 4M9	895-4125

STAPLETON DR (ST)

4 Dunscheda M & D	L4A 7X3	640-3922
7 Glusder J	L4A 7X3	642-5473
8 Stead Larry	L4A 7X3	642-0385
9 Samborsky Lucille	L4A 7X3	640-8134
14 Thompson B	LOG 170	640-9018
17 Wilson G	LOG 170	640-6485

STARGELL CRES (MA)

1 Percy T	L3P 4J7	472-2085
Zhu D	L3P 4J7	201-0413
3 Powers Steve	L3P 4J7	472-3515
5 Liu Cho Chen	L3P 4J7	472-8144
7 Wong C	L3P 4J7	201-1324
9 Lin Daniel	L3P 4J7	294-8626
11 Blandizzi C	L3P 4J7	472-8228
18 Lee Wing Keung	L3P 4J7	472-5995
20 Chan Kenneth	L3P 4J7	472-9388
22 Ng Kan Cheung	L3P 4J7	472-1025
23 Black David	L3P 4J7	294-2661
24 Salvati P	L3P 4J7	294-4485
25 Harnitz H	L3P 4J7	471-4929
26 Stancak Giovanni	L3P 4J7	471-8898

27 Whiting W	L3P 4J7	471-2035
29 Lewis N	L3P 4J7	472-4181
Piper V	L3P 4J7	472-3121
30 Gendron M	L3P 4J7	471-7169
31 Williams D	L3P 4J7	294-0682
32 Harding B E	L3P 4J7	471-4298
33 So C H	L3P 4J7	472-4651
34 Lee H W Peter	L3P 4J7	472-2195
35 Wijayasekera Francis	L3P 4J7	472-8704

36 FIRST CANADIAN INVESTMENTS INC	L3P 4J7	472-0711
Miller L	L3P 4J7	472-4000
37 Job K & E	L3P 4J7	472-1150
38 Mc Watt L & T	L3P 4J7	471-8500
39 SUZANNE'S GOURMET CATERING	L3P 4J7	472-6535
40 Shreve B	L3P 4J7	471-0120
41 Chau Victor	L3P 4J7	294-0167
42 Kobayashi Alan T	L3P 4J7	294-1783

43 Douglas G	L3P 4J7	472-0143
44 Gordon S	L3P 4J7	471-8440
45 Lee K P	L3P 4J7	471-5665
46 ELECTROLYSIS UNLIMITED	L3P 4J7	471-0584
Martin Pierre	L3P 4J7	471-9249
50 Keranovic I	L3P 4J7	471-6857
51 Klene C	L3P 4J7	201-9767
52 Chung Jennifer	L3P 4J7	471-2449
53 Woods Patrick J	L3P 4J7	471-5332
54 Black James	L3P 4J7	471-5248
55 Tomkins T	L3P 4J7	471-8076
56 Tomkins Tom	L3P 4J7	471-7537

57 Wong P	L3P 4J7	294-7721
58 Stevens J	L3P 4J7	471-0321
59 Devin P	L3P 4J7	201-1567
60 Ramasubramanyam J	L3P 4J7	471-7029
61 Ma P	L3P 4J7	472-6117
62 Chien T Y	L3P 4J7	294-4282
63 Evans B & A	L3P 4J7	471-5388
64 Merriman P	L3P 4J7	294-6966
65 Dal Bello O	L3P 4J7	471-9026
66 Faragalla	L3P 4J7	294-2625
67 Hodge P	L3P 4J7	472-1657
68 Fakes D	L3P 4J7	472-1526
69 Hinds A H	L3P 4J7	201-1069
70 Blandizzi P & R	L3P 4J7	294-9333
71 Karpouzis C	L3P 4J7	201-1441
72 Chretien J F	L3P 4J7	201-0991
73 Solano L	L3P 4J7	471-1434

74 Trembl N	L3P 4K1	294-7307
104 Sinclair David	L3P 4K1	294-6788
106 Maypolther T N	L3P 4K1	471-6281
108 Dhanjeo D G	L3P 4K1	471-0974
110 Wiseman G	L3P 4K1	201-3889
112 Chan Y F	L3P 4K1	294-8661
113 Logere Laurie	L3P 4K1	294-8661
114 Aliko B	L3P 4K1	294-9761
115 Mak S	L3P 4K1	294-8930
116 Dorling S M	L3P 4K1	294-3942
118 Chan B	L3P 4K1	294-9072
119 Gregory J	L3P 4K1	294-8138
120 Navarro Nestor F	L3P 4K1	201-0353

121 Trefler G	L3P 4J7	471-2060
122 Lee Ken	L3P 4K1	294-4185
123 Iwamoto L	L3P 4K1	472-1315
124 Romans Rick	L3P 4K1	472-8658
125 Mc Cron J D	L3P 4K1	294-5604
126 Kozinski Artur	L3P 4K1	201-8334
127 Tiberio A	L3P 4J7	294-5225
128 Khamna B S	L3P 4K1	472-8676
129 Manicova F	L3P 4K1	294-8895
130 Campbell John	L3P 4K1	472-6992
131 Radovicovich Aldo	L3P 4J7	472-2043

STARGELL CRES		
Address	cont'd	Phone
132 Lu F S	L3P 4K1	472-5711
133 Dewar M	L3P 4J8	471-4748
Dewar Norman A	L3P 4J8	471-1950
134 Bonk R	L3P 4K1	294-7248
135 Homan P B	L3P 4J7	294-5219
136 Ip S	L3P 4K1	472-5945
137 Lombardi A	L3P 4J8	471-6769
138 Prashad Bhairao	L3P 4K1	294-2968
140 Campbell C L	L3P 4K1	471-5807
Hamilton Cave L	L3P 4K1	471-5807

134 Bonk R	L3P 4J8	471-1950
135 Human P B	L3P 4K1	294-7248
136 Ip S	L3P 4J8	294-5219
137 Lombardi A	L3P 4K1	472-5945
138 Prashad Bhairo	L3P 4J8	471-8769
140 Campbell C L	L3P 4K1	294-2968
Hamilton Cave	L3P 4K1	471-6807
BUSINESSES 3		HOUSEHOLDS 98

STARLIGHT CRES (R)			
29	Creery Lee-Anna	L4C 4X3	883-4864
	Marlin N ▲	L4C 4X3	883-4969
30	Gibbens Ronald W		
		L4C 4X4	737-1455
35	Uhlich B	L4C 4X3	884-6067
	Uhlich B K	L4C 4X3	737-1584
36	Romano P ▲	L4C 4X4	883-9824

38 Allen S W	L3T 3Z8	707-6543
39 Dawson W J	L3T 3Z8	889-4095
40 Khabib Zanjoni F	L3T 3Z8	709-5765
41 Austin C	L3T 3Z8	881-6450
Austin L	L3T 3Z8	881-8620
42 Pirjanian Vigen	L3T 3Z8	881-4111
43 Rainville T	L3T 3Z8	886-9179
44 Guindon S	L3T 3Z8	881-1419
45 Mou W	L3T 3Z8	709-2115
46 Lige M	L3T 3Z8	731-1690
48 Nicholson T	L3T 3Z8	731-7353
49 Hoshmand Mehrab	L3T 3Z8	886-9274
50 Laporte Ralph F	L3T 3Z8	882-1939
51 Wong Paul	L3T 3Z8	882-8107
52 Eager R A	L3T 3Z8	886-6549
53 Samiee M	L3T 3Z8	889-4925
54 Lam Sung-Lai	L3T 3Z8	707-3360
55 Atef Bohrouz	L3T 3Z8	881-2799
57 Feldman A	L3T 3Z8	771-1737
59 Hoshmand M	L3T 3Z8	889-5131
60 Dalton Steven	L3T 3Z8	881-6304
61 Weiser Isidor	L3T 3Z8	771-0718
62 Hennrikson Ron	L3T 3Z8	881-8408
64 Malek S	L3T 3Z8	882-6895
65 Malek Seyed Ali	L3T 3Z8	709-9531
66 Lischitz I	L3T 3Z8	709-9531
67 Leo R	L3T 3Z8	771-0427
68 Otis A	L3T 3Z8	731-7319
Otis M	L3T 3Z8	731-0034
69 Madaj Robert	L3T 3Z8	764-3889
70 Johnston P L	L3T 3Z8	881-0943
71 Kopar E	L3T 3Z8	771-6970
72 Mehia Hishel	L3T 3Z8	709-3163
74 Ohayon M	L3T 3Z8	882-8894
75 Melman E	L3T 3Z8	882-5563
Schorr T	L3T 3Z8	882-8358

37 Wundrich Richard			
& Gloria	L4C	4X3	737-8056
59 Lynell R E	L4C	4X3	884-1696
60 Brown M E	L4C	4X5	770-3161
Ponney R	L4C	4X5	770-6405
63 Curcuruto A	L4C	4X3	780-0940
69 Cresswell T D	L4C	4X3	884-3523
73 Hulbig F B	L4C	4X3	884-5048
77 Broadhurst T	L4C	4X3	884-3627
78 Rowley Les	L4C	4X6	883-9499

26 Hoser L	L4G 5W3	841-8143
27 Hoser F	L4G 5W3	841-1862
28 Kyrakides F	L4G 5W3	841-2426
29 Kyrakides D & D	L4G 5W3	713-0441
30 King J	L4G 5W3	841-5026
32 Martin Brett	L4G 5W3	726-8685
34 Stundun W J	L4G 5W3	713-0353
36 Dupuis K & H	L4G 5W4	727-0843
38 Kaur R	L4G 5W4	841-3486
40 Alderice Keith	L4G 5W4	841-7304
42 Feldman J	L4G 5W4	841-7926
44 Ramprasad F	L4G 5W4	727-6394
46 Downing N	L4G 5W4	727-1178
48 Lithgow Scott	L4G 5W4	727-1504
50 Atkinson M	L4G 5W4	841-0996
52 Wood L	L4G 5W4	713-3387
54 Wasserman A	L4G 5W5	726-3311
56 Mills H K	L4G 5W5	727-1886
58 Yowat C	L4G 5W5	726-9414
60 Bos F J	L4G 5W5	713-0363
62 Fremery K	L4G 5W5	727-7621
64 Brose C & L	L4G 5W5	841-1613
66 Mc Clure D	L4G 5W5	726-9696
68 Rolling R	L4G 5W5	841-9707
70 Bull D	L4G 5W5	727-7871
72 Allure C	L4G 5W5	727-6163
74 Palombi P	L4G 5W5	726-1051
76 Cruikshank D	L4G 5W5	726-4088
78 Kelton J	L4G 5W5	841-3703
80 Oduyayan F	L4G 5W5	713-1937

6 Sverdlov I	L3T 3Z8	881-9097
6 Hickford George	L3T 3Z8	889-0709
10 Smith Ken & June	L3T 3Z8	881-3416
12 SHELL CANADA		
LIMITED	L3T 3Z8	763-7843
Nundas D	L3T 3Z8	881-2542
14 Malone H	L3T 3Z8	882-2831
16 Kopar A	L3T 3Z8	771-7358
18 Vongthavy Say	L3T 3Z8	731-4571
20 Pimm C	L3T 3Z8	763-9825

STREET NOT LISTED

WINDING LANE		cont'd
Address	Phone	
207 Valagsky L. ▲	L4J 5J6 771-6536	
Valagsky Leib ▲	L4J 5J6 771-6706	
208 Rosenzweig A. ▲	L4J 5J6 763-9961	
209 Lee Benjamin ▲	L4J 5J6 709-9288	
210 Smith G. ▲	L4J 5J6 886-3482	
211 Chong K & N. ▲	L4J 5J6 763-8166	
212 Gall A. ▲	L4J 5J6 882-8799	
214 Rodrigues M. ▲	L4J 5J6 731-0365	
217 Rivetz Zack ▲	L4J 5J7 764-0180	
218 Crieblman M & E. ▲	L4J 5J6 707-1663	
219 Bubel B. ▲	L4J 5J7 709-3661	
220 Cheng S W W. ▲	L4J 5J6 881-7842	
221 Tokman M. ▲	L4J 5J7 709-2826	
222 Marcus S. ▲	L4J 5J6 709-3354	
227 Shekari Reza ▲	L4J 5J7 881-2467	
231 Arginlaru Steven & Karen ▲	L4J 5J7 889-9882	
233 Laskowski Andy ▲	L4J 5J7 881-7014	
237 Hayward J. ▲	L4J 5J7 881-9089	
245 Abramov E. ▲	L4J 5J7 882-2180	
Windor E. ▲	L4J 5J7 709-6564	
247 Schonberger D. ▲	L4J 5J7 764-2682	
249 Moses A. ▲	L4J 5J7 771-0907	
253 Caplan J. ▲	L4J 5J7 731-7799	
255 Cohn Jack. ▲	L4J 5J7 731-7670	
257 Maislin M & S. ▲	L4J 5J7 707-0353	
261 Bitton A & D. ▲	L4J 5K7 707-5059	
265 Edery K. ▲	L4J 5K7 763-7278	
269 Sasson R. ▲	L4J 5K7 889-9740	
273 Stevens D. ▲	L4J 5K7 882-1081	
281 Szigeti Peter ▲	L4J 5K7 731-9097	
285 Schon L. ▲	L4J 5K7 886-9294	
BUSINESSES 2		HOUSEHOLDS 152

WINDOVER DR (K)	
1 DeFrancesco F. ▲	L4P 3L8 476-4582
2 Balz Joe. ▲	L4P 3L8 476-8676
3 Vanstone Roderick ▲	L4P 3L8 476-0062
4 Scane R G. ▲	L4P 3L8 989-1594
5 Hallowell M. ▲	L4P 3L8 476-8689
6 Stribbell L E. ▲	L4P 3L8 476-0330
7 Pheth L. ▲	L4P 3L8 476-1976
8 Jones S T. ▲	L4P 3L8 476-8120
9 Stribbell D. ▲	L4P 3L8 476-8120
9 Franczyk R. ▲	L4P 3L8 476-2301
10 Lloyd G. ▲	L4P 3L8 476-9208
11 Freedman H. ▲	L4P 3L8 476-5915
12 Atkinson R. ▲	L4P 3L8 989-2912
14 Bond D H. ▲	L4P 3L8 476-6415
15 Merriman Norman ▲	L4P 3L8 476-5387
16 Ash David. ▲	L4P 3L8 476-8463
17 Gray Eric. ▲	L4P 3L8 476-7128
18 Hodgkinson J. ▲	L4P 3L9 989-2443
19 Morrison D. ▲	L4P 3L8 476-0689
20 Newman Rick. ▲	L4P 3L9 476-0677
21 Charlebois S. ▲	L4P 3L9 476-1605
22 Ward Jeff. ▲	L4P 3L9 476-8226
23 Roberta B. ▲	L4P 3L9 476-8559
24 Campbell E M. ▲	L4P 3L9 476-4607
25 Pickering L. ▲	L4P 3L9 476-4913
26 Corrigan T & S. ▲	L4P 3L9 476-9971
27 Ciano Giuseppe. ▲	L4P 3L9 476-6969
28 Brouwers R. ▲	L4P 3L9 989-1328
29 Gaerdes Hinrich. ▲	L4P 3L9 476-2659
31 Sauve Mike. ▲	L4P 3L9 989-1778
33 Gauthier G. ▲	L4P 3L9 989-1336
35 Baskerville C. ▲	L4P 3L9 476-9413
Sloan Rick. ▲	L4P 3L9 476-3250
37 Thomas A. ▲	L4P 3L9 476-9210
39 Geniole Robert. ▲	L4P 3L9 476-6876
Mc Lean Donald. ▲	L4P 3L9 989-1163
Price Richard. ▲	L4P 3L9 476-5017
Warmaar L. ▲	L4P 3L9 989-1738
40 Severyn S. ▲	L4P 3L9 476-6884
41 Rodrigues J. ▲	L4P 3L9 476-8505
42 Phenix L. ▲	L4P 3L9 476-1699
43 Larue F W. ▲	L4P 3L9 476-2759
44 Mc Graw D H. ▲	L4P 3L9 476-5308
45 Crisp G & A. ▲	L4P 3L9 476-8523
46 Lohan M. ▲	L4P 3L9 476-6327
47 Burford D. ▲	L4P 3L9 476-4932
HOUSEHOLDS 46	

WINDRIDGE DR (MA)	
1 Baird J. ▲	L3P 1T7 472-8983
2 Moncada G. ▲	L3P 1T8 472-8554
3 Cragg J M. ▲	L3P 1T7 201-0664
4 Cragg M R. ▲	L3P 1T7 294-3431
5 Christoffer R. ▲	L3P 1T8 294-2307
5 Donville M. ▲	L3P 1T7 471-0878
6 Lumley C R. ▲	L3P 1T8 294-0499
Lumley L A. ▲	L3P 1T8 201-0175
7 Cranney J R. ▲	L3P 1T7 294-2724
8 Mosaad Samir. ▲	L3P 1T8 471-3705
9 Tjoe L. ▲	L3P 1T7 294-9846
10 Sonnenschein R. ▲	L3P 1T8 294-1329
11 Choy Maurice P. ▲	L3P 1T7 294-7545
12 Dennison G. ▲	L3P 1T8 294-2435
13 Macri G. ▲	L3P 1T7 294-4119
14 Mc Gouran P F. ▲	L3P 1T8 471-8018
15 Smith E. ▲	L3P 1T7 471-7269
Smith R. ▲	L3P 1T7 471-7270
16 Clark I. ▲	L3P 1T8 294-9647
17 Mitchell William. ▲	L3P 1T7 294-1596
18 Davies B. ▲	L3P 1T8 294-1341
19 Chu Y H. ▲	L3P 1T7 294-9549
20 Powers T. ▲	L3P 1T8 201-9446
21 Long George R. ▲	L3P 1T7 294-2667
22 Pickup J M T. ▲	L3P 1T8 294-6302
23 Fowlds Scott. ▲	L3P 1T7 472-9349
24 De Vita B. ▲	L3P 1T8 471-4402
Henderson J. ▲	L3P 1T8 472-2785
25 Beltrano M. ▲	L3P 1T7 472-8924
Metzler V E. ▲	L3P 1T7 201-0001
26 Smith A P. ▲	L3P 1T8 294-5557
27 Allen S. ▲	L3P 1T7 294-6406
Davison J A. ▲	L3P 1T7 472-0452
28 Atwill R. ▲	L3P 1T8 471-3062
30 Bingley W G. ▲	L3P 1T8 294-2310
31 Galanis George. ▲	L3P 1T7 294-2464
32 Moon T. ▲	L3P 1T8 201-8104
33 Elmokadem M. ▲	L3P 1T7 471-9794
34 Vieira C. ▲	L3P 1V1 472-7271
35 Moment John R. ▲	L3P 1T9 294-3212
36 Pilkey M & M. ▲	L3P 1V1 294-4124
37 Xenos John. ▲	L3P 1T9 471-5281
38 Murphy T & K. ▲	L3P 1V1 294-2942
39 D'Aguiar J & A. ▲	L3P 1T9 294-0826
40 Pilkey Eric C. ▲	L3P 1V1 294-2517
41 Gee B. ▲	L3P 1T9 294-7409
42 Craven S. ▲	L3P 1V1 472-6842

WINDRIDGE DR		cont'd
Address	Phone	
43 Hayden A. ▲	L3P 1T9 294-8961	
44 Mc Allister G. ▲	L3P 1V1 472-5556	
46 Grenda Werner. ▲	L3P 1V1 472-2391	
47 Bushell Ray. ▲	L3P 1T9 294-2391	
48 Meulendyk A. ▲	L3P 1V1 471-7251	
49 Nancekivell Larry. ▲	L3P 1T9 471-9976	
Ponter J. ▲	L3P 1T9 471-9976	
51 Yeung S. ▲	L3P 1T9 201-8888	
53 Whitaker C. ▲	L3P 1T9 294-2475	
55 Baker Ronald N. ▲	L3P 1T9 294-2759	
57 Griffiths A. ▲	L3P 1T9 294-3003	
HOUSEHOLDS 58		

69 Sarnese S ▲	L4L 9G8 264-3815
72 Cupido A ▲	L4L 9G8 265-1102
75 Prezzano F ▲	L4L 9G8 265-1772
80 Celli Giovanni ▲	L4L 9G8 265-1259
81 Rezza Steve ▲	L4L 9G8 265-1092
Rezza V ▲	L4L 9G8 264-3762
	L4L 9G8 264-3782
110 AMBROSE HOMES	L4L 9G8 264-1542
BUSINESSES 1	HOUSEHOLDS 24

WINDRUSH (KL)	
1 Falcone G	L0J 1C0 893-3752
7 Gordon H	L0J 1C0 893-2523
26 Gaby-Trotz S	L0J 1C0 893-2796
Trotz Frank	L0J 1C0 893-2796
	HOUSEHOLDS 4

WINDSONG CRT (MA)	
1 Ah-Chin Regis. ▲	L3R 8N7 477-8921
Ma F. ▲	L3R 8N7 948-0222
2 Tse Tien Hung. ▲	L3R 8N7 946-9615
3 Gill Jagmohan. ▲	L3R 8N7 479-8817
6 Chan C K. ▲	L3R 8N7 940-3831
7 Leung E. ▲	L3R 8N7 513-5473
Leung Isaac. ▲	L3R 8N7 305-1855
8 Wong Koon Hung. ▲	L3R 8N6 940-2498
9 Harmon P. ▲	L3R 8N7 479-0394
10 Ma Honen. ▲	L3R 8N6 943-9546
11 Le Tu. ▲	L3R 8N7 943-7497
12 Au Andy. ▲	L3R 8N6 944-0383
14 WU WAI HAN WINDSOR. ▲	L3R 8N6 943-9675
Lo A. ▲	L3R 8N6 475-0264
15 Vhora Us. ▲	L3R 8N7 479-9483
16 Lam K W. ▲	L3R 8N6 944-1859
17 Telalidis J. ▲	L3R 8N7 479-8357
18 Orwoco C. ▲	L3R 8N6 470-8532
19 Spencer A M. ▲	L3R 8N7 479-7497
21 Fong Yee A. ▲	L3R 8N7 948-0574
23 Hakkim S A. ▲	L3R 8N7 479-8365
BUSINESSES 1	
HOUSEHOLDS 20	

WINDSONG CRT (U)	
169 Lam Keung Wah. ▲	479-8829
200 Hui S. ▲	415-9766
HOUSEHOLDS 2	

WINDSOR DR (ST)	
Hertle R. ▲	L4A 7X3 640-2408
1 Parks Kenneth. ▲	L4A 7X3 640-2664
6 Conlon D E. ▲	L4A 7X3 642-9837
8 Mackenzie C. ▲	L4A 7X3 640-0019
9 Gottschalk T. ▲	L4A 7X3 642-3639
11 Junkin K. ▲	L4A 7X3 640-6907
13 Bell J & A. ▲	L4A 7X3 642-3600
14 Hart M. ▲	L4A 7X3 642-5324
17 Mac Kinnon Patrick. ▲	L4A 7X3 642-1995
Strickland S. ▲	L4A 7X3 640-6834
20 Roselield Peter. ▲	L4A 7X3 642-0103
21 Magnatta Rocco. ▲	L4A 7X3 640-6232
22 A & G LANDSCAPING. ▲	L0G 1T0 640-7161
Arrigo A. ▲	L0G 1T0 640-7161
25 Angliss Bill. ▲	L0G 1T0 642-9379
26 Mc Neil P. ▲	L4A 7X3 642-1312
27 Bell Vernon. ▲	L4A 7X3 640-4690
28 Matthew M. ▲	L4A 7X3 640-5888
29 Orwood K. ▲	L4A 7X3 642-2805
31 Jagt Paula. ▲	L4A 7X3 640-2367
33 Dennis J. ▲	L4A 7X3 640-8364
Mc Dowell J & J. ▲	L4A 7X3 642-8338
34 Brady K. ▲	L4A 7X3 640-5331
35 Ross C J. ▲	L4A 7X3 640-5055
41 Davidson M. ▲	L4A 7X3 640-5010
42 Messam D. ▲	L4A 7X3 642-4299
43 Smith E. ▲	L4A 7X3 640-8698
47 Walczak H. ▲	L0G 1T0 642-3131
48 Acheson D. ▲	L0G 1T0 642-9474
50 Livingstone L. ▲	L4A 7X3 642-2590
51 Didier D. ▲	L4A 7X3 642-5481
52 Morris L. ▲	L4A 7X3 642-3099
53 Noble Stan. ▲	L4A 7X3 640-1757
54 Powell B. ▲	L4A 7X3 642-1475
Rosswill Pools. ▲	L4A 7X3 642-2121
55 Salem L. ▲	L4A 7X3 640-9611
57 Herman C. ▲	L4A 7X3 640-9662
58 Elvins W. ▲	L4A 7X3 640-1584
59 Haines R. ▲	L4A 7X3 642-2413
60 Britten J. ▲	L4A 7X3 640-4992
BUSINESSES 1	
HOUSEHOLDS 39	

WINDSOR COURT RD (T)	
1 Filler M & R. ▲	L3T 4Y4 889-3994

Lake Rd N (OAK RIDGES) (cont'd)

97	Christie Alex	773-5583
105	Junken M	773-4378
225	Neil Davis	773-5114
234	Hoffwell C	773-2558
235	Linseman & Murphy	773-5032
236	Aluminum Ltd	773-5032
237	Murphy Wm	773-7228
238	Farego L	773-6001
238	Mahyobi M	773-0948
238	Dalbello C	773-0948
240	Sos Steve	773-1023
242	Clemon F	773-8492
244	Hanigan Howard	773-8492
244	Colonia Tom & Tina	773-8492
246	Zoffaranni Luigi	773-9852
248	Zoffaranni P	773-9847
248	Voo Jp & L	773-0179
250	Ornsk K	773-1004
251	Santis Lorenzo	773-6064
251	Santis N	773-5027
257	Gray R	773-6881
269	Burzio Pat	773-4530
281	Felini J & R	773-6155
287	Deer G	773-5320
290	Cyr J	773-8424
320	Cunningham B	773-2031
427	Forster D	773-4930
437	Boddy R	773-7183
443	Levo M	773-2147
451	Dugan Robert	773-5744
455	Herscher P	773-7800
455	TRI-KRONA CONSTRUCTION LTD	773-8189
463	Sut Ivan	773-2473
477	Sonnen M	773-4643
481	Wessa R	773-4367
500	Castell D	773-3073
512	Coppolstone R	773-2465
514	Laurouche P	773-2094
516	Weir W	773-0272
520	Warner G & H	773-4618
524	Schlechter P	773-0215
524	Topichin Vlad	773-3707
524	Weigensberg H A	773-2934
526	Romano Marcello	773-1070
562	ACORN TREE SERVICE	773-9220
562	Loring John	773-8162
568	Mammario Joseph	773-7238
568	Plourde S	773-2255
571	Cummings M	773-5348
571	Cummings Michael	773-5348
572	Murphy Francis D	773-4578
575	Horman Joseph	773-5913
578	Bowser L	773-5356
581	Barr John	773-6028
586	Johnston Austin	773-4544
590	Sherman David	773-8490
591	Talaba T	773-1104
595	Barker A	773-4820
602	Mattiel S	773-8951
606	Whibbs K	773-5649
613	Tomaschik S	773-1583
615	Cachia S	773-1458
615	Murphy Glen	773-3913
624	Abercrombie J	773-4123
628	Carswell E	773-0115
629	Smith E	773-9350
635	Simin I	773-4155
638	Volicer J	773-4112
639	Johnson Frank	773-1237
642	Pauze Alfred	773-4598
643	Hick S	773-4400
644	Carswell P	773-5130
645	Bagi A	773-2757
648	Madosios J	773-3912
HOUSEHOLDS 85	BUSINESSES 7	

Lake Shore Rd (KESWICK)

488	Hout B & J	476-5384
993	Bailey Donald R	476-5427
1005	Bosworth Dennis	476-5283
1009	Widdell Job	476-5283
1009	Widdell Job	476-5283
HOUSEHOLDS 5		

Lake Shore Rd (STOUFFVILLE)

24	Gray Robt E	640-7224
355	Colden L D	640-1680
515	Young M R	640-1511
640	Evason J	640-1967
5280	Sampson T	642-2352
5302	MacVinish I C	640-2659
5302	Wendler A	642-2760
5322	Harold D	640-1809
5375	Houle A	642-5756
5376	Windsor R J	640-1458
5452	Napier F	642-5637
5511	Brabant Gil	640-1337
5583	Dalton J E	640-2562
5684	Laxton S N	640-1529
5681	Boy Doug	640-2721
5619	Braybrook Jacqueline	642-6497
	Burnie E	640-2812
	Goswami V	642-5512
	Maurice J	640-9079
	Elie T W	640-4912
	Smith J	640-3389
	Magoo R	640-7895
	Montgomery T	640-1400
	Dabous S & R A	642-3881
	Benjamin M	642-1600
	Montfort D	642-2464
	Wright Murray M & S	640-4443
	Johnston Wm	640-4250
	Graves Wayne	640-2780
	Dalrymple David & Judy	642-6056
	Kubbinga M	640-6277
	Harding Brad J	640-7740
	Longrigg J	640-3847
	Lane D D	642-3405
	Stallacks A	640-4914
	Nesink Richard J	642-7780
	Evers R	640-8011
	James L	642-5778
	Foley A	642-5695
	Wylie John C	640-3603
	James R D	640-2203
	Moore Gregory John	640-4832
	Swasey Jürgen	642-4214
	Pau R	640-7032
	Hickman P	640-2172
	Asalick W	640-5369

Lake Shore Rd (STOUFFVILLE) (cont'd)

5679	McMunn Chris	642-4638
5883	Riley C	642-6362
5889	Blitch I	640-8095
5895	Schwartz A	642-5520
5907	Pringle M M	642-4739
5919	Soymour G	642-6331
5961	Miner W	640-6074
5967	Dyck Norman	640-1406
5993	Rogan W O	640-9203
HOUSEHOLDS 56		

Lakeland Cr (OAK RIDGES)

15	Waterhouse W	773-3581
28	Bodolady Fred T	773-5954
36	Fava D	773-5715
56	Gamble John	773-4690
66	Erwin R J	773-4137
76	Philpott G F	773-4255
78	Nail D	773-0130
88	Bisset R	773-2481
107	Bernard Amadeo	773-4581
119	Turco C	773-7099
125	Sanders D	773-3818
	Wright Stephen	773-4575
137	Bever Joel	773-2710
141	Dickinson K	773-4487
149	Morgan Wm	773-5608
172	Dalio C	773-2531
178	Turner E G	773-0595
178	Hunter James G	773-4153
182	Metcalfe J	773-4608
190	Nashida Tom	773-1778
191	Caku L	773-8230
200	Clarke J	773-4447
202	Combs J	773-2531
212	Camron A & S	773-1189
219	Levo Leo	773-5450
220	Maedus Ian	773-4402
226	Nowhall O	773-4476
230	Connon Michael	773-4206
	Day C	773-4800
238	Congusti B	773-2614
239	Holman E	773-7852
245	Blanton K	773-2529
	Blinston Keith	773-1342
	Blinston M J	773-3984
248	Halt Rick	773-2834
253	Dunker Jerry	773-3838
254	Guitard R	773-3564
	Johnson R	773-3957
259	Mount Frank	773-5909
265	King Doug	773-4869
270	Matheson L	773-4200
HOUSEHOLDS 43		

Lakeland Cr (RICHMOND HILL)

225	MARSH-MODE	773-4028
HOUSEHOLDS 0	BUSINESSES 1	

Lakeridge Rd (PORT BOLSTER)

31410	Benson R	437-1383
31448	Harold J	437-1976
31458	Marler J	437-1575
HOUSEHOLDS 3		

Lakeshore Rd (PEPPERLAW)

	Fertio J M	437-3284
	Samulewicz A	437-3688
4	Chalmers D	437-3134
11	Gray R S	437-1275
12	Cottrell Charles	437-2790
13	Hill Jim	437-2243
19	Bockley L	437-1359
20	Humber W	437-4229
22	Maxwell G	437-2907
23	Koyl Edward D	437-2409
24	Vasconi L	437-3248
27	Salmon Gino	437-2164
30	Harper R	437-2055
47	March R	437-4099
56	Marsden F	437-3106
	Steedman T	437-3106
	Steedman T M	437-4312
178	Sanderson D T	437-1670
177	Ratnapur J	437-2775
238	Kauber J	437-1349
239	Fellow J	437-1570
HOUSEHOLDS 21		

Lakeshore Rd (ROYAL BEACH)

46	Priem C	437-3061
124	Johns K	437-2916
	Leonard C	437-2916
125	Meida Otto	437-1273
HOUSEHOLDS 4		

Lakeshore Rd (SUTTON)

	Crouch W J	722-5379
	Day A D	722-6071
	Johnson P	722-5587
	KIM'S SUPERMARKET	722-8031
	Moore Richard	722-8058
	Sanders M V	722-5120
211	B Kitch Robert	722-6750
605	Matt M	722-5848
620	Milt Marvin	722-6205
631	Vener C	722-8719
643	Hugh M	722-8146
659	Fulker P	722-6956
851	Jackson S	722-8724
876	Carr Raymond James	722-5651
889	Simpson A	722-6700
991	Simm Leslie	722-3014
895	CEAR LANE LODGE	722-8928
	Smith J	722-8928
899	Morrison M & C	722-6527
	White Dave	722-8281
	White G	722-1087
915	RIGGS WM ACCOUNTING SERVICES	722-8517
HOUSEHOLDS 19	BUSINESSES 3	

Lakeshore Rd W (THORNHILL)

1680	S G O DESIGNER GLASS	882-7828
HOUSEHOLDS 0	BUSINESSES 1	

Lakeside Cir (OAK RIDGES)

	Knickle J	773-3584
1	Browning A	773-2410
	Figueroa D	773-2044
HOUSEHOLDS 3		

Lakeview Av (BETHESDA)

1	Empringham R	888-1054

Stalwart Industrial Dr (BETHESDA) (cont'd)

	POMIC INDUSTRIES LTD	888-9434
	SUNKING MANUFACTURING	888-4688
14	UNITED SPORTS SHOOTING RANGES GUN CLUB	888-1411
HOUSEHOLDS 0	BUSINESSES 4	

Stan Gate (WOODBIDGE)

34	Casasanta A	851-0197
34	Casasanta A	856-6317
HOUSEHOLDS 2		

Stancroft Dr (RICHMOND HILL)

	McCormick Raymond L	770-3254
2	Edgar J	883-5649
3	Hannah D J	884-9633
6	Stalinski S	884-5835
7	Graco Gregory	884-7603
9	Senis Frank	884-4031
11	Scott J	770-1018
14	D'Aguzzano M	737-0591
	D'Aguzzano Paul	770-4181
15	Collis K W	883-5827
19	McCormick R	770-3254
	Savaka C	508-7059
	Savaka D	508-7618
22	Conrado M	884-7205
HOUSEHOLDS 15		883-0108

Standish Cr (MARKHAM)

1	Mustard Scott	471-0544
2	Moncada S	294-6628
3	Bakley E	471-0472
4	Dowan A	472-1820
5	Dabicki R E	294-7318
8	Taylor P J	294-0822
7	Williamson P J	294-3093
8	Hubert D N	294-7604
	ROAR COMPUTER RESULTS	294-6969
9	Locke L	294-6916
10	Booth A	294-0601
12	K V C CONSTRUCTION LTD	471-6193
	Mizzi Concetto	294-0809
18	Held J	294-2777
18	Mills J	471-6503
20	Kendra R K	471-8399
22	Bicache Bernard	471-7487
23	Meredith A	294-7381
24	Davison W E	471-1400
25	Dompierre Bob	294-5588
26	Groen Alan	472-6098
	Stroop Jack D	294-1396
27	Saukas R	294-7222
	Sikiso N	472-8995
28	Boyo P	471-8335
30	Laidlaw A B	472-3422
32	Bullock N	471-1166
34	Calab S	472-8506
36	Aboul Z	472-2658
38	Stacey Frost B & D	294-8533
40	Hall John P	471-1168
41	Leung David K W	472-3388
42	Zeldin Noel J	294-5882
43	Davis Ken	294-4194
HOUSEHOLDS 34	BUSINESSES 2	

Stanford Rd (UNIONVILLE)

1	Long G	479-2792
2	Rollins Victor W	479-2705
3	Gervais Gorard	479-2755
5	Dean Alan	479-5817
6	Elliot D	475-3511
9	Mori Gordon	479-3092
10	Riffo Allan	945-0438
11	Thompson R	479-3908
	Thompson Donald J	479-3051
15	Lloyd Edward D	479-4443
16	Day Kon W	479-5879
17	CONQUEROR ENTERPRISES	945-8812
	Patinos George	470-4530
19	Lam Chi	513-6780
	Lo G	513-7589
20	Mauk W	475-3533
21	Cosburn Barry A	479-4423
22	Das C	477-6561
24	Hanson J F	479-2691
25	Cameron W James	513-1065
26	Santelob B	940-1417
27	Fung Lai Man Tony	513-8467
28	Buchanan A B	477-0020
29	Klobas H	479-6206
30	Hunt John	479-6206
31	Mak John L C	513-8495
32	MacLean D	477-9765
34	Dowenty Potor	940-9631
35	Cunningham M	479-4824
36	Marsh David	479-4964
39	Groen C L	479-1116
	Groen M	479-1116
40	Purp F H	940-0955
41	Curra R	513-8102
	Dixie C	513-8102
43	Thomas R	479-5814
44	Kaukonen J	475-2327
46	Saavo F & P	513-6323
48	Reinsford B R	479-0685
HOUSEHOLDS 38	BUSINESSES 1	

Valley Road Dr (THORNHILL) (cont'd)

242 Li Terence	886-8956
243 Tsangpoong Dennis	886-5119
243 Underwood Keith	709-1972
243 Wong P H K	886-4650
244 Tao P	886-3308
245 Grotas Peter	889-7709
246 Wong H H	886-7003
247 Lue H	881-2101
248 Aboyshe N	881-6311
249 Loung Willis	889-1098
251 Ip C	882-9535
252 Chow A	882-8097
254 O'Halloran R	882-9771
255 Lam D Y K	886-6353
256 Montes Goney	881-8108
257 Wong Kwong Kee	889-7665
258 Chang W	889-1098
259 *Sung S	771-6572
259 Salohmohamed Murtaza	882-9274
260 Fujioka C D	889-0615
262 *Hussain A	771-9315
264 Tzina T	886-4940
270 Okada	881-3907
272 *Funk Robert	889-4973
274 Atamer Abram	880-4937
280 Dracopoulos B	731-3137
282 Dixon B S	881-2060
LEARNWARE DESIGN INC	771-6758
284 Chan Ha Ling	886-6541
286 Chasi A	889-2390
287 Ip J	882-8578
288 Cash Ted	889-4455
290 Leung P & A	881-0595
291 Mu Arthur K	881-0028
292 *Ng Kai Chul F	731-9512
293 Leung T H C	889-3233
294 Ho S K	881-4272
295 Smolkin I	888-0501
296 *Haghighi Parviz	882-0258
297 *Kan C K	882-2220
297 Wong William H	889-2112
298 Ispahany R	886-8523
299 Ispahany S	731-0554
299 Thomas M	886-6530
300 Pak I S	882-2100
300 Pak Inso	882-2100
302 Chui Tai Lung	886-0513
303 Chui Yuk Kui	889-8180
303 Lam Jason	881-0655
304 Yung Y K	771-1339
306 Kheja M E	771-1992
308 Lao Dany	886-6578
310 Boduryan Armen	886-5835
311 ED SACKFIELD ARENA	771-8570
311 TOWN OF RICHMOND HILL	771-8533
PARKS & REC	771-8533
YORK REGION SKATING	771-8533
ACADEMY	771-8533
312 *YRISA WINTER CLUB	771-9122
312 Ling L	889-1098
314 Yeung Y H	886-1926
316 *Wu D	731-5237
318 Hung Jose	889-6178
320 Fok M	889-9600
322 Ngoghossian Henry	889-0711
324 Ngosian P	886-7447
324 MacKinnon Brent	889-4453
326 Tang Edward L Y	886-8711
328 Ong Y M	881-6756
CHRIST THE KING CHILD	771-6247
CARE CENTRE	881-3487
330 Uzunovskij S	889-4678
332 Kahn Leslie	881-1988
338 Cheung A	886-0708
WINDLAND REAL ESTATE	886-0708
SERVICES INC	886-0708
*WINLAND REAL ESTATE	886-0708
SERVICES INC	886-0708
343 Hou Kuo Hsiang	889-8874
351 Farah M	731-0296
*Ghazarian Sarkis	771-0943
352 Fu Anthony C	882-5869
353 Wong Chi Keung	882-1178
356 *Soe Lai Chun	731-7118
357 Lim M	882-7591
360 Gervina Cesare	882-0590
361 *Ng Anthony	764-9192
362 Li Michael	882-0485
363 Cheung W	882-6983
364 Ling Albert	771-7078
Ling Joseph	889-9423
1105 Chong S	886-8386
HOUSEHOLDS 283	BUSINESSES 10

Valley Rd (STOUFFVILLE)

*Matheson A	642-3035
*Snow H T	640-4831
*Snow Tom	640-3497
1 Akay Kathy	640-3217
Schevone Albert	642-0009
3 Cowie A	642-3270
5 Frankowski R E	640-2251
Purvis L	642-4750
7 Savago S	642-1163
8 Judge G	640-4450
11 *Charon Paul	642-5054
12 *Gulko David S & L	640-6454
14 *CANADA ALARMS	642-1600
17 *Baumhour S	642-1419
27 Faj P	640-2778
Webb M	642-5296
30 Platts J	640-3354
32 Bateman T	640-5627
34 Road L	640-5775
36 *McCool Doug	640-6703
37 Tabaczynski L	642-3078
38 Reid Sam	640-4276
40 *Kunc P & L	640-4760
42 Corrigan B	640-6740
43 *Lockhart S & T	642-3790
45 Rubinoff L	642-3259
47 Davenport Ross	642-0028
48 *Maspan C	640-5878
50 Wong C	642-1432
51 Sidaworth E	640-3169
55 Walston G J	640-3177
57 Kroupe J D	640-7534
61 Vostal Lou	642-5392
66 *Turcotte D	642-3752
68 Gaudet C	640-3647
HOUSEHOLDS 35	BUSINESSES 1

Valley Trl (NEWMARKET)

7 Noutfield David	836-7031

Valley Trl (NEWMARKET) (cont'd)

8 Conzelmann Bruce	830-1558
11 Watson Colin R	853-3401
12 Sedors Best	830-9694
Sedors Bert Jr	853-7360
18 Cutting Carol	836-7230
19 Browne G	853-4418
20 Potts D	836-6907
23 Harrison Roy	836-5830
24 Bailey Gordon A	836-7211
27 Gladwell J M	830-1468
28 Shepherd D M	830-1497
28 Fleming Glen	830-1183
HOUSEHOLDS 13	

Valleyview Av (HOLLAND LANDING)

2 Langdon N	830-7452
3 Forbes David	853-0779
*Argoson J	830-1900
6 Klerik J	836-7511
7 Bond Donald	853-2707
8 McConnell Gary	836-8115
9 Griffin David	836-8581
10 Madigan L	836-6724
14 Croucher Noela	836-4931
15 Preston N M	836-1534
Preston Robert E	836-2648
20 Owens W M J	836-2782
20 Doyle J J	830-0492
21 Huggins P	836-5257
HOUSEHOLDS 14	

Valleyview Cr (BRADFORD)

18 Horlings A	775-4242
Horlings Tony	775-8487
21 Minnema D L	775-7099
24 Jaspersen Eugene	775-9148
*Lotto Frank	775-7568
*Nelson M	775-3948
31 Simpson Richard	775-4648
34 Pocher Dieter	775-0158
36 Rod K	775-0371
43 Minato C	775-6854
44 *Ormond W	775-8207
47 Jardine W	775-5273
48 Craig Warren	775-0806
53 *Bonnott N	775-1271
54 Doutra J	775-3785
56 Sousa M	775-7722
57 Goble B & N	775-0409
58 Sletka L A	775-6856
64 Walton R	775-5593
67 Schulz D	775-9355
68 Brookston R F H	775-0056
73 Nelson Murray	775-5842
74 Ward S	775-5664
74 Cavallaris Aniano	775-7889
77 Hoarty S	775-8807
78 Hope R V	775-5863
83 *McGugan Donald	775-7437
84 Cortella F	775-4483
86 Kelm W E	775-5452
WATKINS PRODUCTS	775-5452
94 Clarke M & K	775-0604
95 Nuovo Charlie	775-4323
96 Hammett R	775-5288
104 Durao D	775-4559
108 Lawrence Gerald	775-5669
114 McGugan M	775-9109
115 *Line P	775-8180
*Anderson L	775-3090
127 *Lotto M	775-4120
132 Swift G T	775-8590
136 Fines Mike	775-8441
Kangas K	775-8850
140 Price S	775-7169
143 Kretschmann Guenter W	775-5528
144 Dymond B S	775-9109
148 *Bunn Rmy	775-9508
149 Shaw W R	775-2189
153 *Benson G	775-7234
159 Mulveney J A	775-4082
160 Hoffmann H W	775-4294
163 De Jong Martin	775-8630
164 *Campbell R	775-1311
167 Nasso A	775-3085
168 Nasso A	775-7457
171 Bonny C	775-9050
175 Haggor L	775-6545
Marsella J	775-8891
178 *Coke D	775-9373
STEEL DECKS AND	775-0202
LANDSCAPE	775-0202
183 *GRIDON CONTRACTING	775-0204
LIMITED	775-2978
Grimmett D	775-2978
HOUSEHOLDS 60	BUSINESSES 3

Valleyview Ct (KLEINBERG)

Douglas Gary	893-1030
10 Taylor K D	893-0078
Taylor Kent D	893-2693
11 *Koth B	893-0522
23 *Gray I	893-0615
38 McInair Jim	893-1005
54 Shillington E R	893-1718
70 Cork R T	893-2247
79 Laker M I	893-1063
85 Selley M	893-0400
Selley P G	893-1047
90 Graaf Martin R	893-2111
HOUSEHOLDS 12	

Valleyview Rd (THORNHILL)

*Silverberg Sol	764-6766
5 Stilla A	881-7351
8 Chung B	886-7962
7 Bensadoun J	764-1060
Bensadoun Sam	764-7217
8 Singer Marvin	889-0696
*Junola R	764-5329
Junola Ravi S	764-3268
*Sohgal Jay S	886-9400
12 Chan C	881-3384
14 Mazur A L	731-2548
15 Spitzer B	764-1258
18 Spitzer B	889-3970
20 Yoh S	731-8951
20 Casarounds E	731-5891
22 Burnish D	881-4042
*Boen Nat	886-3069
Friedman E	881-7305
Friedman H	881-0010
Laynwala R	886-0152
25 Loy J	886-6550

Windridge Dr (MARKHAM) (cont'd)

26 *Smith A P	294-5857
27 Allen S	294-6408
28 Atwill R	471-3062
30 Glen J	472-0491
30 *Bingley W G	294-2310
31 Calanis George	294-2494
32 Lumsden Albert	294-6707
33 *Loren Gordon	294-1361
34 Ross John C	294-3234
35 Moment John R	294-3212
36 Milligan A J	294-5338
37 Xeno John	471-5281
38 Pileary Maurice	294-4624
39 *D'Aguiar J & A	294-0829
40 Pileary Eric C	294-2517
41 *Montpetit C	472-6046
42 Craven J	472-6842
43 Harrold Jack A	294-2258
44 Hooley M J	471-8130
45 Leigh Mine E	471-8139
46 Hayden A	294-8961
47 Grenda Werner	472-2391
48 Masludnyk A	471-7251
49 *McLellan J D	471-6718
51 Amato D	472-8486
53 Whitaker C	294-2475
55 Baker Ronald N	294-2750
57 Griffiths A	294-2908
HOUSEHOLDS 54	BUSINESSES 1

Windong Ct (UNIONVILLE)

1 *Ah Chut Regis	477-8921
3 Gai Jagmohan	479-8817
*Andrew A Rodney	475-6969
11 Harris Bruce J & Sherry J	470-1757
15 Vhora S	479-9483
17 *Teledis J	479-8357
18 Curcio C	470-8532
19 Spencer A M	471-7437
*Spencer Philip V	475-1508
23 Haldon S A	479-8385
HOUSEHOLDS 19	

Windsor Court Rd (THORNHILL)

1 Grover M E	764-7050
5 *Jahani M	882-6140
Van Kessel John J	889-4203
Van Kessel John J	889-4203
7 Li F	771-0914
8 Carasco D H	771-0020
*Eisen A	771-0020
9 *Leung Peter Y C	882-2147
10 Reynolds R	889-2670
11 Carpenter A	881-4065
12 *Gortana S	709-1703
15 Bendavid L	882-8405
16 Chan Chiu Siang	771-0020
17 Whitby Myer	731-3121
18 Sim S C	764-1193
19 Hill Lionel	886-8315
20 Wolner A	881-3628
21 Cohen S M	886-3808
22 *Raubenheimer L G	731-2017
23 Prosser J	764-5489
Prosser L	889-3303
25 Bremer D	889-6202
27 Sangi Al Amyr	882-9038
29 Goodman L	881-6292
Goodman Leonard	731-1601
33 Soh J T	771-1316
35 Burnham Robert E	889-6743
37 *Stewart A	709-0476
39 Kolenko M	886-3180
41 *Van Das John	889-0504
42 Davies Phil C	731-9088
43 Liebenthal M	881-4822
44 Smith Paul & Karen	764-6168
45 Mank Colin	881-3840
46 Hume D	764-7410
Rosen C	764-7413
47 *Jackson B R	880-5512
49 Jones G	73-3635
50 Wetland L L	764-0417
51 Bergman S	771-1854
51 Cohen L	731-2009
52 *Grant G	709-0970
53 Salsberg D F	731-1600
54 Ivas David A J	889-6628
55 Jahani Mahmoud Reza	882-5387
57 Weissman A	881-2200
58 Cohn S	886-5042
59 *Korshak Myran	888-0727
60 Cohen Aaron	771-0054
61 Lau J	889-6862
64 Kingdom J	886-5658
Roy P	886-5670
68 Raven H	886-3238
70 Feldman N S	731-7820
74 Aringo M	886-6016
76 Kulk M	886-9210
78 Aizicowitz Ralph	731-0975
80 Ulfman G	731-6821
82 *Gampel G	889-3248
84 Young Helen C	771-7131
86 Klorline Leon	886-0993
Klorline Shari & Bruce & Darren	881-7554
88 Orelly B	881-6064
90 *Labov Z	882-7301
94 *McLennan S	889-9546
96 Gow M	731-7852
Somers Phil	731-0474
HOUSEHOLDS 80	

Windsor Ct (RICHMOND HILL)

567 *Mandel H	884-0452
HOUSEHOLDS 1	

Windsor Dr (STOUFFVILLE)

Ando E	840-5704
*Hertle R	840-2408
1 Parus Kenneth	840-2664
*Strindland S	840-6834
5 *Ward W J	840-3212
6 Gottschalk T	842-3639
8 Gray James L	842-3302
9 St Armand R	840-6515
10 Spilbury H	840-7420
13 Bell J A	842-3600
14 Hart M	842-5324
17 *Boadway Tony	842-2863
18 Ball Denise	840-1996
19 *Cairns C	840-2742
20 *Thompson David	842-5333
21 *Magnatta Rocco	840-8232
22 Monson L	842-3818

Windsor Dr (STOUFFVILLE) (cont'd)

25 Bell S	840-9803
26 Garratt S	842-3375
27 Bell Vernon	840-4690
28 Lowe H F	840-8420
30 *Orpwood K	842-2805
31 Collins C	840-1856
32 Fowler E	840-5871
34 Prince N	840-1607
36 *Robinson M	840-05

STREET NOT LISTED

NO LISTINGS WITHIN RADIUS

STREET NOT LISTED

29 Magarrey K & M	473-5532	433 Zila P	878-6551
30 Hunt P	473-1177	437 Turner P Grant	878-9826
31 Malcho Don	473-3673	Turner Rob G	878-3655
32 James Bruce	473-2728	441 Faulkner Owen	878-3156
33 Conrath M R	473-2345	445*Laughren L A Dr	
34 Pegu Murray	473-2198	Optometrist	878-8569
36 Challenger B	473-2975	449 McColium W J	878-1718
37 Coleman B	473-2436	467 Newman R A	878-3008
38 Scaysbrook C	473-2922	460 Berardi M	878-8209
39*Weddel Brian	473-3454	461 Ashley V	878-6068
40 Oliver Allen	473-9979	Green Mark R	878-1618
41 Booth E M	473-3701	464 Arone Greg	878-4968
42 Kennedy John E	473-3679	465 Johnston Brian	878-8513
43 Lindsay R	473-3362	469 Larocque G D	878-4591
45 Stewart C	473-1276	473 DK Natale Frank	878-0460
47 Ahlita J	473-3745	476 Canadian Engravers	
51 Galbraith R	473-3423	Supply Company Ltd	878-8341
52 Mularyk J	473-3096	Hrycko J	878-3316
63 Spotsbury Don	473-1728	Hrycko M R	878-1710
64 Kusic Peter	473-7099	477 Armaly Elias	878-2967
65 Atkins R W	473-3365	482 Best A	878-1970
66*Morrissey Kim L	473-5870	495 Hobbs Allan	878-6744
67*Goodwin B & G	473-6068	500*Case P	878-1418
68 Simmons John S	473-1631	506 Crawford D	878-1774
69 Stephenson Robt	473-2646	Crawford John	878-8047
69 Wahlroth Arthur	473-2616	507 Gouri S	878-2272
		513 Miller Jerry E	878-1014
		Miller Marc & Mike	878-0876
		626 Hokanson S	878-3061
HOUSEHOLDS 44	BUSINESSES 2	HOUSEHOLDS 40	BUSINESSES 4
VALLEY RD (STOUFFVILLE)-			
*Bell P	640-2449	VALLEYBROOK DR	
*Farr P	640-2778	(OAKVILLE)-	
*Grist M	640-8693	1114*Cuiper Kevin &	
*Info Search Services	642-2276	Tam	338-8393
*Matheson A	642-1800	1117*Gibson G	338-2505
*Ortleib L	640-4678	1121*Elwell T	849-4612
*Reid Sam	640-4278	1125*CN D Construction	
*Rodgers L	642-0065	Inc	338-2373
*Siddsworth E	640-3189	*Jabbour N	338-0630
*Snow H T	640-4831	1129*Paul J	338-1665
*Snow Tom	640-3497	1133 Hryhoryk J	845-5047
*Tustin D	640-5358	1141*Kirsh Robert	338-0456
1*Akay Kathy	640-2251	1145 Soasta G	849-0429
5 Frankowski R E	640-4458	1149 Spencer Thomas M	842-2455
8 Judge G	640-6454	1150 Buck J Glenn	845-9875
11 Phillips S & L	640-4123	1153 With P R	849-8943
13 Chant S	642-2672	1157 Fraculj Nick	845-6562
17 Bateman G	640-6427	1175 Scarrow David R	849-3639
Bateman T	640-2188	1179 Holjevac M	840-4824
21 Brown L J	640-6028	1183 Carter Robert	849-6586
30*Ortleib L	642-0793	1184 Burrows R A	842-3607
32 Turcotte D	640-3647	1187 Haick David	845-1363
33 Gaudet C	640-5775	1190 Shea G M	844-9094
34 Reed L	640-8703	1191 Meiner H W	849-1433
36 McCooll Doug	640-7335	1194 Sangha Lamber	849-4813
37 Thompson D	640-7938	1195 Rumpach Brian	849-6749
39 Oldfield M	640-6633	1195 Dubowec Walter	849-1470
42*Kay S K	642-0928	1199 Rankin Wm S	842-0140
44 Devenport Ross	640-6586	1202 Franklin Kurt	849-6432
45 Shaver Bruce P	640-5876	1206 Hamel William G	849-1489
48 Soucek C	640-2913	1206*Kingston Thomas C	338-2509
49 McQuaker R	642-1432	1209 Lukassen D H	849-7118
50*Burton S	640-8571	1210 Arthur Paul	849-0187
52 Kennedy D	640-7534	1213*Mountstevens G	338-0019
57*Kroupis J D	642-1294	*Mountstevens J	338-2052
616 Nicol E		1214 Menard Gary	849-9974
HOUSEHOLDS 36	BUSINESS 1	1218 Robertson J S	849-4538
VALLEY ST (KLEINBURG)-		1219 Hrynyk L	849-0806
*Freeman Donald A Rev	893-2475	1222 Peckitt J R	849-1997
75*Hogg A D	893-1104	1225 Bogdanovich Z	338-8022
115 Sinclair A	893-1709	Bogdanovich Zoran	845-7477
HOUSEHOLDS 2	BUSINESS 1	*Hendry R J Co Inc	338-7970
VALLEY TRI (NEWMARKET)-		1226 Devereux Dole Wm	849-3973
7 Bond Donald	853-2707	1229 Hasbury Ken	849-0922
8 Shields Contracting Inc	836-6965	1236*Graham & L Heureux	
9 Griffin David	830-8681	Inc	338-3551
11 Watson Colin R	853-3401	*LHeureux Bert	338-3019
12 Sedore Bart	830-9864	1239 Cowan N	849-0710
13 Sedore Bart Jr	853-7390	1240 Neal B	849-1878
14 Croucher Neale	853-1330	1243 McPherson T S	849-7137
15*Advanced Medical Devices		McPherson Tom S	842-7391
Inc	836-9435	1244*Udovic S	845-2310
*Paige Manufacturing Inc	853-2289	1248 Lopez A	844-1222
Preston Robert E	836-2645	1250 Ali Junior N	844-6395
*Spark Innovations Inc	853-4920	1252 Patel N	844-7324
Cutting Gerald	839-7200	1255 Manson Ian	849-7180
16 Owens Wm J	836-2782	1256*Clark S & T	849-8899
19*Brown G	853-7518	HOUSEHOLDS 46	BUSINESSES 6
20 Pettit D	836-6997	VALLEYCREST AV	
27 Gladwell J M	830-1468	(MARKHAM)-	
28 Shepherd D M	830-1467	1*Stacey B & R	471-2441
28 Flemming Gene	830-1183	2 Danyshyn S	294-4187
HOUSEHOLDS 16	BUSINESSES 2	3 Turner P W	471-0848
VALLEY VIEW AV		4 Baker Brian Wm	294-2359
(BRAMPTON)-		5 Massop R	294-2070
*Armstrong Carl	846-2874	6*Leznoff H	294-0317
*Christensen J S	846-1711	7 Brooks Leslie	294-9609
*Geale Patrick M	846-3535	8 Morgan R	294-3748
*Highfield Peter	846-1739	9 Whybrow K	471-6508
*Magwood M W	846-1028	10 Rainey David	294-3735
*Patkau J	846-6742	11 Potter E E	294-2810
*Pearson David	846-3194	12 Peddie Richard C	294-3289
HOUSEHOLDS 7		13 Paisley H S	294-1292
VALLEY VIEW AV (HOLLAND		14 Crutcher G A	294-4738
LANDING)-		15 Twigger Don J	294-0007
3 Dempster B	836-4474	16 Stokes D A	472-2236
6*Klerks J	836-7611	17 Allavandian-Orumie Aspet	471-7561
8 McConnel Gary	836-8115	18 Briggs D R	294-0941
15 Preston C	836-1534	19*Woodward Trevor	472-4579
21 Huggins P	836-5257	20 Patterson Michael	472-2038
HOUSEHOLDS 5		Patterson T	294-6912
VALLEY VIEW CR (MILTON)-		HOUSEHOLDS 20	BUSINESS 1
381 Grant Bradley J	878-8389	VALLEYCREST DR (KING CITY)-	
382*Lewis Weed		7 Kennedy Gary	833-1067
Extinction	878-1693	Kennedy Mark	833-8548
Taylor E	878-6732	14 Pellegrino M Mrs	833-5679
389 Lister Frank	878-1807	19 Cocco B	833-4106
393 Wilson D B	878-6898	20*Paterson H J	833-5216
394 Valleccocchia T	878-0290	HOUSEHOLDS 6	
398 Cardinal Maintenance		VALLEYFIELD DR	
Supplies	878-1900	(MISSISSAUGA)-	
401 Harborenko J W	878-0709	378 Bowers Steve	275-8953
402 Kotsopoulos Michael	878-4352	Bowers T	277-9323
405*Collins E	878-1458	377 Lamb D F	278-1834
406*Dowell John D	875-3149	381 Plant R D	270-0370
409 Thiesen Peter	878-9561	385 Vrab M	270-4876
410 Dickstein I	878-2192	394 Datapro Business Forms	
421 Wilhelm Maurice F	878-0200	Inc	896-2860
425 Karsenbach Manfred	878-1533	Kalcevich E	897-2375
429 Gerace M	878-1256	Kalcevich P	896-1068
430 Chronopoulos John	878-0389	403 Bradley A H	275-0167
		404 Williams W N	278-3174
		410*King G	275-6647
		414*Williams Rob	896-1125
		418 Bajus E	278-5367
		421 Oreskevich John P	279-6511

STREET NOT LISTED

61 Alpern Brain & Laurie	889-3718	2135*Roopial Basdeo	828-9840
62 Alpern S	889-4616	2130 Hallett William D	820-8343
64 Kinghorn J	889-6658	2143 Malito G	820-4470
Roy P	889-6670	2147 Cirillo Anthony	820-8487
66 Raven H	889-3238	2148 Arnold G	820-7723
68 Josephs T	889-6194	2151 Wang F	820-1675
70 Feldman N S	731-7830	2152*Mcmanus P	869-0659
72*Lei S W	881-8488	2155 Parker A	820-7844
*Matus Brett	886-9171	2156 Simunac A	820-4991
74 Arrigo Dan	886-9016	2156 Pabla H	820-2991
76 Kulik M	731-0675	2150 Fraser Murray	828-6841
Kulik R & L	731-2581	2164 Obad G	828-2492
78 Alkocweis Ralph	731-0021	2165 Dodgson J	820-7021
82*Kanan Alnoor	889-9244	2158*Truong J	568-7191
86 Klorfine Shari & Bruce & Darren	881-7654	2171 Song J	828-9483
Miller C & H	881-6664	2172 Cabral I	820-1412
88 Pamenaky Martin	886-4451		
90 Bader E H	886-1578		
92 Johnstone Leslie	889-7589		
94 McNamara S	889-9546		
96 Fridhandler M A	889-9114		

HOUSEHOLDS 63 BUSINESSES 8

WINDSOR DR (PICKERING)-

W44*Snell D R	686-1043
*Guy Diane L	428-3077
5 Toase Warren	428-9256
13 Mileto L S	583-8966
14 Penberthy M	583-4136
15 Hawker C	583-4256
24*Blizzard F	583-0479
28*Pikington D	586-6363
28 Daly Leo	583-5303
29 Bryant Robert C	583-4375
30*Sevens A	583-1275
31*Leibrock A F	427-8326
*Leibrock E	427-5163
*Leibrock W H	583-5629
32 Bryant T	583-7553
33 Arsenault H	583-0944
34 Donkers H	583-5037
36 Babin Val	583-3314
*Donkers Phil	428-6148
38 Scott L W	583-8107
41 Pearson Kenneth	583-5756
43 Beyer T	686-1461
*Dagenals K	427-9467
44 Sutton Paul	583-7769
45*Stewart R N	583-3056
46 Conkey Frank Rev	583-2883
47 Rackham R J	583-0684
49 Georgioli G	428-8006
Georgioli S	427-1041

HOUSEHOLDS 29

WINDSOR DR (STOUFFVILLE)-

*Ando E	640-5704
*Bruten J	640-4992
*Burton L	642-3371
*Collens C	640-1806
*Davidson M	640-6010
*Davidson T D	640-3173
*Franks E C	640-5871
*Haluk Janena	640-2641
*Herde L	640-2408
*Magnaia Rocco	640-6232
*Simpson George	640-1923
*Sutcliffe S	640-1560
*Ward W J	640-3212
1*Wilkinson John	640-4906
4 Smith Thomas H	640-6790
*Lee W E	640-3618
14*Perry C David	640-3104
16*Leigh S	640-6729
22*Benolt M	540-4589
26*Landry Denis	642-2326
27*Macnally M J	640-4162
30*Downie Bill	640-8473
32 Powell B	642-1475
35 Noble Stan	640-1757
40*Penney Wilf	642-0379
42 Garvin Dave	642-0761

HOUSEHOLDS 26

WINDSOR RD (GEORGETOWN)-

*Immanuel Lutheran	877-1172
11 Anderson Paul A	877-4518
16 Brisson L	873-1706
*Zugaj M	877-4163
17*Taylor J	877-7885
19 McIlvren Nicole Rick	877-4797
21 McCartney D	877-2986
22*Chisholm J	877-5620
26 Stone Brandon	877-9279
27*Hancock C	877-7067
*Richards L	877-1031
29 Smith G F	877-6321
31 Cutler Douglas	877-9718
33*Hole B	873-0194
Hole John	877-4806
*Sod Father Landscaping & Lawn Maintenance	
	873-0974
34 Bishop L	873-2863
36*McFadden N	873-1134
Scrugg A	877-7866
37 Allen Lesman	877-6115
47 Norris Fred	877-8062
49 Becker G	877-2967
50 Rice & Mcharg Quarries Ltd	877-6374
51 Daniel E M	873-4036
53 Rosset E	877-4926
56 Taylor Rod B	877-6093
58 Polrier Joe	877-3634
59 Armstrong John Herbert	877-9523
60*Asereido C	877-9798
Babakos A	877-0423
61 Edgar John	877-9915
62 Scallen D E	877-8173
63 Mieczanlec Stanley	877-6860
*Wilson R	877-0449
64 King Keith	873-3066
65 Tennant A V	877-5661
66 Turnbull Jim	877-0993
67*Nguyen Salvador C	873-2390
68 Payne M C	877-7827
69 Garbutt K W	873-4708
71*Handy Mark	873-3967
72 Pepper E	877-2406
73 Murray Douglas	877-4648
75 Barrett A C	877-9144
77*Moreland David	877-4342
81 Harris G	877-5487
85 Fletcher T D	877-0410

HOUSEHOLDS 46 BUSINESSES 2

WINDSOR WAY (MISSISSAUGA)-

*A L Williams	890-1733

HOUSEHOLDS 17

WINDWOOD DR (MISSISSAUGA)-

2510*Brent S	826-9081
2511 Dahonick T	821-4719
2520 Meadowcroft C	828-5069
2521 Miller David	567-9633
2525*Ward Kimberly	567-9099
2530 Johnston Jake	868-4223
2531*De Melo F	567-9722
2540 Kozlowski John	821-4061
2550 Adam Michael	642-2118
2561 Mclean Larry A	826-6344
2566 Hodge P	826-0309
2568 Hague Edward M	821-7126
2571 Thompson D B	828-8465
2581 Nishika Wa George	828-6186
2517*Benko D	542-2764
*Chan Samuel	567-7067
*Coangelo Nancy	567-8887
Dernier C J	821-4032
*Disouza Thomas M	542-3786
*Flood G & T	567-7366
*Fure Raymond	821-2339
Golding D	826-1060
Hammett Ray	868-0884
Hamlin A	826-1473
*Hewitt Carl	567-9994
Hignell K	567-3870
Kennedy K	567-7603
Khosla Amit	567-1573
Killin G & L	826-9419
Lievers B	826-8368
*Maringka Andi	567-4792
McLaren G & M	567-3089
Mills Collin	826-4137
Moore G	821-0114
Nelson R	821-9125
*O'Kury P G	567-7366
*Roberts S	542-2974
*Savage J	567-9043
Simpson E	868-7728
Sodi D	567-7774
Stegall R G	826-1856
*Stuart J A	542-2045
Vander Heyden Mark	868-2926
Wellon Ron	868-8878
White L	826-6590
2555 O'Donnell D	868-8063
2565 Ailmurung R A	826-3237
Allen J	868-9699
Anderson A	821-8409
Baker Bryan T	826-1028
Bail Derek	821-8497
Baxter Chris J	567-4067
Bell Donald	567-5102
*Black C	567-7943
*Bleau P	567-9338
Boan C C	826-0418
*Boles Joe	542-1952
Bowe H	821-0756
Brain B H	826-6819
Broitman E	567-0974
*Bub Rick	542-1369
Burke John M	821-3681
*Chalmers F	567-9170
Clark I M	826-1642
Cooper Fred R	826-1896
Cullen H	826-5874
Cullen M H	826-9564
Curren Mike	826-9154
D'Andrea P	821-8067
*Deveraux J	868-4170
Doucette B	542-0066
Drew J Alan	567-8714
Drew J R	821-7622
Gardner W B	826-9241
Gillespie M G	826-8104
Gowland A J Rav Dr	821-1969
Handa M E	826-1827
Hanson H	821-0397
Henry F J	821-0147
Heyes M H	826-2611
Hillman V	826-0884
Jephson T A	567-1571
Johnstone A M	826-5912
King E C	826-0197
King M	826-9032
Koutny M	868-1411
Lalonde B	821-7386
*Macaluso Frank	868-5845
Macfarlane B R	567-0159
Mair C	642-0084
Maloney E	868-1730
Marten U I	821-2099
Mcnaulity L E	821-0223
Mokrenko G	868-0754
*Nagy L H	826-8623
Nernbhard N	868-7530
*Obando Marco	567-4864
O'Connor W	821-8136
Omand Stephen B	868-1428
*Osborne Tony	542-1296
Payton D	868-0364
Porter R P	821-0622
Ramanathan K	821-1547
*Schroeder Kip	567-8612
*Schuller B B	567-7891
Scott B	826-0048
Sigurdson G V	826-4589
*Stanton D	542-3881
Tapley M	826-3766
*Tavarez Antonio	642-0443
Taylor R	821-4859
Thorne Rob T	868-5984
Tremblay R	821-7415
*Tserpas John	567-7188
*Turner S	821-0994
Velleman L	667-6333
*Viola D	642-3602
Wagner M D	826-6682
Waters D E	868-5617
*Whidden B	567-0960
*Widmann F	567-7126
*Young Edward	542-3006
Zernickel W	826-1096
Zorge P	567-1343
2720 Ahmad Salid	567-4828
*Andrews L	567-6173
Antonec C	868-9466

STREET NOT LISTED

STREET NOT LISTED

32 Jones Bruce	473-2726
33 Conrath M R	473-2345
34 Pogg Murray	473-2198
35 Metas Inc	473-3180
36 Challenger B	473-2976
37 Coleman B	473-2436
38 Scaysbrook C	473-2922
39 Weddel Brian	473-3454
40 Oliver Allen	473-9979
41 Booth E M	473-3701
42 Linday R	473-3362
43 Mc Carroll K	473-3876
47 Altula J	473-3745
52 Mularyk J	473-3095
53 Day Michel	473-2451
54 Franklin B	473-2972
55 Atkins R W	473-3365
56 Scott Alan	473-2115
59 Wahlroth Arthur	473-2616

VALLEY RD (AJAX)—

Johnson Lars B	683-1641
Reid T	683-1176
12 Tane Associates Ltd	686-0114

VALLEY RD (STOUFFVILLE)—

Bateman T	640-5627
*Farr P	640-2778
*Fockler T	640-1584
Green J I	640-4766
Heinrich M H	640-1906
Lee R	640-2941
Mc Pherson J M	640-5453
Ortlieb L	640-4878
Sidworth E	640-3169
*Snow H T	640-4831
*Snow Tom	640-3497
Todish F	640-1143
3 Morrison John	640-4061
5 Wise D	640-5310
6 Dyeart Neil	640-5327
7 Savage Pat	640-4457
8 Slama M	640-2428
32 Tremblay A	640-1115
33 Gaudet C	640-3647
34 Gage Wm	640-4154
36 Mc Cool Doug	640-6703
39 Guest Robert	640-1616
43 Elliott K	640-4613
45 Libertus F	640-3037
49 Mc Quaker R	640-2913
50 Saxby P	640-6422
51 Morgan Howard E	640-3574

VALLEY ST (KLEINBURG)—

Mc Kane W	893-1211
48 Beevor J	893-1926
75 Hogg A D	893-1104
115 Sinclair L S	893-1709

VALLEY TRL (NEWMARKET)—

Mc Chesney D B	898-3816
3 Melnichuk Peter	898-7305
4 Mc Namara Harold	898-5207
11 Watson Cohn R	898-3401
12 Shields Richd	898-2190
16 Cutting Garold	898-7230
20 Pettit D	898-4401

VALLEY VIEW (BRAMPTON)—

Burke H	846-4111
Christensen J S	846-1711
Highfield Peter	846-1739
Magwood M W	846-1028
Wilson D	846-0841
64 Geale Patrick M	846-3535

VALLEY VIEW (NEWMARKET)—

3 Jacques Orville	895-4468
5 Fierick J	895-7001
7 Bond Donald	895-2707
8 Mc Connell Gary	895-8115
9 Griffin David	895-8581
14 Webster Ross H	895-1280
15 Preston Robert E	895-2648
18 Owens Wm J	895-2782

VALLEY VIEW CRES (MILTON)—

381 Grant Bradley J	878-6389
385 Collier Chesley M	878-0328
386 Adams John T	878-8914
389 Lister Frank	878-1807
390 Robulack N S	878-1026
393 Wilson D B	878-6898
394 Vallecoco T	878-0296
397 Shea John	878-4214
398 Cardinal Maintenance Supplies	878-1960
Scragg B	878-8623
401 Dockalek Peter D	878-5494
402 Kotopulos Michl	878-4352
404 St Cyr George H	878-8246
405 Collins E	878-1458
406 Klenowski John	878-5684
409 Martin M J	878-5291
410 Dickstein I	878-2192
414 Birdwell W C	878-3487
417 Pascoe K H	878-7871
418 Oppedisano A	878-1634
421 Wilhelm Maurice F	878-0200
422 Spagnuolo A	878-6603
423 Kanzenbach Manfred	878-1533
429 Gerace M	878-1286
430 Chronopoulos John	878-0389
433 Zita P	878-6651
437 Garside C	878-1872
441 Faulkner Owen	878-3156
442 Sonagren B	878-6649
445 Lougheon L A	878-8569
449 Wallace G	878-9465

453 Mc Dougall G A	878-4322
456 Spagnuolo M	878-7041
457 Newman R A	878-3008
460 Berardi M	878-8209
461 Lawson W	878-7965
465 Johnston Brian	878-9613
466 Jell J	878-3686
469 Larocque G D	878-4691
472 Lee S N	878-1702
473 Di Natale Frank	878-0460
476 Hrycko J	878-8341
477 Gallinger Wm T	878-2035
482 Best A	878-1970
483 Regis David M	878-5873
489 Rigo Louis	878-4636
494 Sewitt H	878-1437
495 Gagliardi Silvano	878-3905
500 Perham D	878-5759
501 Sanders Larry	878-1708
506 Fabian A	878-5497
507 Hanson G	878-1735
513 Miller Jerry E	878-1725
519 Oshard Vincent	878-1298
525 Hokanson S	878-3051

VALLEY VIEW RD (GEORGETOWN)—

2 Langdon K A	877-2493
5 Gulliver R	877-4411
6 Binkley E W	877-2444
7 Clark B	877-8774
10 Mackenzie Jean	877-3443
12 Monckton H G	877-6805
14 Allen J P	877-4211
15 Urbasz K	877-0035
16 Belanger J	877-1720
17 Hunter Oliver	877-4654
19 Schenk W J	877-2669

VALLEYCREST AVE (MARKHAM)—

1 White C B	294-2785
2 Danyshyn S	294-4167
3 Falson L	294-4145
4 Baker Brian W	294-2359
5 Masop H	294-2070
7 Baker Jack R	294-9609
8 Morgan R	294-3748
9 Steward Carl	294-5374
10 Rainey David	294-3735
11 Potter E E	294-2810
12 Peddie Richard C	294-3289
13 Paisley H S	294-1292
14 Crutcher G A	294-4738
15 Simmons N	294-2158
16 Jackson Craig K	294-6398
17 Coasor R C	294-6993
18 Briggs D R	294-0941
19 Schenk H H	294-3294
20 Henkel K	294-5912

VALLEYCREST DR (KING CITY)—

7 Donaldson R	833-5452
14 Pellegrino M Mrs	833-5979
19 Cocco B	833-4105
20 Hawke L E	833-5755

VALLEYFIELD DR (MISSISSAUGA)—

376 Bowers T	277-9323
377 Lamb D F	279-1934
381 Plant R D	270-0370
386 Hrab M	270-4876
400 Czarnota R	279-6528
403 Akron Resource Recovery	
Associates	276-7110
Bradley A W	275-0167
404 Williams W N	277-4645
410 Johnson Harry G	275-1294
413 Berger S J	276-4891
414 Rannalletta D	279-9307
418 Bojars E	279-9367
421 Oreskovich John P	279-6511
422 Sakic N	279-6249
425 Halligan John T	275-5336
426 Jurisch John	277-0091
Jovanovic S	270-5072
431 Tschenko V	270-5947
432 Landers K W	270-5967
435 Dale L E	276-2101
436 Kozel A	279-4669
441 Chatzias J	275-5509
442 Strong D G	279-7563
445 Powell L M	270-2033
446 Sadiowski K	279-2990
451 Becker Lutz E	273-7842
452 Salerno Joseph	279-2878
455 Vriticos N	279-0206
456 Dalbo L	279-3094
463 Naccaro L	270-4138
464 Proudlove D	270-9565
495 Ponte Mariano	279-8543

VALLEYVIEW CRES (BRADFORD)—

18 Dinner R	775-3130
21 Fleisher John G	775-5246
24 Kervin John	775-3417
25 Zurawski S	775-4131
26 Lynne Paul	775-2149
28 Morrison Donald R	775-5823
29 Marsella J	775-5419
31 Simpson Richd	775-4648
Todd Wm	775-7978
32 Lotto M	775-4120
34 Polcher Dieter	775-6156
35 Christensen C	775-5471
36 Vollebregt N J	775-7336
38 Pineau R	775-4311
41 Naso A	775-7457
42 Mitchell R	775-3502
43 Minatol C	775-6854
44 Schenae M	775-6967
45 De Jong Martin	775-5630

WINDSOR AVE.—Contd

30 Edwards D	683-1275
Severa A	683-2573
31 Eastwood M	683-5629
*Leibrock W H	683-7553
32 Bryant Everett Mrs	686-3746
Daly G	683-4810
33 Candow D	686-0330
*Nat Intosh M A	683-5037
34 Donkers II	683-6532
35 Van Bickland J	683-3314
36 Babin Val	686-4385
Byrne L	686-0696
*Mullin Guy	427-7196
37 Anderson P	683-4642
Bunker John	683-0897
38 Colgan John	427-7023
39 Dale Donald K	683-6181
*Scott L W	683-8107
*Scott T W	683-6274
40 Raveney T W	683-5756
41 Pearson Thomas	683-4394
Tapp W	683-7376
42 Fernebaugh F	683-8041
43 Frank D	686-4712
*Sims C	686-2749
*Tetlow K	686-1805
44 Warwick F	686-3843
*Petrie D	683-3055
*Siewert R N	683-2883
45 Conkey Frank Rev	683-9072
*Franklin B	686-2965
46 Hawkins J	683-0584
Rackham R J	683-7375
47 De Snoo M	683-6726
50 Simmons Grant Mrs	683-1525
51 Varty James	427-6402
52 Winter M	683-1189
53 England G	427-7609
54 Reid K	683-7397
55 Jarvis B	683-3208
56 Van Olt A	427-6307
59 Dimambro F	686-3297
61 Olsen C	

WINDSOR CRT (THORNHILL)—

*International Aquatic Pool Serv Ltd	889-1991
1 Finkelstein Sid	889-1999
3 Kream T	731-4469
4 Tobin Patk J	881-8730
7 Jones B R	889-5588
8 Clevis Harold	881-4505
9 Milneoff Rouman Rev	881-4455
10 Brown M B S	889-9326
11 Tambalieros L	886-3411
14 Fullbrook K N	881-8842
15 Cook Edw	889-6808
17 David B	731-4211
18 Mac Isaac S N	881-2586
19 Rowin Jeffrey	886-2808
20 Wollner A	881-3293
21 Cohen S M	886-3808
22 Driman Howard	881-5363
23 Prosser L	889-8237
24 Noorderman J H	889-6630
*Saunders J	731-4920
27 Freedman Merv	731-5244
29 Goodman L	881-6282
*Reisenburg C D	731-1601
31 Murphy Jack E	886-2828
32 Durbach Irwin	889-9176
33 Burnstyn D M	881-4042
Burnstyn Dave	881-3300
37 Coles Berth J	881-2676
39 Berbaum S	886-3416
Verner S	886-3431
42 Cornafsky Leon	889-4300
43 Walker N A	886-1236
44 Greenberg Larry	889-3739
45 Bagnoli Phillip	881-5981
*Taylor D S	881-5134
46 Spiegel M	881-6789
47 Eiserman A	731-4262
48 Chodak E W	881-9100
49 Jones Raymond B	731-3835
50 Berta L	881-0923
51 Korman R	731-2909
52 Worth S	881-1003
53 Ives David A	889-5100
54 Leve Brian R	889-8628
56 Mandel H	886-3475
58 Van Kampen J G	886-0452
59 Bang Yung Hoe	889-1870
60 Lyons Les M	889-0144
61 Alpern S	731-3433
62 Smith Todd	889-4616
64 Raven H	886-3036
65 Joseph T	886-3238
69 Spanier B	889-5194
72 Segal Laurence	881-7459
74 Alge D A	886-3288
76 Kulik M	731-0053
78 Yik R	886-1706
80 Rosenblatt Basil	731-3396
81 Sterling C	731-1726
82 Korfine C	881-0359
83 Hodgson R	881-6664
84 Wolpert Myer J	889-9848
85 Chung Stephen Dr	731-3121
86 Mc Namara S	881-6785
87 Fridhandler M A	889-9446

WINDSOR DR (STOUFFVILLE)—

Ando E	640-5704
Ashenburt J	640-4210
Britten J	640-4992
Collins C	640-1806
Davidson M	640-8010
Dickson H	640-1932
Frank E C	640-6871
*Gray D	640-4174
Haluck Janena	640-2641
Hertle L	640-2408

Magnolia Rocco	640-6232
Mark R	640-2474
Siddall Paul S	640-4590
Simpson George	640-1923
*Tomar Security	640-3624
Ward W J	640-3212
Wise Ralph K	640-1930
Wise Ralph K	640-2787
*Spence V	640-3883
*Harris Michl G	640-4502
Wentzel S	640-5370
6 Gotchalk T J	640-1713
*Lee W E	640-3618
20 Mitchell J	640-2120
26 Burton Jeff	640-6098
27 Pollard R	640-6808
32 Head J	640-8127
40 Loiselle R	640-1655
42 Sutcliffe S	640-1690
Whitbread S	640-5510
44 Warwick Frederick A	640-5113
171 Stephens T	640-4117

WINDSOR RD (GEORGETOWN)—

Lutheran Immanuel	877-1172
11 Anderson Paul A	877-4518
16 Robertson Gary	877-6547
17 Kearns G	877-6153
19 Mc Niven Nicole	877-4787
21 Mc Cartney D	877-2986
22 Chisholm J	877-5620
23 Hancock E	877-7204
25 Stone Brandon	877-9279
27 Bodin P	877-4697
29 Smith G F	877-5321
31 Binnie W	877-4619
33 John John	877-4605
34 Bishop L	877-3252
35 Clarke R J	877-6711
37 Allen Leaman	877-6115
47 Penrice Doug	877-8768
49 Becker G	877-2967
50 Rice & Mc Chag Quarries Ltd	877-6374
51 Rosset G	877-3987
53 Rosset E	877-4926
55 Taylor Rod B	877-6093
58 Poirier Joe	877-3534
59 Armstrong John H	877-9523
60 Babakos A	877-0423
*Dewinter B	877-7357
61 Edgar John	877-9915
62 Scallan D E	877-8173
63 Mieczanier Stanley	877-6850
64 King Keith	877-3065
65 Tennant A V	877-556

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

1955 Community Nursing Homes Ltd	831-2522	VALLEY VIEW RD —GEORGETOWN	
1961 Ives Arthur	839-4039	Costa G	453-7261
1966 Miller M A	839-3670	Kipfer C W	843-1026
1967 Robinson L	839-2421	Watson Bartley J	843-1054
1972 Brittain J	839-7085	2 Langdon K A	877-2493
1974 Hooper L	839-9221	5 Monteith George	877-7800
1978 Hunt G J	839-9430	6 Binkley E W	877-2444
1979*Carey V	839-4674	7 Clark B	877-9774
1980 Dewar R Mrs	839-7416	10 Mackenzie Jean	877-3443
Dewar D R	839-7151	12 Monckton H G	877-6805
1982 McInerney E J	839-6201	14 Allen J F	877-4211
1983 Kane Norman	839-2221	15 St Jean T	877-2564
1984 Poland Wayne	839-0491	16 Belanger J	877-4654
1986 Fengler W	839-9490	17 Hunter Oliver	877-9493
1988 Miles David E	839-8350	19 Schenk W J	877-2669
1989 O'Hara Fred	839-1763		
1990 *Addie Paul R	839-0410	VALLEYCREST AV —MARKHAM	
1992 Bricknell A M	839-4258	1 White C B	294-2785
1995 Valley Farm Day Care	839-5726	2 Danyshyn S	294-4167
		3 Falson L	294-4145
VALLEY MILLS RD —MILTON		4 Baker Brian Wm	294-2359
55 Arkell S	473-2685	5 Cater S B	294-1769
Custom Colors	473-2479	6 Lavery D	294-2739
56 Janzen R H J H	473-2745	7 Baker Jack R	294-9609
57 Wenham M J	473-2809	8 Morgan R	294-3748
58 Stephenson Robt	473-2646	9 Steward Carl	294-5374
59 Croombs G	473-3096	10 Rainey David	294-3736
		11 Potter E E	294-2810
VALLEY RD —AJAX		Re-Com Maintenance Ltd	294-5635
*Pitre E	686-2592	Roto-Static Carpet Cleaning Systems	294-5635
Westwood Drain Co Ltd	686-1011	12 Peddie Richard C	294-3289
147 Ajax Auto Wreckers	683-1771	13 Paisley H S	294-1292
161 Ajax Auto Body	683-0655	14 Crutcher G A	294-4738
221 Super Muffler	683-0650	15 Simmons N	294-2158
275 Mc Cord & Company	683-3821	16 Jackson Craig K	294-6398
		17 Coscar R C	294-6993
VALLEY RD —STOUFFVILLE		18 Longman J	294-5303
Bateman T	640-5627	19 Schenk H H W	294-3294
Campbell Jeffrey J	640-4654	20 Henkel K	294-6912
*Day T R	640-5083		
Hogg Robt	640-4471	VALLEYFIELD DR —MISSISSAUGA	
Koepf H	640-2949	394 Roscetti Jack	278-8673
Ortleib L	640-4678		
Sidaworth E	640-3169	VALLEYVIEW CR —BRADFORD	
Sidaworth P	640-4094	Higgs T J	775-6761
Smith J G	640-4442	20 Robinson W	775-5294
Stow H T	640-4831	21 Flesher John G	775-5248
Stallford T	640-1628	24 Roberts Ted	775-6867
Whelan W	640-2352	25 Steinbach H	775-3266
1 Sugden Sheldon A	640-1393	Zurawski S	775-4131
5 Bingham Wm	640-6036	26 Jackson C	775-2126
Wise D	640-5310	Jackson F D	775-7879
7 Savage Pat	640-4457	28 Jooten J	775-2549
8 Slama M	640-2428	29 Gregg L	775-7255
32 Tremblay A	640-1115	31 Todd Wm	775-7978
34 Hall S R	640-4564	32 Tiley Kenneth	775-5757
43 Mac Innis G	640-3627	34 Polcher Dieter	775-617
45 Libertus F	640-3637	35 Christensen C	775-5
50 Keovil Ken	640-4753	36 Vollebregt N J	775
		38 Pineau R	775
VALLEY VIEW —NEWMARKET		41 Christodoulou C	775
3 Jacques Orville	895-4458	42 Mitchell R	775-3
7 *Bond Donald	895-6054	43 Minatel C	775-68
9 Griffin David	895-7679	44 Schenema M	775-6967
14 Gilkes D	895-6864	45 De Jong Martin	775-6630
15 Preston Robert E	895-2648	46 Wood David	775-6978
18 Owens Wm J	895-2782	48 *Munnik R	775-7150
21 Porter Bruce	895-5602	51 Derous G	775-7008
		52 Nequest D	775-6886
VALLEY VIEW CR —MILTON		53 Lilly Noel	775-6631
381 Firek R	878-7070	55 Benson G	775-7234
385 Querido A	878-7989	56 Souas M	775-7722
386 Adams John T	878-8914	57 Mulholland M	775-2965
389 Wright G R	878-1229	58 Sielaki C P	775-6856
390 Robulack N S	878-1026	61 Shaw W R	775-2169
393 Wilson D B	878-6898	62 Fowlow J	775-6976
394 Vallecoccia T	878-0296	63 Tuckey Robt	775-3125
397*Shortt R D	878-1438	64 Rogers G P	775-7726
398 Scragg B	878-8623	66 Mottershall Wm	775-7372
401 Hluahko Peter	878-4675	67 Ward Russ	775-7877
402 Kotsopoulos Michl	878-4352	71 Beardsall John E	775-5477
404 St Cyr George H	878-8246	72 Price S	775-7169
406 Collins E	878-1458	74 Donaldson R	775-4092
406 Klonowski John	878-5664	76 Fesiuk Gerald	775-7332
409 Anderson A J	878-5024	77 Currie Ralph	775-5204
410*Rogers Preston	878-3194	78 O'Donnell T	775-5613
414 Bidwell W C	878-3487	81 Diprolio V	775-7956
417 Paacoe K H	878-7871	82 Fesiuk Mel	775-7120
418 Oppedizano A	878-1634	83 Tinkler R	775-5443
421 Wilhelm Maurice F	878-0200	84 Salvati Nevio	775-5215
422 Spagnuolo A	878-6603	94 Messarow Steve	775-5401
429 Crnich J W	878-4537	96 Hammett R	775-5288
430 Chronopoulos John	878-0389	104 Gauthier Ray	775-7977
433 Zita P	878-6651	108 Tiefendock Alfred	775-5430
441 Faulknor Owen	878-3156	114 Mc Guigan M	775-5598
445 Reid W	878-5062	122 Junga Walter	775-5012
449 Dockalek Peter D	878-5494		
453 McDougall G A	878-4322	VALLEYVIEW CRT	
456 Spagnuolo M	878-7041	Douglas Gary Dr	893-1030
457 Gibson Ronald	878-0359	Olorino P	457-4482
460 Barardi M	878-8209	Schwaberg Arnold	451-4153
464 Sydiaba W	878-0859	10 Adam John	893-1035
465 Johnston Brian	878-5877	11 Bohdanowicz K	893-1019
468 Jell John A	878-3686	23 Inman Robert	893-1374
469 Larocque G D	878-4691	38 Mc Nair Jim	893-1062
472 Latham Ralph T	878-4084	54 Shillington E R	893-1718
473 Di Natale Frank	878-0460	70 Stracey W E	893-1312
476 Hycko J	878-8341	79 Iaki M I	893-1063
477 Gallinger Wm T	878-2035	85 Selley P G	893-1047
482 Best A	878-1970		
483 Regis David M	878-3673	VALLEYVIEW (OAKVILLE)—	
489 Rigo Louis	878-4636	Oster G Dr	838-2625
494 Sewitt H	878-1437	209 Kargyik L	844-1472
496 Gagliardi Silvano	878-3905	212 Bodzasi Steve J	844-9912
500 Parcham D	878-5759	213 Collaton Paul T	845-6383
501 Cianferani F	878-0968	218 Bailey R	842-2435
506 Fabian A	878-5497	219 Mcneice R H	845-7210
507 Haavind G	878-1735	224 Macey C B	845-7286
513 Miller Jerry E	878-1725	225 Hurley P D	844-1475
519 Oskard Vincent	878-1298		
525 Hokanson S	878-3061		

2968 Warren L	828-0069	40 Raveney T W	683-6274
2972 Scherenzel G B	828-2028	41 Tepp W	683-4394
2973 Lepage Thos M	828-7820	42 Frenyehough F	683-7378
2974 Monacelli Giuseppe	828-0026	43 Black B	683-2339
2978 Harrison K P	828-9215	Stanfield H G	683-5933
2980 Grech Felix	828-6459	Stanfield S L	683-3647
2984 Young D A	828-0151	45 Roche Patrick	683-5417
2986 Eller Walter	828-0065	Stewart R N	683-3055
2990 Wile G	828-0039	46 Conkey Frnk Rev	683-2883
2992 Morgan C C	828-6847	Hill C G	683-0466
2996 Aldridge R D	828-1985	47 Rackham R J	683-0584
2998 Thomas Elgon	828-7987	*Stewart R	686-0987
3002 Fitzjohn David A	828-0194	48 De Snoo M	686-8423
3004 Jhagoo E	828-1409	50 Simmons Grant Mrs	683-6726
3008 Mitchell L	828-1833	52 Varty James	683-1528
3010 Wozniak L	828-9123	53 Holmes R	683-1026
3022 Hill D C	828-0030	54 England Gary	683-7262
3026 Besson J H	828-2961	56 Waugh B	683-9091
3028 Walters J	828-0759	57 Jarvis B	683-7397
3031 Forbes J	828-1714	58 Mac Neal Mary Mrs	683-2505
3032 Hogan M	828-0385	59 Devolin D	683-2933
3038 Yanqui R	828-1859	61 Olan C	686-1892

WINDRIDGE DR —MARKHAM

1 Noad W A	294-3682
2 Sale J A	294-3691
3 Andrews K	294-1316
Lomax Wm	294-3657
4 Christoffer R	294-2307
5 Lumley Clifford	294-0499
6 Lemmon Audrey	294-2996
7 Wardle R E	294-1643
8 Robb W J	294-1683
9 Adair F M	294-1393
10 Sonnenschein R	294-1329
11 Champion Joe	294-3292
12 Lambert A	294-1604
13 Macri G	294-4119
14 Godwin R	294-5705
15 Graham Cameron D	294-2658
16 Clark Harry Bulk Cooler Service	294-9647
17 Mitchell William	294-1596
18 Davies B	294-1341
19 Shaw John	294-2140
20 Sheehy F I	294-2763
21 Long George R	294-2667
22 Dehmel W	294-6302
23 Procenko M	294-0473
24 Walker Jack	294-9738
25 Seim Maurice H	294-2186
26 Smith A P	294-5857
27 Scott Clarence W	294-2167
28 Glanfield M	294-6876
29 Smith Claude	294-3475
30 Bingley W G	294-2310
31 Snowball H D	294-0713
32 Lumsden Albert	294-6794
33 Linton Gordon	294-1361
34 Ross John C	294-3234
35 Harren Ben	294-6747
36 Milligan A J Rev	294-5338
37 Carter J B	294-1538
38 Thomson Arnold	294-2622
39 Robinson M	294-1977
Vanderheide L	294-4771
40 Pilkey Eric C	294-2517
41 Carter Rosa	294-1495
42 Groom J R	294-3481
43 Harrott Jack A	294-2258
44 Fiah D R	294-4590
45 Shaklee Products Centre	294-6644
46 Martin L	294-6978
47 Bushell Ray	294-1245
48 Wilkins E	294-3663
49 Stirling J J	294-1288
50 Whitaker R O	294-2475
51 Baker Ronald N	294-2759
52 Marshall Gordon E	294-3696

WINDSOR AV —AJAX

Goebel Frank	683-7855
3 Deroo R	683-8977
4 Smith John Wm	683-9448
5 Blizzard R	683-5088
6 Luke P A Mrs	683-3703
8 Greer W	683-2096
10 Linton M	683-6254
11 Ravey John	683-0653
12 Stephenson John	683-4594
14 Cabral S	683-5893
Remmer John H	683-4136
15 Bush J F	683-5316
16 Adams G I	683-6553
17 Cole Weldon C	683-5945
18 Hawker C	683-4256
Malcolm Arthur	683-3605
19 *Carlton Barry W	686-2334
22 Stinson Gary	683-4438
24 Blizzard F	683-0479
Macklin Keith	683-3688
25 *Dalglish James	686-0796
26 Nettleton Richard	683-1343
Togerson M	683-3463
27 Cherry Pat	683-2233
28 Daly Leo	683-5303
Tukker P	683-4856
29 Bryant Robert C	683-4375
Newsom Geo W	683-1944
30 Robert G	683-0345
Severs A	683-1275
31 Eastwood M	683-2573
Leibrock W H	683-5629
32 Bryant Everett Mrs	683-7553
*Kelly Pauline	686-1710
33 Candow D	683-4810
*Mac Intosh M A	686-0330
34 Donkers H	683-6037
35 Van Bieklund J	683-6532
36 *Babin Val	683-3314
Kuik J	683-3616
37 Busker B	683-4642
*Koning F W	686-0169
38 Colgan John	683-0897
39 Mac Donald K	683-6181

WINDSOR CRT —THORNHILL

15 Farrell Alex	881-7412
Filleberg S E	881-7411
16 Chan Chow Siang	881-6253
17 Kandell Paul	889-8495
18 Lo Vecchio A	881-9601
20 *Wollner A	881-3293
21 Fagan Zachary	881-2639
23 Doran L V	881-5454
25 Allemeier R H	889-8785
29 Goodman L	881-6292
31 Sneepe Jake	881-3417
35 Burstyn D	881-6969
Burstyn Dave	881-3300
37 Coles Berth J	881-2576
41 *Mackay Alex K	881-2860
42 Harrad B	881-3237
45 Fleming J	881-8601
46 Spiegel M	881-6789
47 Thurston Gerald	881-5953
48 Chodak E W	881-9100
49 Fleming R O	881-8071
50 Ferguson T W	881-7319
51 Bortnick T	881-1615
52 Lake J R	881-7434
63 Berke G	889-1060
54 Ives David A J	889-8628
55 Levitt M	881-6100
57 Beresowski M	881-7713
59 Paul A M	881-8076
61 Alpern S	889-4616
Yau King S	881-8113
68 Josepha T	889-5194
70 Bland Brian E	881-2582
80 Teplitz Sidney	881-7677
82 Anderson Ronald B	881-7144
84 Welch Joseph	881-5665
92 Shenker Larry	881-0097

WINDSOR DR —STOUFFVILLE

Ando E	640-5704
Ashenhurst J	640-4210
Banks J	640-3867
Britten J	640-4992
*Burrows R	640-2539
Collens C	640-1806
Davidson M	640-5010
Dejongh M	640-5465
Dittkrist H	640-1932
Franks E C	640-5871
Gray A F	640-3059
Haluck Janena	640-2641
Hertle L	640-2408
Simpson Geo	640-1923
Ward W J	640-3212
*Wise Ralph K	640-1930
1 Shouldice R	640-5856
4 Wenzel S	640-5370
20 Grilla R	640-5220
26 Witmer Homer D	640-5199
27 Potts F	640-4193
32 Heud J	640-6127
41 Pearson Thomas	683-5756
42 Vandermaas Mark J	640-5422
171 Sartin V	640-5379
180 Cook A L	640-3849

WINDSOR RD —GEORGETOWN

Lutheran Emmanuel	877-1172
11 Anderson Paul A	877-4518
18 Robertson Gary	877-6847
17 Buchanes F G	877-4445
19 Mc Niwen Nicole Rick	877-4797
21 Mc Cartney D	877-2986
22 Chisholm J	877-5620
23 Hancock E	877-7204
25 Stone Brandon	877-9279
27 Bodin Louis	877-4597
29 Smith G F	877-5321
31 Binnie W	877-4619
33 Hole John	877-4606
34 Miller F	877-1256
35 Gardner Edward	877-6359
37 Allen Leaman	877-8115
47 Fenrice Doug	877-8768
49 Becker G	877-2967
50 Rice & Mc Charg Quarries Ltd	877-6374
51 Rosset G	877-3987
53 Rosset E	877-4926
55 Taylor Rod B	877-6093
58 Poirier Joe	877-3534
59 Armstrong John Herbert	877-9523
60 Babakos A	877-0423
61 Edgar John	877-9915
62 Scallen D E	877-8173
63 Mieczanec Stanley	877-6850
64 King Keith	877-3065
65 Tennant A V	877-5561
66 Turnbull Jim	877-9863
67 Kerr Clyde	877-0650

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

1975 VALLEY ROAD

SOURCE: MIGHTS

VALLEY FARMS RD—Contd

Cole M	839-1069
Evans John	839-2236
Highland Creek Sand & Gravel Co Ltd (Pick Yd)	839-5430
Pine Ridge Equestrian Centre	839-4532
Reppich E O	839-4176
Swideral W	839-3587
Voss Gunter Dr	839-2677
Walmer S G	839-2726
Webster L F	839-3994
1825 Horlock G K	839-2114
1827 Vakula P	839-2021
1876 Palmer Robert E	839-5005
1905 Becker Eric	839-2166
1907 Galomino S	839-3223
1911 Mowder Fred	839-2136
1916 Patterson Opal	839-2810
1919 Rug Hans	839-1459
1923 Waltee R	839-4542
1924 Trantau E	839-4719
1928 Closs J	839-4960
1931 Hayne M	839-2763
1932 Stakelboe P	839-2135
Sutton Robt	839-4021
1934 Glaeser Alfred	839-4078
1940 Butcher E E	839-2442
1944 Kwint R E	839-3944
1945 Grawest W	839-7905
Redshaw A	839-3965
1948 Trantau Walter	839-5946
1960 Palmer C E	839-2163
1963 O'Halloran J	839-1508
1964 Fenn M A F	839-7321
1961 Ives Arthur	839-4039
1964 Miller A E J	839-2358
1966 Miller M A	839-3670
1967 Robinson L	839-2421
1972 Mc Keen R	839-7483
1983 Kane Norman	839-2221
1989 O'Hara Fred	839-1763
1990 Mcviah E	839-5235
1990 Hogan P	839-4806
2000 Tompkins P	839-7593

VALLEY RD—AJAX

147 Ajax Auto Wreckers	942-1771
Ajax Auto Wreckers	839-5025
161 Ajax Auto Body	942-7151
Ajax Auto Body	839-4522
321 Paulini Tile & Marble Co Ltd	839-7800
278 Curran & Briggs Ready-Mix Co	942-3821

VALLEY RD—STOUFFVILLE

Broderick Ronald J	640-2606
Koepf H	640-2949
Ottlieb L	640-4878
Sideworth E	640-3169
Simon Fred	640-3234
Smith J G	640-4442
Soow H T	640-4831
Stafford T	640-1628
Whelan W	640-2352
7 Savage James	640-1194
32 Tremblay A	640-1115
34 Toole M L	640-4961
36 Mueller-Thode H	640-5487
80 Schultz S	640-4075
221 H I S Home Improvement Supplies Ltd	942-8961

VALLEYCREST AV—MARKHAM

1 White D E	294-2785
2 Danyshyn S	294-4187
4 Baker Brian Wm	294-2359
5 Cater S B	294-1769
6 Lavery D	294-2739
7 Headfield Robert	294-3172
8 Morgan R	294-3748
9 Steward Carl	294-5374
10 Rainey David	294-3735
11 Potter E E	294-2810
12 Peddie Richard C	294-3281
13 Paisley H S	294-1291
14 Crutcher G A	294-4738
15 Simmons N	294-2157
17 Cosmar R C	294-6901
18 Longman J	294-5303
19 Schenk H H W	294-3294
20 Henkel K	294-4085

VALLONCLIFFE RD—THORNHILL

1 Flemming T R	889-6137
2 Burki Frederick	889-3693
3 Harris Leonard	881-0794
6 Mclellan Vaughan	889-4579
7 Sedgwick J	889-1390
9 Flahman Allan W	889-5575
11 Oliver Donald S	889-3086
16 Kennedy J W	889-3042
17 Carwell A I	889-0290
19 Sheridan Peter J	881-1423
21 Toth Rudy Enterprises Ltd	889-3357
22 Goanell B H	889-3659
23 Burgess Geo	889-0865
24 Floyd L R	889-8396
25 Manchester Norman A	889-5243
26 Cunningham G Peter	889-5171
27 Taylor Gordon B	889-5995
28 Hamm D A	889-4185
29 Wybrow W R	889-4552
30 De Louw J H	889-4456
31 Jewett Sqn Ldr A Lloyd	889-3447
Jewett Glenn	889-6481
32 Courtemanche J J	889-6196
33 Miller S A	881-2698
34 Sidenberg Myron	

VANDORF—ONTARIO

Billa Mobile Welding	888-1739
Campbell R R	640-2407

Davis E M	888-1298
Doherty Motors	727-3322
Ogmon A	727-5189
General Production Devs Div Of Frank	
Storiman Ltd	727-1242
Holder Photography	727-4932
Holder R	727-4932
Horse Lover's Day Camp	887-5195
Leach R J	888-1720
Magicroft Farm	887-5195
Murphy Garrett G	294-2131
Paine Wm G	727-5311
Pfaff H B	294-3422
Prescott Wm	888-1739
Royal Bank Of Canada (Branch)	727-3185
Shaver G R H	727-1214
Stapley Bruce	727-5178
Topping John	888-1149
Tryon Earl	727-4102
Twin Pines Kennel	640-2407
Vandorf Garage	727-4631
Vandorf General Store	727-5311
Whitchurch-Stouffville Town Of (Works Dept)	727-1231
Yearley House Antiques	727-5132
Zuck V Dr	640-2389

VANWOOD RD—THORNHILL

1 Bansen R	889-9560
3 Hanns H J	881-1931
4 Nadeau Raymond B	889-8025
5 Marcia K J	889-9734
6 Peterson Dick	889-9926
7 Bariah S	889-2511
Dickie Dee Ice Cream Ltd	889-2511
8 Feller Joseph H	889-9108
9 Jurgeneit John Realtor Real Est	889-7162
Jurgeneit J	881-2339
11 Smith Louis F	889-1840
12 Lukowski Maria	889-0224
14 Foreman Stephen Dr	889-4512
Trajo	889-4512
15 Myers Robt L	889-9387
16 Gium Hope Mrs	889-9278
18 Rothman Jack	889-5555
20 Yack Fred	881-2777
22 Wangle Stephen C	889-0429
24 Linton W T	888-2029
25 Neumann H	889-2398
26 Connell Harold F	881-0375
27 Degliangeli Frank	889-4599
28 Coles A R	889-8514
30 Lombardo G	881-2409

VANZANT CRT—STOUFFVILLE

75 Stuart H	640-3546
83 Devine Regan	640-5588
87 Stenson David	640-4851
90 Prestow Carman	640-5522
95 Lehman Wayne	640-5383
99 Bandula P	640-4722
103 Bond J P	640-4371
106 Jones Elwyn	640-3124
107 Hary Tibor	640-4706
111 Marsh Gary A	640-2992
118 Rikkola Martti	640-4728
119 La Roque Victor	640-2289
122 Sutherland J	640-1086

VARNEY RD—KESWICK

Dunn L D	476-3787
Engish Jim	476-2196
Villiers G R	476-6914
Wall R	476-3387
694 Millar M	476-3668

VAUGHAN—THORNHILL

7 Domenegato T	669-1060
8 Rudland Bryan F	669-1420
26 Polainelli P	669-1451

VAUGHAN BLVD—CONCORD

Cross E	669-2826
Lightfoot N	669-2836
9 Freeland Otto	669-1851
12 Tainak I H	669-2005
17 Walkoff Welko	669-2877
21 Kemp W	669-2803
23 Mills S	669-2153
25 Polainelli P	669-2725
30 Currie Ivan	669-1833
31 Manninen Toimi	669-2812

VAUGHAN—THORNHILL

Parcher F	884-6883
York Central Hospital	884-1171
19 Sutherland G	884-4888
35 Royal Trust Company	881-0363
163 Court C M	884-8746

VAUGHAN ST—RICHMOND HILL

Gries D	884-7363
Rodgers D	884-1794
Webster A	884-9726
15 McLennan E G	669-2713
27 Markham R H	884-3787
28 Mele Mrs Catherine	669-2802
41 Hill E C Ned	884-1463
45 Grant H R	884-6515
49 Painter Robt	884-4936
51 Dowell Wentworth	884-4814
53 Graham John O	884-2930
63 Eberlin Fred	884-5798
87 Thomson W S Prof	884-2107
101 Coxford S H	884-2700
276 Prince J	884-6138

1975 WINDSOR DRIVE

SOURCE: MIGHTS

19 Partridge P	683-6634
20 Robertson David	683-4208
24 Blizard F	942-0479
Weese D	683-6110
25 Vermeire P	942-6136
26 Nettleton Richard	942-1343
Togerson M	942-3463
27 Cherry Pat	942-2233
28 Daly Leo	942-5303
Tukker P	942-4856
29 Bryant Robert C	942-4375
Newsom Geo W	942-1944
30 Robert G	683-0345
Severa A	683-1275
31 Eastwood M	942-2573
32 Greener Ross	942-1344
34 Donkers H	942-5037
35 Van Blokland J	942-6532
36 Babin Val	942-3314
Kuik J	942-3616
37 Busker B	942-4642
38 Colgan John	942-0897
39 Driver P	942-6564
40 Ravensy T W	683-6274
41 Tapp W	942-4394
42 Ferryhough F	683-7376
Suac Birse	942-3063
43 Anderson J	683-7869
Humphreys F W	942-1365
Stanfield H G	683-5933
44 Corbet J	683-3005
Wilson Bill	942-7002
45 Roche Patrick	683-5417
Stewart R N	683-3055
46 Conkey Rev Frank	942-2883
Hill C G	942-0456
47 Rackham R J	683-0584
Stewart A	683-4587
48 Spencer Brian W	683-8002
50 Simmons Mrs Grant	683-6726
52 Varty James	942-1526
53 Mackinnon H	942-4292
54 Stoneman L	942-1735
56 Brown David	942-3213
57 Durocher J	942-8585
58 Mac Neal Mrs Mary	683-2505
Macneil Mrs Mary	942-2505
59 Devolin D	942-2933
61 Boucher M	683-7170

WINDSOR DR—STOUFFVILLE

Ando E	640-5704
Anglim Robt	640-5446
Davidson M	640-5010
Gray A F	640-3059
Haluck Jasena	640-2641
Hertle L	640-2408
Kunig Fran Sr	640-5453
Morris W	640-4814
Neuhill K	640-4640
Simpson Geo	640-1923
1 Tylor Robert	640-3058
4 Wenzel S	640-5370
27 Potts F	640-4193
33 Wilkes Ronald	942-7234
41 Pearson Thomas	683-5756
44 Bear L	942-7607
171 Sartun V	640-5379
180 Cook A L	640-3849

WINLANE DR—STOUFFVILLE

68 Ireland Roy	640-1660
71 Wilkinson D J	640-3139
72 Clarke L R	640-5424
80 Waterston R	640-1701
84 Collins R D	640-4820
85 Avery Jim	640-4379
Blanchard P	640-1761
Boland R D	640-4066
Boyd David	640-4240
Burkholder P	640-5910
Bye Fred	640-5506
Carpenter D	640-5413
Chewina Roger	640-4918
Clugston Ralph	640-4490
Drewery O	640-3377
Eldridge R	640-5857
Fleming George R	640-5017
Fleming Jim	640-4696
Graham K	640-3681
Hem K W	640-5705
Harper Bill	640-4946
Hill D W	640-2886
Jones W	640-5683
Larsen F	640-4321
Madill G W	640-3794
Malcolm Wayne	640-1855
Marshallman D	640-1257
Mc Ginty B Jr	640-5378
Meredith K	640-5503
Michell Wm J	640-5461
Neilson L	640-5537
Newton J	640-5471
Payne W P	640-1686
Reesor Jean	640-5156
Reid John	640-3876
Riste T	640-4816
Roberts C	640-4448
Scout Wm	640-4176
Swain Harvey	640-4234
Thompson D A	640-2803
Van Koughnet J H	640-5415
Vanderlight J	640-1346
Winn Bertha	640-5649
90 Bell D S	640-5908
94 Kurmas Geo	640-4510
100 Hindle Richard	640-5741
105 Advance Concrete Floors	640-5740
Alldridge R	640-3324
Boake Ron	640-5235
Brown Toney	640-2863
Burkholder Ira	640-4532
Caccia John E	640-5134
Curran Charles E	

Deterling J E	640-4192
Dowdell H Mrs	640-5332
Elmer H	640-5821
Ferguson B	640-1480
Ferguson G	640-5986
Foot James E	640-5346
Fox A	640-4872
George Howard C	640-4766
Goudie N N	640-5299
Haddock P	640-4261
Hamilton R	640-4079
Harold Peter	640-1301
Hoover J	640-1882
Hurd P	640-5927
Kalist Wally	640-5500
Kornat L	640-5139
Lee Ralph	640-2224
Lewis Thomas N	640-5416
Mac Ewan M	640-1170
McDonald Nelson	640-4358
Metherall Robt	640-5952
Milos Wm	640-5689
Mosey R	640-2968
Newton B	640-1549
O'Quinn Phillip	640-4746
Redshaw Florence Mrs	640-2491
Reesor Glen	640-5206
Silver J	640-4388
Slack David	640-4738
Spang Rich	640-4022
Stover Paul	640-3165
Summerfeldt A Mrs	640-2620
Sykes J F	640-2320
Turner P L	640-5553
Westlake Roy	640-4194
Zeithofer Rudolf	640-2271
106 Ritchie B A	640-4707
112 Duffon Geo	640-4863
118 Clendenning G	640-3408
119 Morrow J	640-2730
135 Hunter S A	640-5119

WINLAW PL—MARKHAM

2 Broomes P	294-5460
4 Whetter Malcolm J	294-2498
7 Shaddock Fred	294-4132
8 Mc Donald Dan	294-2362
10 Egan J J	294-3660
11 Rigby J W	294-1482
12 Wills L J	294-5903
14 Saunders Craig	294-1624
15 Allen J	294-6837
16 Dalrymple A B	294-1056
17 Jenkins Everett	294-3592
18 McMahon Wayne	294-4032
19 Watson Robert	294-2345
20 Offen D	294-0668
22 Beasra D J	294-5498

WINNIFRED AV—KESWICK

STREET NOT LISTED

STREET NOT LISTED

1970- STAPLETON DRIVE

1971

SOURCE: MIGHTS

STREET NOT LISTED

1970- VALLEY ROAD

1971

SOURCE: MIGHTS

NO LISTINGS WITHIN RADIUS

1970- WINDSOR DRIVE

1971

SOURCE: MIGHTS

STREET NOT LISTED

1970- WYLIE LANE

1971

SOURCE: MIGHTS

STREET NOT LISTED

1966

LAKESHORE ROAD

SOURCE: MIGHTS

STREET NOT LISTED

1966

STAPLETON DRIVE

SOURCE: MIGHTS

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

1958

STAPLETON DRIVE

SOURCE: MIGHTS

STREET NOT LISTED

1958

VALLEY ROAD

SOURCE: MIGHTS

STREET NOT LISTED

1958

WINDSOR DRIVE

SOURCE: MIGHTS

STREET NOT LISTED

1958

WYLIE LANE

SOURCE: MIGHTS

STREET NOT LISTED



CITY DIRECTORY

Project Property: *Wylie Lane Development
2 Wylie Ln
Whitchurch-Stouffville, ON L4A 7X3*

Project No: *23-0462.110*

Requested By: *EnVision Consultants Ltd.*

Order No: *23091800426*

Date Completed: *September 19, 2023*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

September 19, 2023
RE: CITY DIRECTORY RESEARCH
2 Wylie Ln
Whitchurch-Stouffville, ON L4A 7X3

Thank you for contacting ERIS regarding our City Directory Search services. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. When searching a range of addresses, all civic addresses within that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on highly developed areas, while newly developed areas may be covered in the more recent years, older directories tend to cover only "central" parts of the city. To complete the search, we have either utilized the Toronto Reference Library, Library & Archives Canada and multiple digitized directories. While these do not claim to be a complete collection of all reverse listing city directories produced, ERIS has made every effort to provide accurate and complete information. ERIS shall not be held liable for missing, incomplete, or inaccurate information. If you believe there are additional addresses or streets that require searching, please contact us.

Search Criteria:

15-25 of Byron Street
5790-5835 of Lakeshore Road
1-15 of Stapleton Drive
55-70 of Valley Road
50-60 of Windsor Drive
1-5 of Wylie Lane

Search Notes:

Search Results Summary

Date	Source	Comment
2021	DIGITAL BUSINESS DIRECTORY	
2017	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2000	POLKS	
1995	MIGHTS	
1995	POLKS	
1991	MIGHTS	
1985	MIGHTS	
1981	MIGHTS	
1975	MIGHTS	
1970-1971	MIGHTS	
1966	MIGHTS	
1958	MIGHTS	

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

54

ROSEWILL POOLS...SWIMMING POOL CONTRS DEALERS & DESIGNERS

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

54

ROSEWILL POOLS...COMMERCIAL BUILDING CONSTRUCTION

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

NO LISTING FOUND

54 ROSEHILL...COMMERCIAL BUILDING CONSTRUCTION
54 ROSSWILL POOLS...SPORTING GOODS MERCHANT WHOLS

NO LISTING FOUND

BYRON ST (ST)

2 Tan B	L4A 7X3 640-0619
4 Beecham R	L4A 7X3 640-9719
Beecham Richard F	L4A 7X3 640-8580
6 Sequeira Victor P	L4A 7X3 642-1401
9 Campbell Ke	L4A 7X3 642-6901
Campbell R D	L4A 7X3 642-6898
10 Jones Richard C	L4A 7X3 642-9703
12 Collins Michael	L4A 7X3 640-7004
14 Coles G	L4A 7X3 640-4793
16 Strickland R A	L4A 7X3 640-6216
18 Jasperson John K	L4A 7X3 640-4609
20 Jeschke W	L4A 7X3 640-7734
26 Ewart S	L4A 7X3 640-8330

HOUSEHOLDS 13

CABALETTA CRES (WO)

5789 Caldarola Mike	L4A 7X3 642-4256
5790 Bollo F & A	L4A 7X3 640-4914
5793 Marsland M & S	L4A 7X3 642-6819
5794 Laing Brian	L4A 7X3 640-7224
5801 Outram L	L4A 7X3 640-8313
5805 Evers R	L4A 7X3 640-8014
5809 Riley A	L4A 7X3 642-5995
5831 James R D	L4A 7X3 640-2203
5841 Moorby Gregory John	L4A 7X3 640-4832
5851 Burnett J	L4A 7X3 642-0052
5861 Paju R	L4A 7X3 640-7032
5867 Hallikainen P	L4A 7X3 640-2172
5879 Mc Munn Chris	L4A 7X3 642-4638
5883 Rabbior P	L4A 7X3 640-4280
5889 Billich I	L4A 7X3 640-8095
5911 Fairen B E	L4A 7X3 640-2006
5919 Nichols T	L4A 7X3 640-8024
Seymour G	L4A 7X3 642-6331
5981 Milner W	L4A 7X3 640-6074
5987 Olver Robert	L4A 7X3 640-8446
5993 Bull S	L4A 7X3 640-7204

HOUSEHOLDS 52

LAKESHORE CRES (WO)

HOUSEHOLDS 14

STAPLETON DR (ST)

4 Dunschede M & D ..	L4A 7X3 640-3922
7 Glueckler J.....	L4A 7X3 642-5473
8 Stead Larry.....	L4A 7X3 642-0385
9 Samborsky Lucille.....	L4A 7X3 640-8134
14 Thompson B.....	LOG 1T0 640-9018
17 Wilson G.....	LOG 1T0 640-6485

HOUSEHOLDS 6

STARGELL CRES (MA)**VALLEY RD***cont'd***Address****Phone**

55 Watson G J.....	LOG 1T0 640-3177
Woodbridge L.....	LOG 1T0 642-6112
61 Yestal Len.....	LOG 1T0 642-5392
63 Chynn T.....	L4A 7X3 640-4025
Schell J.....	L4A 7X3 642-6841
67 Gray James L.....	L4A 7X3 642-3302
68 Gaudet C.....	L4A 7X3 640-3647

HOUSEHOLDS 37

48 Acheson D	LOG 1T0 642-9474
50 Livingstone L ▲	L4A 7X3 642-2590
51 Didier D	L4A 7X3 642-5481
52 Morris L	L4A 7X3 642-3099
53 Noble Stan	L4A 7X3 640-1757
54 Powell B	L4A 7X3 642-1475
Rosswill Pools	L4A 7X3 642-2121
55 Salem L	L4A 7X3 640-9611
57 Herman C	L4A 7X3 640-9662
58 Elvins W	L4A 7X3 640-1584
59 Haines R ▲	L4A 7X3 642-2413
60 Britten J	L4A 7X3 640-4992

BUSINESSES 1 HOUSEHOLDS 39

1-5

STREET NOT LISTED

Byron (STOUFFVILLE) (cont'd)

3 Ewart D K	640-7246
4 Beecham Richard F	640-6580
6 Sequerra Victor P	642-1401
10 Jones Richard C	642-5053
Jones Richard Charles	640-3040
12 Collins Michael	640-7004
14 Coles G	640-4783
16 Strickland R A	640-6218
18 Jasperson John K	640-4609
20 Joschko W	640-7734
22 Vincec D	640-2940
HOUSEHOLDS 12	

Cabela's Co (WOODBRIDGE)

5690 Benjamin M	642-1600
5720 Montioth D	642-2424
5721 *Robson Murray M & S	640-0443
5729 Johnston Wm	640-4250
5749 Graves Wayne	640-2780
5781 *Dailey Dave & Judy	642-6050
5785 Kubbinga M	640-6277
5773 Harding Brad J	640-7740
5778 *Longrigg J	640-3847
5789 Lane D D	642-3405
6790 Staleckis A	640-4914
6801 Nusink Richard J	642-4708
6805 Evers R	640-8014
6809 James L	642-5778
*Riley A	642-5025
6823 Wylie John C	640-3603
6831 James R D	640-2203
6841 Moorby Gregory John	640-4832
6851 Sues Jorgen	642-4214
6861 Paju R	640-7032
6867 Hallikainen P	640-2172
6873 Asalock W	640-5389

1995

STAPLETON DRIVE

SOURCE: POLKS

Stapleton Dr (STOUFFVILLE)

4 Bernal Jim	642-5523
7 *Reynolds P	642-5975
8 Stoad Larry	642-0385
9 Samborsky Lucille	640-8134
17 Wilson G	640-8485
25 Garbert Joffrey	640-8238
HOUSEHOLDS 6	

1995

VALLEY ROAD

SOURCE: POLKS

40 *Maonpan C	640-5878
50 Wrong C	642-1432
51 Sidsworth E	640-3169
55 Watson G J	640-3177
*Woodbridge L	642-0112
57 Kroupis J D	640-7534
61 Yestal Lon	642-5392
66 *Turcotte D	642-3752
68 Gaudet C	640-3847
HOUSEHOLDS 35	BUSINESSES 1

48 Wilson G	642-5844
50 *McDermott Mike	840-4084
51 Didier D	642-5481
52 Morris L	642-3099
53 *Noble Stan	840-1757
54 *Powell B	642-1475
55 Haluk Janora	840-2841
58 Elvina W	840-1584
59 Haines A	642-2413
60 Britten J	840-4992

HOUSEHOLDS 39

1-15

STREET NOT LISTED

BYRON AV-Contd

3 Ewart D K	640-7246
6 Sequeira Victor P	642-1401
10 MacLaren M	640-7484
12 Collins Michael	640-7004
14 Coles G	640-4793
16 Strickland R A	640-6216
18 Jaspersen John K	640-4609
20 Jeschke W	640-7734
22 Vincet D	640-2940

HOUSEHOLDS 10

BYRON AV-Contd

48 Sousek C	640-5876
49 Mcquaker R	640-2913
50★Burton S	642-2478
Wrong C	642-1432
52 Kennedy D	640-8571
57★Kroupis J D	640-7534
616 Nicol E	642-1294

HOUSEHOLDS 36

BUSINESS 1

50-60

STREET NOT LISTED

1-5

STREET NOT LISTED

15-25

STREET NOT LISTED

5790-
5835

STREET NOT LISTED

1-15

STREET NOT LISTED

50-60 NO LISTINGS WITHIN RADIUS

1-5 STREET NOT LISTED

15-25

STREET NOT LISTED

5790-
5835

STREET NOT LISTED

1-5 STREET NOT LISTED

55-70 NO LISTINGS WITHIN RADIUS

50-60 NO LISTINGS WITHIN RADIUS

1-5 STREET NOT LISTED

15-25

STREET NOT LISTED

5790-
5835

STREET NOT LISTED

1-15 STREET NOT LISTED

55-70 NO LISTINGS WITHIN RADIUS

50-60 NO LISTINGS WITHIN RADIUS

1-5 STREET NOT LISTED

15-25

STREET NOT LISTED

5790-5835

STREET NOT LISTED

1-15 STREET NOT LISTED

55-70 NO LISTINGS WITHIN RADIUS

50-60STREET NOT LISTED

1-5STREET NOT LISTED

15-25 STREET NOT LISTED

5790-5835 STREET NOT LISTED

1-15 STREET NOT LISTED

55-70 NO LISTINGS WITHIN RADIUS

50-60 STREET NOT LISTED

1-5 STREET NOT LISTED

15-25

STREET NOT LISTED

5790-
5835

STREET NOT LISTED

1-15

STREET NOT LISTED

55-70

NO LISTINGS WITHIN RADIUS

50-60STREET NOT LISTED

1-5STREET NOT LISTED



APPENDIX C:

ERIS Report



DATABASE REPORT

Project Property:	<i>Wylie Lane Development 2 Wylie Ln Whitchurch-Stouffville ON L4A 7X3</i>
Project No:	<i>23-0462.110</i>
Report Type:	<i>Quote - Custom-Build Your Own Report</i>
Order No:	<i>23091800426</i>
Requested by:	<i>EnVision Consultants Ltd.</i>
Date Completed:	<i>September 19, 2023</i>

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	16
Map.....	26
Aerial.....	27
Topographic Map.....	28
Detail Report.....	29
Unplottable Summary.....	304
Unplottable Report.....	305
Appendix: Database Descriptions.....	310
Definitions.....	320

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Wylie Lane Development
2 Wylie Ln Whitchurch-Stouffville ON L4A 7X3*

Project No: *23-0462.110*

Order Information:

Order No: *23091800426*

Date Requested: *September 18, 2023*

Requested by: *EnVision Consultants Ltd.*

Report Type: *Quote - Custom-Build Your Own Report*

Historical/Products:

City Directory Search *Smart CD Search*

ERIS Xplorer [*ERIS Xplorer*](#)

Insurance Products *Fire Insurance Maps/Inspection Reports/Site Plans*

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	2	2
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	0	0
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	0	0
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPR2	National Pollutant Release Inventory 1993-2020	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	2	2
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	2	2
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	2	2
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	5	88	93

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<u>1</u>	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6911501	SSE/0.0	0.44	<u>29</u>
<u>2</u>	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6909255	E/0.0	1.82	<u>32</u>
<u>3</u>	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6908718	ENE/0.0	-6.22	<u>36</u>
<u>4</u>	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6912070	ENE/0.0	-7.61	<u>39</u>
<u>5</u>	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6910465	ENE/0.0	-7.61	<u>42</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
6	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6917517	ENE/3.4	-4.62	46
7	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6924416	E/8.6	3.39	49
8	PINC	ENBRIDGE GAS INC	5823 LAKESHORE RD,,WHITCHURCH- STOUFFVILLE,ON,L4A 7X3,CA ON	ENE/8.6	-9.61	51
9	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6908249	SSE/13.8	0.44	51
10	SPL		5831 Lakeshore Rd Whitchurch-Stouffville ON	ENE/14.7	-7.12	54
11	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6914907	E/15.5	-0.69	55
11	WWIS		lot 19 con 8 ON <i>Well ID:</i> 6917033	E/15.5	-0.69	58
12	WWIS		5831 LAKESHORE RD lot 16 con 8 STOUFFVILLE ON <i>Well ID:</i> 7204866	E/18.4	-2.49	61
13	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6923004	E/22.3	-2.49	64
14	PINC	MAST LANDSCAPING LTD	5841 LAKESHORE RD,,WHITCHURCH- STOUFFVILLE,ON,L4A 7X3,CA ON	ENE/28.5	-8.54	67
15	WWIS		59 WINDSOR DRIVE STOUFFVILLE ON <i>Well ID:</i> 7198819	E/29.7	4.82	68
16	WWIS		lot 17 con 8 ON	ENE/32.8	-9.61	71

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6923437			
16	WWIS		lot 17 con 8 ON	ENE/32.8	-9.61	72
			Well ID: 6923438			
17	WWIS		lot 17 con 8 ON	NNW/36.1	-3.56	77
			Well ID: 6922279			
18	WWIS		lot 16 con 8 ON	ENE/39.0	-9.61	81
			Well ID: 6909157			
19	WWIS		lot 17 con 8 ON	ESE/39.8	6.13	85
			Well ID: 6924190			
20	WWIS		lot 16 con 8 ON	E/45.0	2.36	87
			Well ID: 6924427			
21	WWIS		lot 16 con 8 ON	ENE/49.3	-8.85	88
			Well ID: 6910031			
22	WWIS		lot 16 con 8 ON	E/50.8	2.36	91
			Well ID: 6910600			
23	WWIS		lot 17 con 8 ON	NNE/52.4	-9.56	95
			Well ID: 6924058			
24	WWIS		lot 16 con 8 ON	E/53.2	2.36	96
			Well ID: 6924426			
25	WWIS		lot 16 con 8 ON	E/56.2	-3.32	98
			Well ID: 6924487			
26	WWIS		lot 16 con 8 ON	E/57.8	5.95	99
			Well ID: 6916980			
27	WWIS		lot 17 con 8 ON	N/59.4	-7.61	102
			Well ID: 6914369			
27	WWIS		lot 17 con 8 ON	N/59.4	-7.61	105

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6914660			
28	WWIS		lot 16 con 8 ON	E/61.7	2.36	108
			Well ID: 6908270			
29	WWIS		lot 16 con 8 ON	N/67.5	-9.00	111
			Well ID: 6924433			
30	WWIS		lot 17 con 8 ON	N/68.9	-7.61	112
			Well ID: 6910464			
31	WWIS		lot 17 con 8 ON	NNW/71.9	-4.88	116
			Well ID: 6911576			
32	WWIS		lot 16 con 8 ON	E/85.1	-4.22	119
			Well ID: 6908276			
33	WWIS		lot 18 con 8 ON	NNW/87.3	-4.88	122
			Well ID: 6924484			
34	WWIS		lot 16 con 8 ON	E/88.8	5.98	124
			Well ID: 6910601			
35	WWIS		lot 17 con 8 ON	NNW/94.0	-4.88	127
			Well ID: 6910599			
36	WWIS		lot 17 con 8 ON	WNW/97.4	-4.05	130
			Well ID: 6918196			
37	WWIS		lot 17 con 8 ON	NW/100.2	-4.61	133
			Well ID: 6911574			
38	WWIS		lot 16 con 8 ON	E/100.2	-9.05	136
			Well ID: 6908269			
39	WWIS		lot 16 con 8 ON	E/100.4	5.20	140
			Well ID: 6914908			
40	WWIS		lot 17 con 8 ON	WNW/108.8	-4.94	143

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6918048			
41	WWIS		lot 16 con 8 ON	E/110.1	-4.39	147
			Well ID: 6908274			
42	WWIS		lot 17 con 8 ON	WNW/110.5	-6.64	150
			Well ID: 6917967			
43	WWIS		lot 16 con 8 ON	E/111.6	2.39	151
			Well ID: 6911234			
44	WWIS		lot 18 con 8 ON	NNW/112.5	-6.24	154
			Well ID: 6924603			
45	WWIS		lot 16 con 8 ON	E/112.5	-9.05	156
			Well ID: 6909664			
46	WWIS		lot 17 con 8 ON	WNW/117.5	-5.59	159
			Well ID: 6917699			
47	WWIS		lot 17 con 8 ON	NW/121.4	-5.57	163
			Well ID: 6920945			
48	WWIS		lot 17 con 8 ON	NW/123.3	-6.64	167
			Well ID: 6918962			
49	WWIS		lot 16 con 8 ON	E/131.7	-9.15	170
			Well ID: 6910461			
50	WWIS		lot 16 con 8 ON	E/132.3	-9.15	174
			Well ID: 6908255			
51	PES	TALL OAKS PROPERTY SERVICES LTD	5 APPLETON AVE STOUFFVILLE ON L4A7X3	NNW/135.0	-5.55	176
51	PES	TALL OAKS PROPERTY SERVICES LTD	5 APPLETON AVE STOUFFVILLE ON L4A7X3	NNW/135.0	-5.55	177
52	WWIS		lot 17 con 8 ON	NW/135.8	-6.27	177

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6920562			
53	WWIS		lot 17 con 8 ON	N/137.2	-9.61	181
			Well ID: 6912284			
54	WWIS		lot 17 con 8 ON	NNW/139.4	-5.55	185
			Well ID: 6922044			
55	WWIS		lot 17 con 8 ON	N/140.6	-9.61	189
			Well ID: 6908283			
56	WWIS		lot 16 con 8 ON	ENE/140.6	-9.61	191
			Well ID: 6913996			
57	WWIS		lot 16 con 8 ON	SSE/142.2	4.34	194
			Well ID: 6908256			
58	WWIS		lot 16 con 8 ON	E/149.5	-8.76	197
			Well ID: 6908253			
59	WWIS		lot 17 con 8 ON	NW/151.8	-7.04	200
			Well ID: 6921603			
60	WWIS		ON	E/153.1	-9.61	203
			Well ID: 6924412			
61	WWIS		lot 17 con 8 ON	NNW/157.2	-6.95	204
			Well ID: 6910597			
62	WWIS		lot 16 con 8 ON	E/158.2	-3.82	208
			Well ID: 6910040			
63	WWIS		lot 17 con 8 ON	NNW/158.7	-6.95	211
			Well ID: 6910596			
64	WWIS		lot 16 con 8 ON	E/160.7	-2.43	214
			Well ID: 6909662			
65	WWIS		lot 16 con 8 ON	E/166.6	-7.23	217

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6909862			
66	WWIS		lot 17 con 8 ON Well ID: 6922601	E/167.6	-10.47	220
67	WWIS		lot 16 con 8 ON Well ID: 6908262	E/168.7	-7.23	225
68	WWIS		lot 16 con 8 ON Well ID: 6908261	E/170.0	3.08	228
69	WWIS		34 WINDSOR DRIVE lot 16 con 8 STOUFFVILLE ON Well ID: 7124521	E/176.1	-2.43	230
70	SPL	PRIVATE RESIDENCE	45 VALLEY RD, STOUFFVILLE. FURNACE OIL TANK WHITCHURCH-STOUFFVILLE TOWN ON	E/178.8	3.95	233
71	WWIS		lot 16 con 8 ON Well ID: 6922602	E/180.0	3.95	234
72	WWIS		lot 16 con 8 ON Well ID: 6912557	ENE/182.4	-9.61	238
73	CA	WHITCHURCH-STOUFFVILLE TOWN	LAKESHORE RD./APPLETON AVE. WHITCHURCH-STOUFFVILLE TOWN ON	NNW/186.3	-9.61	242
73	CA	WHITCHURCH-STOUFFVILLE TOWN	LAKESHORE RD./APPLETON AVE. WHITCHURCH-STOUFFVILLE TOWN ON	NNW/186.3	-9.61	242
74	WWIS		41 VALLEY ROAD lot 16 con 8 MUSSELMAND LAKE ON Well ID: 7293644	E/190.1	0.39	243
75	WWIS		lot 16 con 8 ON Well ID: 6910275	E/197.0	-8.61	246
76	WWIS		lot 16 con 8 ON Well ID: 6909666	ENE/199.4	-10.47	249
76	WWIS		lot 16 con 8 ON	ENE/199.4	-10.47	252

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6909863			
76	WWIS		lot 16 con 8 ON	ENE/199.4	-10.47	256
			Well ID: 6914904			
77	WWIS		lot 17 con 8 ON	NNW/203.0	-9.61	258
			Well ID: 6910563			
78	WWIS		lot 17 con 8 ON	NW/204.5	-9.61	261
			Well ID: 6910941			
79	WWIS		lot 16 con 8 ON	E/207.4	3.39	264
			Well ID: 6916138			
79	WWIS		lot 16 con 8 ON	E/207.4	3.39	267
			Well ID: 6916567			
80	WWIS		lot 16 con 8 ON	E/209.8	1.11	269
			Well ID: 6924733			
81	WWIS		lot 17 con 8 ON	NNW/212.3	-10.39	271
			Well ID: 7393775			
81	WWIS		ON	NNW/212.3	-10.39	271
			Well ID: 7393776			
82	WWIS		lot 16 con 8 ON	E/217.3	-2.90	272
			Well ID: 6924343			
83	WWIS		lot 16 con 8 ON	ENE/219.1	-8.49	274
			Well ID: 6909861			
84	WWIS		lot 17 con 8 ON	NNW/220.4	-10.39	277
			Well ID: 6910602			
85	WWIS		lot 16 con 8 ON	E/225.3	1.11	280
			Well ID: 6924345			
86	WWIS		lot 17 con 8 ON	NW/231.3	-8.28	282

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
			Well ID: 6910460			
<u>87</u>	WWIS		lot 18 con 8 ON Well ID: 6917913	NW/235.5	-5.53	<u>284</u>
<u>88</u>	WWIS		lot 16 con 8 ON Well ID: 6908665	E/236.1	1.08	<u>287</u>
<u>89</u>	WWIS		10 BYRON MUSSELMAN'S LAKE ON Well ID: 7285930	NW/236.3	-5.61	<u>291</u>
<u>90</u>	WWIS		lot 16 con 8 ON Well ID: 6910689	E/238.9	-6.21	<u>294</u>
<u>91</u>	WWIS		lot 16 con 8 ON Well ID: 6908257	WSW/242.1	-11.61	<u>297</u>
<u>92</u>	WWIS		lot 16 con 8 ON Well ID: 6917742	E/246.3	3.43	<u>300</u>

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 2 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
WHITCHURCH-STOUFFVILLE TOWN	LAKESHORE RD./APPLETON AVE. WHITCHURCH-STOUFFVILLE TOWN ON	186.3	<u>73</u>
WHITCHURCH-STOUFFVILLE TOWN	LAKESHORE RD./APPLETON AVE. WHITCHURCH-STOUFFVILLE TOWN ON	186.3	<u>73</u>

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Jul 31, 2023 has found that there are 2 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TALL OAKS PROPERTY SERVICES LTD	5 APPLETON AVE STOUFFVILLE ON L4A7X3	135.0	<u>51</u>
TALL OAKS PROPERTY SERVICES LTD	5 APPLETON AVE STOUFFVILLE ON L4A7X3	135.0	<u>51</u>

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ENBRIDGE GAS INC	5823 LAKESHORE RD.,WHITCHURCH-STOUFFVILLE,ON,L4A 7X3,CA ON	8.6	<u>8</u>
MAST LANDSCAPING LTD	5841 LAKESHORE RD.,WHITCHURCH-STOUFFVILLE,ON,L4A 7X3,CA ON	28.5	<u>14</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Oct 2021; May 2022; Jul 2022 has found that there are 2 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	5831 Lakeshore Rd Whitchurch-Stouffville ON	14.7	<u>10</u>
PRIVATE RESIDENCE	45 VALLEY RD, STOUFFVILLE. FURNACE OIL TANK WHITCHURCH-STOUFFVILLE TOWN ON	178.8	<u>70</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Mar 31 2023 has found that there are 93 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON <i>Well ID:</i> 6911501	0.0	<u>1</u>
	lot 16 con 8 ON <i>Well ID:</i> 6909255	0.0	<u>2</u>
	lot 16 con 8 ON <i>Well ID:</i> 6908718	0.0	<u>3</u>
	lot 16 con 8 ON <i>Well ID:</i> 6912070	0.0	<u>4</u>
	lot 16 con 8 ON <i>Well ID:</i> 6910465	0.0	<u>5</u>
	lot 16 con 8 ON	3.4	<u>6</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6917517		
	lot 16 con 8 ON	8.6	<u>7</u>
	Well ID: 6924416		
	lot 16 con 8 ON	13.8	<u>9</u>
	Well ID: 6908249		
	lot 16 con 8 ON	15.5	<u>11</u>
	Well ID: 6914907		
	lot 19 con 8 ON	15.5	<u>11</u>
	Well ID: 6917033		
	5831 LAKESHORE RD lot 16 con 8 STOUFFVILLE ON	18.4	<u>12</u>
	Well ID: 7204866		
	lot 16 con 8 ON	22.3	<u>13</u>
	Well ID: 6923004		
	59 WINDSOR DRIVE STOUFFVILLE ON	29.7	<u>15</u>
	Well ID: 7198819		
	lot 17 con 8 ON	32.8	<u>16</u>
	Well ID: 6923437		
	lot 17 con 8 ON	32.8	<u>16</u>
	Well ID: 6923438		
	lot 17 con 8 ON	36.1	<u>17</u>
	Well ID: 6922279		
	lot 16 con 8 ON	39.0	<u>18</u>
	Well ID: 6909157		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 17 con 8 ON <i>Well ID:</i> 6924190	39.8	<u>19</u>
	lot 16 con 8 ON <i>Well ID:</i> 6924427	45.0	<u>20</u>
	lot 16 con 8 ON <i>Well ID:</i> 6910031	49.3	<u>21</u>
	lot 16 con 8 ON <i>Well ID:</i> 6910600	50.8	<u>22</u>
	lot 17 con 8 ON <i>Well ID:</i> 6924058	52.4	<u>23</u>
	lot 16 con 8 ON <i>Well ID:</i> 6924426	53.2	<u>24</u>
	lot 16 con 8 ON <i>Well ID:</i> 6924487	56.2	<u>25</u>
	lot 16 con 8 ON <i>Well ID:</i> 6916980	57.8	<u>26</u>
	lot 17 con 8 ON <i>Well ID:</i> 6914369	59.4	<u>27</u>
	lot 17 con 8 ON <i>Well ID:</i> 6914660	59.4	<u>27</u>
	lot 16 con 8 ON <i>Well ID:</i> 6908270	61.7	<u>28</u>
	lot 16 con 8 ON	67.5	<u>29</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6924433		
	lot 17 con 8 ON	68.9	<u>30</u>
	Well ID: 6910464		
	lot 17 con 8 ON	71.9	<u>31</u>
	Well ID: 6911576		
	lot 16 con 8 ON	85.1	<u>32</u>
	Well ID: 6908276		
	lot 18 con 8 ON	87.3	<u>33</u>
	Well ID: 6924484		
	lot 16 con 8 ON	88.8	<u>34</u>
	Well ID: 6910601		
	lot 17 con 8 ON	94.0	<u>35</u>
	Well ID: 6910599		
	lot 17 con 8 ON	97.4	<u>36</u>
	Well ID: 6918196		
	lot 17 con 8 ON	100.2	<u>37</u>
	Well ID: 6911574		
	lot 16 con 8 ON	100.2	<u>38</u>
	Well ID: 6908269		
	lot 16 con 8 ON	100.4	<u>39</u>
	Well ID: 6914908		
	lot 17 con 8 ON	108.8	<u>40</u>
	Well ID: 6918048		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON <i>Well ID:</i> 6908274	110.1	<u>41</u>
	lot 17 con 8 ON <i>Well ID:</i> 6917967	110.5	<u>42</u>
	lot 16 con 8 ON <i>Well ID:</i> 6911234	111.6	<u>43</u>
	lot 18 con 8 ON <i>Well ID:</i> 6924603	112.5	<u>44</u>
	lot 16 con 8 ON <i>Well ID:</i> 6909664	112.5	<u>45</u>
	lot 17 con 8 ON <i>Well ID:</i> 6917699	117.5	<u>46</u>
	lot 17 con 8 ON <i>Well ID:</i> 6920945	121.4	<u>47</u>
	lot 17 con 8 ON <i>Well ID:</i> 6918962	123.3	<u>48</u>
	lot 16 con 8 ON <i>Well ID:</i> 6910461	131.7	<u>49</u>
	lot 16 con 8 ON <i>Well ID:</i> 6908255	132.3	<u>50</u>
	lot 17 con 8 ON <i>Well ID:</i> 6920562	135.8	<u>52</u>
	lot 17 con 8 ON	137.2	<u>53</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6912284		
	lot 17 con 8 ON	139.4	<u>54</u>
	Well ID: 6922044		
	lot 17 con 8 ON	140.6	<u>55</u>
	Well ID: 6908283		
	lot 16 con 8 ON	140.6	<u>56</u>
	Well ID: 6913996		
	lot 16 con 8 ON	142.2	<u>57</u>
	Well ID: 6908256		
	lot 16 con 8 ON	149.5	<u>58</u>
	Well ID: 6908253		
	lot 17 con 8 ON	151.8	<u>59</u>
	Well ID: 6921603		
	ON	153.1	<u>60</u>
	Well ID: 6924412		
	lot 17 con 8 ON	157.2	<u>61</u>
	Well ID: 6910597		
	lot 16 con 8 ON	158.2	<u>62</u>
	Well ID: 6910040		
	lot 17 con 8 ON	158.7	<u>63</u>
	Well ID: 6910596		
	lot 16 con 8 ON	160.7	<u>64</u>
	Well ID: 6909662		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	166.6	<u>65</u>
	Well ID: 6909862		
	lot 17 con 8 ON	167.6	<u>66</u>
	Well ID: 6922601		
	lot 16 con 8 ON	168.7	<u>67</u>
	Well ID: 6908262		
	lot 16 con 8 ON	170.0	<u>68</u>
	Well ID: 6908261		
	34 WINDSOR DRIVE lot 16 con 8 STOUFFVILLE ON	176.1	<u>69</u>
	Well ID: 7124521		
	lot 16 con 8 ON	180.0	<u>71</u>
	Well ID: 6922602		
	lot 16 con 8 ON	182.4	<u>72</u>
	Well ID: 6912557		
	41 VALLEY ROAD lot 16 con 8 MUSSELMAND LAKE ON	190.1	<u>74</u>
	Well ID: 7293644		
	lot 16 con 8 ON	197.0	<u>75</u>
	Well ID: 6910275		
	lot 16 con 8 ON	199.4	<u>76</u>
	Well ID: 6909666		
	lot 16 con 8 ON	199.4	<u>76</u>
	Well ID: 6909863		
	lot 16 con 8 ON	199.4	<u>76</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6914904		
	lot 17 con 8 ON	203.0	<u>77</u>
	Well ID: 6910563		
	lot 17 con 8 ON	204.5	<u>78</u>
	Well ID: 6910941		
	lot 16 con 8 ON	207.4	<u>79</u>
	Well ID: 6916138		
	lot 16 con 8 ON	207.4	<u>79</u>
	Well ID: 6916567		
	lot 16 con 8 ON	209.8	<u>80</u>
	Well ID: 6924733		
	lot 17 con 8 ON	212.3	<u>81</u>
	Well ID: 7393775		
	ON	212.3	<u>81</u>
	Well ID: 7393776		
	lot 16 con 8 ON	217.3	<u>82</u>
	Well ID: 6924343		
	lot 16 con 8 ON	219.1	<u>83</u>
	Well ID: 6909861		
	lot 17 con 8 ON	220.4	<u>84</u>
	Well ID: 6910602		
	lot 16 con 8 ON	225.3	<u>85</u>
	Well ID: 6924345		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 17 con 8 ON <i>Well ID:</i> 6910460	231.3	<u>86</u>
	lot 18 con 8 ON <i>Well ID:</i> 6917913	235.5	<u>87</u>
	lot 16 con 8 ON <i>Well ID:</i> 6908665	236.1	<u>88</u>
	10 BYRON MUSSELMAN'S LAKE ON <i>Well ID:</i> 7285930	236.3	<u>89</u>
	lot 16 con 8 ON <i>Well ID:</i> 6910689	238.9	<u>90</u>
	lot 16 con 8 ON <i>Well ID:</i> 6908257	242.1	<u>91</u>
	lot 16 con 8 ON <i>Well ID:</i> 6917742	246.3	<u>92</u>



Map: 0.25 Kilometer Radius

Order Number: 23091800426

Address: 2 Wylie Ln, Whitchurch-Stouffville, ON




Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	

79°16'30"W

44°1'30"N

44°1'30"N



Aerial

Year: 2022

Order Number: 23091800426

Address: 2 Wylie Ln, Whitchurch-Stouffville, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

79°18'W

79°16'30"W


79°15'W

44°3'N

44°3'N

44°1'30"N

44°1'30"N



Topographic Map

Address: 2 Wylie Ln, ON

Source: ESRI World Topographic Map

Order Number: 23091800426



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	SSE/0.0	335.9 / 0.44	lot 16 con 8 ON	WWIS
Well ID: 6911501 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 07/03/1973 Selected Flag: TRUE Abandonment Rec: Contractor: 2218 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911501.pdf Additional Detail(s) (Map) Well Completed Date: 04/06/1973 Year Completed: 1973 Depth (m): 24.384 Latitude: 44.0252669087851 Longitude: -79.2765944408811 Path: 691\6911501.pdf Bore Hole Information Bore Hole ID: 10502132 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 04/06/1973 Remarks: Loc Method Desc: Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 17 East83: 638114.60 North83: 4876123.00 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: p4					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932755826			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932755827			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932755828			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966911501			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11050702			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:		1			
<u>Construction Record - Casing</u>					
Casing ID:		930814893			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		76.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933391422			
Layer:		1			
Slot:		080			
Screen Top Depth:		75.0			
Screen End Depth:		80.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996911501			
Pump Set At:					
Static Level:		65.0			
Final Level After Pumping:					
Recommended Pump Depth:		74.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933994745			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10502132			Tag No:	
Depth M:	24.384			Contractor:	2218
Year Completed:	1973			Latitude:	44.0252669087851

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Dt:	04/06/1973			Longitude:	-79.2765944408811
Audit No:				Y:	44.025266906512044
Path:	691\6911501.pdf			X:	-79.27659428937653

[2](#) 1 of 1 E/0.0 337.3 / 1.82 lot 16 con 8 ON [WWIS](#)

Well ID:	6909255	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	07/14/1969
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	2204
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	016
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909255.pdf

Additional Detail(s) (Map)

Well Completed Date:	05/31/1969
Year Completed:	1969
Depth (m):	25.2984
Latitude:	44.0263317759387
Longitude:	-79.2755653257262
Path:	690\6909255.pdf

Bore Hole Information

Bore Hole ID:	10499935	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638194.60
Code OB Desc:		North83:	4876243.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	05/31/1969	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 932745882

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		7			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		71.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745876			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745877			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745880			
Layer:		5			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932745879			
Layer:		4			
Color:					
General Color:					
Mat1:		12			
Most Common Material:		STONES			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932745881			
Layer:		6			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		52.0			
Formation End Depth:		71.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932745878			
Layer:		3			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909255			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11048505			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930812496			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		78.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390289			
Layer:		1			
Slot:		060			
Screen Top Depth:		78.0			
Screen End Depth:		83.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909255			
Pump Set At:					
Static Level:		71.0			
Final Level After Pumping:		75.0			
Recommended Pump Depth:		75.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933992522			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		71.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10499935			Tag No:	
Depth M:	25.2984			Contractor:	2204

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:	1969			Latitude:	44.0263317759387
Well Completed Dt:	05/31/1969			Longitude:	-79.2755653257262
Audit No:				Y:	44.02633177360706
Path:	690\6909255.pdf			X:	-79.2755651742314

3	1 of 1	ENE/0.0	329.2 / -6.22	lot 16 con 8 ON	WWIS
Well ID:	6908718			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/13/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908718.pdf				

Additional Detail(s) (Map)

Well Completed Date:	10/04/1968
Year Completed:	1968
Depth (m):	22.86
Latitude:	44.026875504674
Longitude:	-79.2757991237026
Path:	690\6908718.pdf

Bore Hole Information

Bore Hole ID:	10499402	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638174.60
Code OB Desc:		North83:	4876303.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	10/04/1968	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932743547			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743548			
Layer:		4			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		69.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743549			
Layer:		5			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		69.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743546			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		30.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743545			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908718			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047972			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811937			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		70.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390086			
Layer:		1			
Slot:		060			
Screen Top Depth:		70.0			
Screen End Depth:		75.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:					
996908718					
Pump Set At:					
Static Level:					
35.0					
Final Level After Pumping:					
68.0					
Recommended Pump Depth:					
68.0					
Pumping Rate:					
5.0					
Flowing Rate:					
Recommended Pump Rate:					
5.0					
Levels UOM:					
ft					
Rate UOM:					
GPM					
Water State After Test Code:					
1					
Water State After Test:					
CLEAR					
Pumping Test Method:					
1					
Pumping Duration HR:					
2					
Pumping Duration MIN:					
0					
Flowing:					
No					
Water Details					
Water ID:					
933991977					
Layer:					
1					
Kind Code:					
1					
Kind:					
FRESH					
Water Found Depth:					
69.0					
Water Found Depth UOM:					
ft					
Links					
Bore Hole ID:					
10499402					
Depth M:					
22.86					
Year Completed:					
1968					
Well Completed Dt:					
10/04/1968					
Audit No:					
Path:					
690\6908718.pdf					
Tag No:					
Contractor:					
2204					
Latitude:					
44.026875504674					
Longitude:					
-79.2757991237026					
Y:					
44.02687550263782					
X:					
-79.27579897233859					

4	1 of 1	ENE/0.0	327.9 / -7.61	lot 16 con 8 ON	WWIS
Well ID:					
6912070					
Construction Date:					
Use 1st:					
Public					
Use 2nd:					
0					
Final Well Status:					
Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliabilty:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality:					
WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
Site Info:					
PDF URL (Map):					
https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6912070.pdf					

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		12/28/1973			
Year Completed:		1973			
Depth (m):		29.2608			
Latitude:		44.0267624281767			
Longitude:		-79.2754654892843			
Path:		691\6912070.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10502692			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638201.60
Code OB Desc:				North83:	4876291.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/28/1973			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932758395				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	18.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932758396				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	08				
Mat2 Desc:	FINE SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	18.0				
Formation End Depth:	56.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932758397			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		56.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932758398			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966912070			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11051262			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930815568			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		92.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		933391723			
Layer:		1			
Slot:		080			
Screen Top Depth:		91.0			
Screen End Depth:		96.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996912070			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:					
Recommended Pump Depth:		90.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933995299			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10502692			Tag No:	
Depth M:	29.2608			Contractor:	2218
Year Completed:	1973			Latitude:	44.0267624281767
Well Completed Dt:	12/28/1973			Longitude:	-79.2754654892843
Audit No:				Y:	44.026762425926606
Path:	691\6912070.pdf			X:	-79.27546533726075

5	1 of 1	ENE/0.0	327.9 / -7.61	lot 16 con 8 ON	WWIS
Well ID:	6910465			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/14/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevatn Reliabilty:			Lot:	016	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910465.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/19/1971			
Year Completed:		1971			
Depth (m):		26.8224			
Latitude:		44.026732981878			
Longitude:		-79.2753041259083			
Path:		691\6910465.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501110		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638214.60
Code OB Desc:				North83:	4876288.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:		06/19/1971		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751172			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751173			
Laver:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		46.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751174			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751175			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966910465			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049680			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930813758			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		83.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390862			
Layer:		1			
Slot:		080			
Screen Top Depth:		83.0			
Screen End Depth:		88.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910465			
Pump Set At:					
Static Level:		74.0			
Final Level After Pumping:					
Recommended Pump Depth:		82.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993698			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		44.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10501110			Tag No:	
Depth M:	26.8224			Contractor:	2218
Year Completed:	1971			Latitude:	44.026732981878
Well Completed Dt:	06/19/1971			Longitude:	-79.2753041259083
Audit No:				Y:	44.026732979877096
Path:	691\6910465.pdf			X:	-79.27530397383893

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	1 of 1	ENE/3.4	330.8 / -4.62	lot 16 con 8 ON	WWIS
Well ID: 6917517 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 06/13/1985 Selected Flag: TRUE Abandonment Rec: Contractor: 1413 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917517.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/16/1985			
Year Completed:		1985			
Depth (m):		25.2984			
Latitude:		44.0265979911551			
Longitude:		-79.2753080411299			
Path:		691\6917517.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507861		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638214.60	
Code OB Desc:				North83: 4876273.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		05/16/1985		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932785652			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932785653			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932785654			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932785651			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		966917517			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056431			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930821352			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		79.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933395095			
Layer:		1			
Slot:		018			
Screen Top Depth:		79.0			
Screen End Depth:		83.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996917517			
Pump Set At:					
Static Level:		25.0			
Final Level After Pumping:		50.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		8.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934881276			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		50.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935146777			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		50.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934623263			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		50.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934364426			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		46.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934000452			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		83.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507861			Tag No:	
Depth M:	25.2984			Contractor:	1413
Year Completed:	1985			Latitude:	44.0265979911551
Well Completed Dt:	05/16/1985			Longitude:	-79.2753080411299
Audit No:				Y:	44.02659798868369
Path:	691\6917517.pdf			X:	-79.27530788870776
7	1 of 1	E/8.6	338.9 / 3.39	lot 16 con 8 ON	WWIS
Well ID:	6924416			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	06/22/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187928			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924416.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/30/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0260590828209			
Longitude:		-79.2753935486075			
Path:		692\6924416.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514694		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638209.00
Code OB Desc:				North83:	4876213.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:		05/30/1998		UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217736			
Layer:		1			
Plug From:		0.0			
Plug To:		35.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924416			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063264			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Links</u>					
Bore Hole ID:	10514694			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0260590828209
Well Completed Dt:	05/30/1998			Longitude:	-79.2753935486075
Audit No:	187928			Y:	44.02605908077714
Path:	692\6924416.pdf			X:	-79.2753933966656
<u>8</u>	1 of 1	ENE/8.6	325.9 / -9.61	ENBRIDGE GAS INC 5823 LAKESHORE RD,,WHITCHURCH- STOUFFVILLE,ON,L4A 7X3,CA ON	PINC
Incident Id:				Pipe Material:	
Incident No:	2910964			Fuel Category:	
Incident Reported Dt:	8/24/2020			Health Impact:	
Type:	FS-Pipeline Incident			Environment Impact:	
Status Code:				Property Damage:	
Tank Status:	Pipeline Damage Reason Est			Service Interrupt:	
Task No:				Enforce Policy:	
Spills Action Centre:				Public Relation:	
Fuel Type:				Pipeline System:	
Fuel Occurrence Tp:				PSIG:	
Date of Occurrence:				Attribute Category:	
Occurrence Start Dt:				Regulator Location:	
Depth:				Method Details:	
Customer Acct Name:	ENBRIDGE GAS INC				
Incident Address:	5823 LAKESHORE RD,,WHITCHURCH-STOUFFVILLE,ON,L4A 7X3,CA				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:					
Reported By:					
Affiliation:					
Occurrence Desc:					
Damage Reason:					
Notes:					
<u>9</u>	1 of 1	SSE/13.8	335.9 / 0.44	lot 16 con 8 ON	WWIS
Well ID:	6908249			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/01/1954
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908249.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		02/13/1954			
Year Completed:		1954			
Depth (m):		17.3736			
Latitude:		44.0250229843324			
Longitude:		-79.2765391204034			
Path:		690\6908249.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498940		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		02/13/1954		UTMRC Desc:	
Remarks:				Location Method:	
Loc Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741739			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741741			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		57.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741740			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908249			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047510			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811461			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		52.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389744			
Layer:		1			
Slot:		010			
Screen Top Depth:		52.0			
Screen End Depth:		57.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:					
996908249					
Pump Set At:					
Static Level:					
48.0					
Final Level After Pumping:					
50.0					
Recommended Pump Depth:					
Pumping Rate:					
3.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
ft					
Rate UOM:					
GPM					
Water State After Test Code:					
1					
Water State After Test:					
CLEAR					
Pumping Test Method:					
1					
Pumping Duration HR:					
3					
Pumping Duration MIN:					
0					
Flowing:					
No					
<u>Water Details</u>					
Water ID:					
933991521					
Layer:					
1					
Kind Code:					
1					
Kind:					
FRESH					
Water Found Depth:					
57.0					
Water Found Depth UOM:					
ft					
<u>Links</u>					
Bore Hole ID:					
10498940					
Depth M:					
17.3736					
Year Completed:					
1954					
Well Completed Dt:					
02/13/1954					
Audit No:					
Path:					
690\6908249.pdf					
Tag No:					
Contractor:					
2204					
Latitude:					
44.0250229843324					
Longitude:					
-79.2765391204034					
Y:					
44.025022981998895					
X:					
-79.27653896846596					

10	1 of 1	ENE/14.7	328.3 / -7.12	5831 Lakeshore Rd Whitchurch-Stouffville ON	SPL
Ref No:					
0625-9ZGN54					
Year:					
Incident Dt:					
8/17/2015					
MOE Response:					
No					
Dt MOE Arvl on Scn:					
MOE Reported Dt:					
8/17/2015					
Dt Document Closed:					
8/26/2015					
Site No:					
NA					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
spill<UNOFFICIAL>					
Site Address:					
5831 Lakeshore Rd					
Site Region:					
Site Municipality:					
Whitchurch-Stouffville					
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Incident Cause:					
Incident Event:					
Environment Impact:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nature of Impact: Contaminant Qty: 1 number (count) System Facility Address: Client Name: Client Type: Call Report Location Geodata: Contaminant Code: 35 Contaminant Name: NATURAL GAS, COMPRESSED (METHANE) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Receiving Environment: Incident Reason: Operator/Human Error Incident Summary: TSSA: 531 Lakeshore, line strike made safe Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Miscellaneous Communal SAC Action Class: Air Spills - Gases and Vapours Source Type:					

11	1 of 2	E/15.5	334.8 / -0.69	lot 16 con 8 ON	WWIS
Well ID: 6914907 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691/6914907.pdf					

Additional Detail(s) (Map)

Well Completed Date: 08/25/1978
Year Completed: 1978
Depth (m): 24.384
Latitude: 44.0261480220536
Longitude: -79.2753210916714
Path: 691\6914907.pdf

Bore Hole Information

Bore Hole ID: 10505478
DP2BR:
Spatial Status:
Elevation:
Elevrc:
Zone: 17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	638214.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/25/1978			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772815			
Layer:		3			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772814			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772813			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966914907			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054048			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818583			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393480			
Layer:		1			
Slot:		010			
Screen Top Depth:		75.0			
Screen End Depth:		80.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996914907			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933998096			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10505478			Tag No:	
Depth M:	24.384			Contractor:	5417
Year Completed:	1978			Latitude:	44.0261480220536
Well Completed Dt:	08/25/1978			Longitude:	-79.2753210916714
Audit No:				Y:	44.02614801990946
Path:	691\6914907.pdf			X:	-79.27532094036665
11	2 of 2	E/15.5	334.8 / -0.69	lot 19 con 8 ON	WWIS
Well ID:	6917033			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	04/24/1984
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	019
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917033.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	07/27/1983				
Year Completed:	1983				
Depth (m):	28.0416				
Latitude:	44.0261480220536				
Longitude:	-79.2753210916714				
Path:	691\6917033.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507386			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638214.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		07/27/1983		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932782932			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		79.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932782933			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		83.0			
Formation End Depth:		92.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932782931			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		79.0			
Formation End Depth UOM:		ft			
Method of Construction & Well					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		966917033			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055956			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820787			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		89.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394768			
Layer:		1			
Slot:		008			
Screen Top Depth:		89.0			
Screen End Depth:		92.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996917033			
Pump Set At:					
Static Level:		45.0			
Final Level After Pumping:		85.0			
Recommended Pump Depth:		85.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934622177			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		30			
Test Level:		65.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935145665			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		85.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934363300			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		55.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934880200			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		75.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		934000000			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		83.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10507386			Tag No:	
Depth M:	28.0416			Contractor:	5459
Year Completed:	1983			Latitude:	44.0261480220536
Well Completed Dt:	07/27/1983			Longitude:	-79.2753210916714
Audit No:				Y:	44.02614801990946
Path:	691\6917033.pdf			X:	-79.27532094036665

12	1 of 1	E/18.4	333.0 / -2.49	5831 LAKESHORE RD lot 16 con 8 STOUFFVILLE ON	WWIS
Well ID:	7204866			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	07/18/2013
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z144328			Contractor:	7386
Tag:	A127394			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204866.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/14/2013			
Year Completed:		2013			
Depth (m):					
Latitude:		44.0263174283342			
Longitude:		-79.2752113617531			
Path:		720\7204866.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1004431719		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638223.00
Code OB Desc:				North83:	4876242.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		06/14/2013		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004855981			
Layer:		1			
Plug From:		0.0			
Plug To:		1.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004855982			
Layer:		2			
Plug From:		1.5			
Plug To:		23.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004855983			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		23.5			
Plug To:		24.3799991607666			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004855980			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004855974			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004855978			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		1.5			
Depth To:		24.3799991607666			
Casing Diameter:		13.34000015258789			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004855979			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004855977			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004855976			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Links</u>					
Bore Hole ID:	1004431719			Tag No:	A127394
Depth M:				Contractor:	7386
Year Completed:	2013			Latitude:	44.0263174283342
Well Completed Dt:	06/14/2013			Longitude:	-79.2752113617531
Audit No:	Z144328			Y:	44.02631742541347
Path:	720\7204866.pdf			X:	-79.27521121027637
13	1 of 1	E/22.3	333.0 / -2.49	lot 16 con 8 ON	WWIS
Well ID:	6923004			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/11/1995
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	141575			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923004.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/23/1994				
Year Completed:	1994				
Depth (m):	29.5656				
Latitude:	44.0261738148955				
Longitude:	-79.2752404835077				
Path:	692\6923004.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10513307			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638221.00
Code OB Desc:				North83:	4876226.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	12/23/1994			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932817057			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		86.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932817058			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		86.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933215777			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966923004			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11061877			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930827560			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		94.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933398870			
Layer:		1			
Slot:		014			
Screen Top Depth:		94.0			
Screen End Depth:		97.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996923004			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:		90.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934361260			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		80.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935149520			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		80.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934876508			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		45			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934635679			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934005629			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		86.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10513307			Tag No:	
Depth M:	29.5656			Contractor:	5459
Year Completed:	1994			Latitude:	44.0261738148955
Well Completed Dt:	12/23/1994			Longitude:	-79.2752404835077
Audit No:	141575			Y:	44.02617381297933
Path:	692\6923004.pdf			X:	-79.27524033186478
14	1 of 1	ENE/28.5	326.9 / -8.54	MAST LANDSCAPING LTD 5841 LAKESHORE RD,,WHITCHURCH- STOUFFVILLE,ON,L4A 7X3,CA ON	PINC
Incident Id:				Pipe Material:	
Incident No:	1706786			Fuel Category:	
Incident Reported Dt:	8/21/2015			Health Impact:	
Type:	FS-Pipeline Incident			Environment Impact:	
Status Code:				Property Damage:	
Tank Status:	Pipeline Damage Reason Est			Service Interrupt:	
Task No:				Enforce Policy:	
Spills Action Centre:				Public Relation:	
Fuel Type:				Pipeline System:	
Fuel Occurrence Tp:				PSIG:	
Date of Occurrence:				Attribute Category:	
Occurrence Start Dt:				Regulator Location:	
Depth:				Method Details:	
Customer Acct Name:	MAST LANDSCAPING LTD				
Incident Address:	5841 LAKESHORE RD,,WHITCHURCH-STOUFFVILLE,ON,L4A 7X3,CA				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:					
Reported By:					
Affiliation:					
Occurrence Desc:					
Damage Reason:					
Notes:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
15	1 of 1	E/29.7	340.3 / 4.82	59 WINDSOR DRIVE STOUFFVILLE ON	WWIS
Well ID: 7198819 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z153799 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 03/19/2013 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 7383 Form Version: 7 Owner: County: YORK Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7198819.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/28/2012			
Year Completed:		2012			
Depth (m):					
Latitude:		44.0258293899495			
Longitude:		-79.27508825832			
Path:		719\7198819.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1004264686		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		11/28/2012		UTMRC Desc:	
Remarks:				Location Method:	
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004909210			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:					
Most Common Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:					
		01	FILL		
		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:					
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:					
		1004909209			
		1			
		2			
		GREY			
		0.0			
		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
		1004909217			
		1			
		78.0			
		6.0			
		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
		1004909218			
		2			
		6.0			
		0.0			
		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
		1004909219			
		1			
		78.0			
		6.0			
		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:					
		1004909216			
		8			
		Jetting			
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1004909207			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004909213			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		78.0			
Depth To:		6.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004909214			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1004909208			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		1004909212			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004909211			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter: Depth From: Depth To: Hole Depth UOM:ft Hole Diameter UOM:inch					
Links					
Bore Hole ID:1004264686 Depth M: Year Completed:2012 Well Completed Dt:11/28/2012 Audit No:Z153799 Path:719\7198819.pdf		Tag No: Contractor:7383 Latitude:44.0258293899495 Longitude:-79.27508825832 Y:44.02582938767095 X:-79.2750881061313			
16	1 of 2	ENE/32.8	325.9 / -9.61	lot 17 con 8 ON	WWIS
Well ID:6923437 Construction Date: Use 1st: Use 2nd: Final Well Status:Abandoned-Other Water Type: Casing Material: Audit No:163564 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality:WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:1 Date Received:11/21/1995 Selected Flag:TRUE Abandonment Rec: Contractor:1350 Form Version:1 Owner: County:YORK Lot:017 Concession:08 Concession Name:CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923437.pdf			
Additional Detail(s) (Map)					
Well Completed Date:10/13/1995 Year Completed:1995 Depth (m): Latitude:44.0268073086186 Longitude:-79.2748602392814 Path:692\6923437.pdf					
Bore Hole Information					
Bore Hole ID:10513739 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed:10/13/1995 Remarks: Loc Method Desc:from gps		Elevation: Elevrc: Zone:17 East83:638250.00 North83:4876297.00 Org CS: UTMRC:3 UTMRC Desc:margin of error : 10 - 30 m Location Method:gps			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Method of Construction & Well Use					
Method Construction ID:		966923437			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
Pipe Information					
Pipe ID:		11062309			
Casing No:		1			
Comment:					
Alt Name:					
Links					
Bore Hole ID:		10513739		Tag No:	
Depth M:				Contractor:	
Year Completed:		1995		1350	
Well Completed Dt:		10/13/1995		Latitude:	
Audit No:		163564		44.0268073086186	
Path:		692\6923437.pdf		Longitude:	
				-79.2748602392814	
				Y:	
				44.02680730639462	
				X:	
				-79.27486008674816	

16	2 of 2	ENE/32.8	325.9 / -9.61	lot 17 con 8 ON	WWIS
Well ID:		6923438		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Water Supply		1	
Water Type:				Date Received:	
Casing Material:				11/21/1995	
Audit No:		163566		Selected Flag:	
Tag:				TRUE	
Constructn Method:				Abandonment Rec:	
Elevation (m):				Contractor:	
Elevatn Reliabilty:				1350	
Depth to Bedrock:				Form Version:	
Well Depth:				1	
Overburden/Bedrock:				Owner:	
Pump Rate:				County:	
Static Water Level:				YORK	
Clear/Cloudy:				Lot:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		017	
Site Info:				Concession:	
				08	
				Concession Name:	
				CON	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923438.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		10/10/1995			
Year Completed:		1995			
Depth (m):		32.004			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		44.0268073086186			
Longitude:		-79.2748602392814			
Path:		692\6923438.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10513740			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638250.00
Code OB Desc:				North83:	4876297.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	10/10/1995			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932819253				
Layer:	5				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	60.0				
Formation End Depth:	82.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932819249				
Layer:	1				
Color:	5				
General Color:	YELLOW				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932819254				
Layer:	6				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		82.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819252			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		47.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819255			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		90.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819250			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819251			
Layer:		3			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216498			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966923438			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11062310			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930828023			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		105.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930828022			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		101.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933399171			
Layer:		1			
Slot:		012			
Screen Top Depth:		98.0			
Screen End Depth:		102.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996923438			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:		90.0			
Recommended Pump Depth:		90.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362346			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		70.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		934005969			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		101.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10513740		Tag No:		
Depth M:	32.004		Contractor:	1350	
Year Completed:	1995		Latitude:	44.0268073086186	
Well Completed Dt:	10/10/1995		Longitude:	-79.2748602392814	
Audit No:	163566		Y:	44.02680730639462	
Path:	692\6923438.pdf		X:	-79.27486008674816	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
17	1 of 1	NNW/36.1	331.9 / -3.56	lot 17 con 8 ON	WWIS
Well ID: 6922279 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 116182 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 07/07/1993 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922279.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/10/1993			
Year Completed:		1993			
Depth (m):		22.2504			
Latitude:		44.0272677400402			
Longitude:		-79.2773300770597			
Path:		692\6922279.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10512584		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638051.00	
Code OB Desc:				North83: 4876344.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 3	
Date Completed:		06/10/1993		UTMRC Desc: margin of error : 10 - 30 m	
Remarks:				Location Method: gps	
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932813424			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813425			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		31.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813426			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813423			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932813428			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		69.0			
Formation End Depth:		73.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932813422			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932813427			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		67.0			
Formation End Depth:		69.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933214786			
Layer:		1			
Plug From:		0.0			
Plug To:		18.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966922279			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11061154			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930826791			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		70.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933398378			
Layer:		1			
Slot:		016			
Screen Top Depth:		70.0			
Screen End Depth:		73.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922279			
Pump Set At:					
Static Level:		36.0			
Final Level After Pumping:		55.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935148400			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		55.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934633986			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		50.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934883594			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		55.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934359093			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		45.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934005039			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10512584			Tag No:	
Depth M:	22.2504			Contractor:	5459
Year Completed:	1993			Latitude:	44.0272677400402
Well Completed Dt:	06/10/1993			Longitude:	-79.2773300770597
Audit No:	116182			Y:	44.027267737682514
Path:	692\6922279.pdf			X:	-79.27732992473767
18	1 of 1	ENE/39.0	325.9 / -9.61	lot 16 con 8 ON	WWIS
Well ID:	6909157			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	05/29/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909157.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/27/1969			
Year Completed:		1969			
Depth (m):		28.3464			
Latitude:		44.0268604383435			
Longitude:		-79.2748012978103			
Path:		690\6909157.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10499839		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638254.60
Code OB Desc:				North83:	4876303.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:		03/27/1969		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932745523			
Layer:		3			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932745524			
Layer:		4			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745525			
Layer:		5			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745522			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745521			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		966909157			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11048409			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930812392			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		88.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390249			
Layer:		1			
Slot:		080			
Screen Top Depth:		88.0			
Screen End Depth:		93.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909157			
Pump Set At:					
Static Level:		77.0			
Final Level After Pumping:		85.0			
Recommended Pump Depth:		85.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992426			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		76.0			
Water Found Depth UOM:		ft			
Links					
Bore Hole ID:	10499839			Tag No:	
Depth M:	28.3464			Contractor:	2204
Year Completed:	1969			Latitude:	44.0268604383435
Well Completed Dt:	03/27/1969			Longitude:	-79.2748012978103
Audit No:				Y:	44.026860435657866
Path:	690\6909157.pdf			X:	-79.27480114649987

19	1 of 1	ESE/39.8	341.6 / 6.13	lot 17 con 8 ON	WWIS
Well ID:	6924190			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	01/09/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	179473			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924190.pdf				

Additional Detail(s) (Map)

Well Completed Date: 10/28/1997
 Year Completed: 1997
 Depth (m):
 Latitude: 44.0255194553765
 Longitude: -79.2748352102926
 Path: 692\6924190.pdf

Bore Hole Information

Bore Hole ID:	10514468	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638255.00
Code OB Desc:		North83:	4876154.00
Open Hole:		Org CS:	N83
Cluster Kind:		UTMRC:	4
Date Completed:	10/28/1997	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	
Loc Method Desc:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217457			
Layer:		2			
Plug From:		30.0			
Plug To:		8.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217456			
Layer:		1			
Plug From:		38.0			
Plug To:		30.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217458			
Layer:		3			
Plug From:		8.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924190			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063038			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930828918			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Links</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10514468			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1997			Latitude:	44.0255194553765
Well Completed Dt:	10/28/1997			Longitude:	-79.2748352102926
Audit No:	179473			Y:	44.0255194529125
Path:	692\6924190.pdf			X:	-79.27483505801112

20	1 of 1	E/45.0	337.8 / 2.36	lot 16 con 8 ON	WWIS
Well ID:	6924427			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	06/22/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187861			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924427.pdf				

Additional Detail(s) (Map)

Well Completed Date: 06/16/1998
Year Completed: 1998
Depth (m):
Latitude: 44.0261062988396
Longitude: -79.274942966733
Path: 692\6924427.pdf

Bore Hole Information

Bore Hole ID:	10514705	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638245.00
Code OB Desc:		North83:	4876219.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	2
Date Completed:	06/16/1998	UTMRC Desc:	margin of error : 3 - 10 m
Remarks:		Location Method:	gps
Loc Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		933217747			
Layer:		1			
Plug From:		0.0			
Plug To:		82.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924427			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063275			
Casing No:		1			
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10514705			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0261062988396
Well Completed Dt:	06/16/1998			Longitude:	-79.274942966733
Audit No:	187861			Y:	44.026106296747216
Path:	692\6924427.pdf			X:	-79.27494281533393
21	1 of 1	ENE/49.3	326.6 / -8.85	lot 16 con 8 ON	WWIS
Well ID:	6910031			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/20/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2215
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910031.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/24/1970			
Year Completed:		1970			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		13.716			
Latitude:		44.0265885730856			
Longitude:		-79.274684402927			
Path:		691\6910031.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10500688			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638264.60
Code OB Desc:				North83:	4876273.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	07/24/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749197			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749198			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749195			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749196			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966910031			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049258			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813309			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		40.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390648			
Layer:		1			
Slot:		060			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		40.0			
Screen End Depth:		45.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910031			
Pump Set At:					
Static Level:		33.0			
Final Level After Pumping:					
Recommended Pump Depth:		38.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993285			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		45.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10500688			Tag No:	
Depth M:	13.716			Contractor:	2215
Year Completed:	1970			Latitude:	44.0265885730856
Well Completed Dt:	07/24/1970			Longitude:	-79.274684402927
Audit No:				Y:	44.02658857072796
Path:	691\6910031.pdf			X:	-79.2746842514887
22	1 of 1	E/50.8	337.8 / 2.36	lot 16 con 8 ON	WWIS
Well ID:	6910600			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/13/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910600.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/19/1971			
Year Completed:		1971			
Depth (m):		27.432			
Latitude:		44.0258705065789			
Longitude:		-79.274830017297			
Path:		691\6910600.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501245		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638254.60
Code OB Desc:				North83:	4876193.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:		11/19/1971		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751810			
Layer:		2			
Color:					
General Color:					
Mat1:		12			
Most Common Material:		STONES			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751812			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		COARSE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751813			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751811			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751809			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID: 966910600					
Method Construction Code: 1					
Method Construction: Cable Tool					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 11049815					
Casing No: 1					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 930813910					
Layer: 1					
Material: 2					
Open Hole or Material: GALVANIZED					
Depth From:					
Depth To: 85.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933390954					
Layer: 1					
Slot: 080					
Screen Top Depth: 85.0					
Screen End Depth: 90.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.25					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996910600					
Pump Set At:					
Static Level: 74.0					
Final Level After Pumping:					
Recommended Pump Depth: 84.0					
Pumping Rate: 5.0					
Flowing Rate:					
Recommended Pump Rate: 5.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 1					
Pumping Duration MIN: 30					
Flowing: No					
<u>Water Details</u>					
Water ID: 933993838					
Layer: 1					
Kind Code: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		FRESH			
Water Found Depth:		78.0			
Water Found Depth UOM:		ft			
Links					
Bore Hole ID:	10501245			Tag No:	
Depth M:	27.432			Contractor:	2218
Year Completed:	1971			Latitude:	44.0258705065789
Well Completed Dt:	11/19/1971			Longitude:	-79.274830017297
Audit No:				Y:	44.025870504487166
Path:	691\6910600.pdf			X:	-79.27482986482069

23	1 of 1	NNE/52.4	325.9 / -9.56	lot 17 con 8 ON	WWIS
Well ID:	6924058			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	09/04/1997
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	179420			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924058.pdf			

Additional Detail(s) (Map)

Well Completed Date: 07/18/1997
 Year Completed: 1997
 Depth (m):
 Latitude: 44.0275809935378
 Longitude: -79.2766097311183
 Path: 692\6924058.pdf

Bore Hole Information

Bore Hole ID:	10514336	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638108.00
Code OB Desc:		North83:	4876380.00
Open Hole:		Org CS:	N83
Cluster Kind:		UTMRC:	4
Date Completed:	07/18/1997	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	
Loc Method Desc:			
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217304			
Layer:		1			
Plug From:		39.0			
Plug To:		6.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924058			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11062906			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930828761			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10514336			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1997			Latitude:	44.0275809935378
Well Completed Dt:	07/18/1997			Longitude:	-79.2766097311183
Audit No:	179420			Y:	44.027580991542685
Path:	692\6924058.pdf			X:	-79.27660957938875
24	1 of 1	E/53.2	337.8 / 2.36	lot 16 con 8 ON	WWIS
Well ID:	6924426			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	06/22/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187964			Contractor:	5459

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924426.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/16/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0260596065934			
Longitude:		-79.27483201819			
Path:		692\6924426.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514704			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638254.00
Code OB Desc:				North83:	4876214.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	06/16/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217746			
Layer:		1			
Plug From:		0.0			
Plug To:		87.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924426			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11063274			
Casing No:		1			
Comment:					
Alt Name:					
Links					
Bore Hole ID:	10514704			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0260596065934
Well Completed Dt:	06/16/1998			Longitude:	-79.27483201819
Audit No:	187964			Y:	44.02605960458385
Path:	692\6924426.pdf			X:	-79.27483186624954

25	1 of 1	E/56.2	332.1 / -3.32	lot 16 con 8 ON	WWIS
Well ID:	6924487			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	07/14/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187878			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924487.pdf			

Additional Detail(s) (Map)

Well Completed Date: 06/24/1998
 Year Completed: 1998
 Depth (m):
 Latitude: 44.0261222254961
 Longitude: -79.2748052452919
 Path: 692\6924487.pdf

Bore Hole Information

Bore Hole ID:	10514765	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638256.00
Code OB Desc:		North83:	4876221.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	06/24/1998	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Loc Method Desc:	from gps		
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217819			
Layer:		1			
Plug From:		0.0			
Plug To:		77.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924487			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063335			
Casing No:		1			
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10514765			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0261222254961
Well Completed Dt:	06/24/1998			Longitude:	-79.2748052452919
Audit No:	187878			Y:	44.02612222292509
Path:	692\6924487.pdf			X:	-79.27480509286379
26	1 of 1	E/57.8	341.4 / 5.95	lot 16 con 8 ON	WWIS
Well ID:	6916980			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Public			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/23/1984
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916980.pdf			
Additional Detail(s) (Map)					
Well Completed Date:	02/23/1984				
Year Completed:	1984				
Depth (m):	20.4216				
Latitude:	44.025688635138				
Longitude:	-79.274710513133				
Path:	691\6916980.pdf				
Bore Hole Information					
Bore Hole ID:	10507343	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		17	
Code OB:		East83:		638264.60	
Code OB Desc:		North83:		4876173.00	
Open Hole:		Org CS:			
Cluster Kind:		UTMRC:		5	
Date Completed:	02/23/1984	UTMRC Desc:		margin of error : 100 m - 300 m	
Remarks:		Location Method:		p5	
Loc Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock Materials Interval					
Formation ID:	932782688				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	54.0				
Formation End Depth:	67.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock Materials Interval					
Formation ID:	932782686				
Layer:	2				
Color:	3				
General Color:	BLUE				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	12				
Mat2 Desc:	STONES				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	16.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932782685			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932782687			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966916980			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055913			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820741			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		63.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394735			
Layer:		1			
Slot:		080			
Screen Top Depth:		62.0			
Screen End Depth:		67.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996916980			
Pump Set At:					
Static Level:		50.0			
Final Level After Pumping:					
Recommended Pump Depth:		62.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933999956			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		54.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507343			Tag No:	
Depth M:	20.4216			Contractor:	2218
Year Completed:	1984			Latitude:	44.025688635138
Well Completed Dt:	02/23/1984			Longitude:	-79.274710513133
Audit No:				Y:	44.02568863285045
Path:	691\6916980.pdf			X:	-79.27471036109468

27	1 of 2	N/59.4	327.9 / -7.61	lot 17 con 8 ON	WWIS
Well ID:	6914369			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/07/1978
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:			Contractor:	2218	
Tag:			Form Version:	1	
Constructn Method:			Owner:		
Elevation (m):			County:	YORK	
Elevatn Reliability:			Lot:	017	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914369.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/08/1977			
Year Completed:		1977			
Depth (m):		19.812			
Latitude:		44.0275261639184			
Longitude:		-79.2771528838465			
Path:		691\6914369.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10504945		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638064.60
Code OB Desc:				North83:	4876373.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		11/08/1977		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932770096			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932770097			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932770098			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966914369			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11053515			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930817999			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		61.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID: 933393131					
Layer: 1					
Slot: 060					
Screen Top Depth: 60.0					
Screen End Depth: 65.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.25					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID: 996914369					
Pump Set At:					
Static Level: 50.0					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate: 5.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method:					
Pumping Duration HR: 1					
Pumping Duration MIN: 20					
Flowing: No					
<u>Water Details</u>					
Water ID: 933997539					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 50.0					
Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10504945					
Depth M: 19.812					
Year Completed: 1977					
Well Completed Dt: 11/08/1977					
Audit No:					
Path: 691\6914369.pdf					
Tag No:					
Contractor: 2218					
Latitude: 44.0275261639184					
Longitude: -79.2771528838465					
Y: 44.0275261666344					
X: -79.27715273208149					
27	2 of 2	N/59.4	327.9 / -7.61	lot 17 con 8 ON	WWIS
Well ID: 6914660					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 09/08/1978					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2218					
Form Version: 1					
Owner:					
County: YORK					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevatn Reliabilty:			Lot:	017	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914660.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/28/1978			
Year Completed:		1978			
Depth (m):		15.5448			
Latitude:		44.0275261639184			
Longitude:		-79.2771528838465			
Path:		691\6914660.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10505233		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				638064.60	
Cluster Kind:				North83:	
Date Completed:		08/28/1978		4876373.00	
Remarks:				Org CS:	
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		UTMRC:	
Elevrc Desc:				5	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 100 m - 300 m	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p5	
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932771685			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		37.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932771684			
Laver:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932771686			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		37.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966914660			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11053803			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930818311			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		47.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933393315			
Layer:		1			
Slot:		060			
Screen Top Depth:		46.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		51.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996914660			
Pump Set At:					
Static Level:		31.0			
Final Level After Pumping:					
Recommended Pump Depth:		45.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933997837			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		37.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10505233		Tag No:	
Depth M:		15.5448		Contractor:	2218
Year Completed:		1978		Latitude:	44.0275261639184
Well Completed Dt:		08/28/1978		Longitude:	-79.2771528838465
Audit No:				Y:	44.02752616166344
Path:		691\6914660.pdf		X:	-79.27715273208149
28	1 of 1	E/61.7	337.8 / 2.36	lot 16 con 8 ON	WWIS
Well ID:		6908270		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	01/17/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):				https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908270.pdf	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/22/1966			
Year Completed:		1966			
Depth (m):		15.24			
Latitude:		44.0260579864964			
Longitude:		-79.2747247533953			
Path:		690\6908270.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498961		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638262.60
Code OB Desc:				North83:	4876214.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		10/22/1966		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741815			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741814			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908270			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047531			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811482			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		45.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389765			
Layer:		1			
Slot:		010			
Screen Top Depth:		45.0			
Screen End Depth:		50.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908270			
Pump Set At:					
Static Level:		35.0			
Final Level After Pumping:					
Recommended Pump Depth:		45.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:	1				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933991542				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	40.0				
Water Found Depth UOM:	ft				
<u>Links</u>					
Bore Hole ID:	10498961			Tag No:	
Depth M:	15.24			Contractor:	5419
Year Completed:	1966			Latitude:	44.0260579864964
Well Completed Dt:	10/22/1966			Longitude:	-79.2747247533953
Audit No:				Y:	44.02605798399101
Path:	690\6908270.pdf			X:	-79.27472460115091
29	1 of 1	N/67.5	326.5 / -9.00	lot 16 con 8 ON	WWIS
Well ID:	6924433			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	06/22/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187983			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924433.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/15/1998				
Year Completed:	1998				
Depth (m):					
Latitude:	44.0276575047725				
Longitude:	-79.2769069964668				
Path:	692\6924433.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10514711			Elevation:	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	638084.00
Code OB Desc:				North83:	4876388.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	06/15/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217753			
Layer:		1			
Plug From:		0.0			
Plug To:		44.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966924433			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11063281			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Links</u>					
Bore Hole ID:	10514711			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0276575047725
Well Completed Dt:	06/15/1998			Longitude:	-79.2769069964668
Audit No:	187983			Y:	44.027657502731515
Path:	692\6924433.pdf			X:	-79.27690684439061
<u>30</u>	1 of 1	N/68.9	327.9 / -7.61	lot 17 con 8 ON	WWIS
Well ID:	6910464			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/14/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevatn Reliability:			Lot:	017	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910464.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/25/1971			
Year Completed:		1971			
Depth (m):		15.24			
Latitude:		44.0276161578067			
Longitude:		-79.2771502764085			
Path:		691\6910464.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501109		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				638064.60	
Cluster Kind:				North83:	
Date Completed:		06/25/1971		4876383.00	
Remarks:				Org CS:	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		UTMRC:	
Elevrc Desc:				4	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 30 m - 100 m	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p4	
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751169			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751170			
Laver:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751168			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751171			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910464			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049679			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930813757			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		45.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390861			
Layer:		1			
Slot:		080			
Screen Top Depth:		45.0			
Screen End Depth:		50.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910464			
Pump Set At:					
Static Level:		37.0			
Final Level After Pumping:					
Recommended Pump Depth:		44.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993697			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10501109			Tag No:	
Depth M:	15.24			Contractor:	2218
Year Completed:	1971			Latitude:	44.0276161578067
Well Completed Dt:	06/25/1971			Longitude:	-79.2771502764085
Audit No:				Y:	44.02761615592446
Path:	691\6910464.pdf			X:	-79.277150124265

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
31	1 of 1	NNW/71.9	330.6 / -4.88	lot 17 con 8 ON	WWIS
Well ID: 6911576 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/13/1973 Selected Flag: TRUE Abandonment Rec: Contractor: 2218 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911576.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/07/1973			
Year Completed:		1973			
Depth (m):		21.336			
Latitude:		44.0275336879937			
Longitude:		-79.2776518028968			
Path:		691\6911576.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10502207		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638024.60	
Code OB Desc:				North83: 4876373.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 4	
Date Completed:		09/07/1973		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: p4	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932756167			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932756168			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932756169			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932756170			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		966911576			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11050777			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930814988			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		66.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391459			
Layer:		1			
Slot:		080			
Screen Top Depth:		65.0			
Screen End Depth:		70.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996911576			
Pump Set At:					
Static Level:		54.0			
Final Level After Pumping:					
Recommended Pump Depth:		65.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		40			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933994824			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		54.0			
Water Found Depth UOM:		ft			
Links					
Bore Hole ID:	10502207			Tag No:	
Depth M:	21.336			Contractor:	2218
Year Completed:	1973			Latitude:	44.0275336879937
Well Completed Dt:	09/07/1973			Longitude:	-79.2776518028968
Audit No:				Y:	44.02753368570387
Path:	691\6911576.pdf			X:	-79.2776516508399

32	1 of 1	E/85.1	331.2 / -4.22	lot 16 con 8 ON	WWIS
Well ID:	6908276			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/04/1968
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908276.pdf				

Additional Detail(s) (Map)

Well Completed Date: 11/24/1967
 Year Completed: 1967
 Depth (m): 28.956
 Latitude: 44.0262145114387
 Longitude: -79.274358345842
 Path: 690\6908276.pdf

Bore Hole Information

Bore Hole ID: 10498967
 DP2BR:
 Spatial Status:
 Code OB:
 Code OB Desc:
 Open Hole:
 Cluster Kind:
 Date Completed: 11/24/1967
 Remarks:
 Loc Method Desc: Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m
 Elevrc Desc:
 Location Source Date:
 Improvement Location Source:

Elevation:
 Elevrc:
 Zone: 17
 East83: 638291.60
 North83: 4876232.00
 Org CS:
 UTMRC: 5
 UTMRC Desc: margin of error : 100 m - 300 m
 Location Method: p5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741843			
Layer:		4			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741842			
Layer:		3			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741844			
Layer:		5			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		55.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741840			
Layer:		1			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741845			
Layer:		6			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		95.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741841			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908276			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047537			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811488			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		90.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389771			
Layer:		1			
Slot:		006			
Screen Top Depth:		90.0			
Screen End Depth:		95.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908276			
Pump Set At:					
Static Level:		73.0			
Final Level After Pumping:		89.0			
Recommended Pump Depth:		89.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991548			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		76.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10498967			Tag No:	
Depth M:	28.956			Contractor:	2204
Year Completed:	1967			Latitude:	44.0262145114387
Well Completed Dt:	11/24/1967			Longitude:	-79.274358345842
Audit No:				Y:	44.02621450839541
Path:	690\6908276.pdf			X:	-79.27435819372123
33	1 of 1	NNW/87.3	330.6 / -4.88	lot 18 con 8 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6924484			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	07/14/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187944			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	018
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924484.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/24/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.027669355924			
Longitude:		-79.2776927956924			
Path:		692\6924484.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514762			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638021.00
Code OB Desc:				North83:	4876388.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	06/24/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217816			
Layer:		1			
Plug From:		0.0			
Plug To:		63.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID: 966924484 Method Construction Code: 0 Method Construction: Not Known Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 11063332 Casing No: 1 Comment: Alt Name:					
<u>Links</u>					
Bore Hole ID: 10514762 Depth M: Year Completed: 1998 Well Completed Dt: 06/24/1998 Audit No: 187944 Path: 692\6924484.pdf Tag No: Contractor: 5459 Latitude: 44.027669355924 Longitude: -79.2776927956924 Y: 44.02766935360128 X: -79.27769264363599					
34	1 of 1	E/88.8	341.4 / 5.98	lot 16 con 8 ON	WWIS
Well ID: 6910601 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 12/13/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 2218 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910601.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 09/15/1971 Year Completed: 1971 Depth (m): 28.0416 Latitude: 44.0257729766237 Longitude: -79.2743337244813 Path: 691\6910601.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10501246 DP2BR: Spatial Status: Elevation: Elevrc: Zone: 17					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	638294.60
Code OB Desc:				North83:	4876183.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	09/15/1971			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751814			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751815			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751816			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		92.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910601			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049816			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813911			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		87.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390955			
Layer:		1			
Slot:		080			
Screen Top Depth:		87.0			
Screen End Depth:		92.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910601			
Pump Set At:					
Static Level:		76.0			
Final Level After Pumping:					
Recommended Pump Depth:		86.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		40			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933993839			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		76.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10501246			Tag No:	
Depth M:	28.0416			Contractor:	2218
Year Completed:	1971			Latitude:	44.0257729766237
Well Completed Dt:	09/15/1971			Longitude:	-79.2743337244813
Audit No:				Y:	44.02577297491604
Path:	691\6910601.pdf			X:	-79.27433357184506

35	1 of 1	NNW/94.0	330.6 / -4.88	lot 17 con 8 ON	WWIS
Well ID:	6910599			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/13/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910599.pdf				

Additional Detail(s) (Map)

Well Completed Date: 10/01/1971
 Year Completed: 1971
 Depth (m): 17.6784
 Latitude: 44.0277155565062
 Longitude: -79.2777713196871
 Path: 691\6910599.pdf

Bore Hole Information

Bore Hole ID:	10501244	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638014.60
Code OB Desc:		North83:	4876393.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	10/01/1971			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751806			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751807			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751805			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932751808			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910599			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049814			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813909			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		53.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390953			
Layer:		1			
Slot:		080			
Screen Top Depth:		53.0			
Screen End Depth:		58.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910599			
Pump Set At:					
Static Level:		42.0			
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth: 53.0 Pumping Rate: 5.0 Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 1 Pumping Duration MIN: 10 Flowing: No					
<u>Water Details</u>					
Water ID: 933993837 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 42.0 Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10501244 Depth M: 17.6784 Year Completed: 1971 Well Completed Dt: 10/01/1971 Audit No: Path: 691\6910599.pdf		Tag No: Contractor: 2218 Latitude: 44.0277155565062 Longitude: -79.2777713196871 Y: 44.02771555490915 X: -79.27777116804062			

36	1 of 1	WNW/97.4	331.4 / -4.05	lot 17 con 8 ON	WWIS
Well ID:	6918196			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/27/1986
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	NA			Contractor:	5457
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6918196.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	07/04/1986				
Year Completed:	1986				
Depth (m):	21.0312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		44.0274394428851			
Longitude:		-79.2791644199096			
Path:		691\6918196.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10508531			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637903.60
Code OB Desc:				North83:	4876360.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/04/1986			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932789321				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	23.0				
Formation End Depth:	27.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932789322				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	05				
Mat3 Desc:	CLAY				
Formation Top Depth:	27.0				
Formation End Depth:	58.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932789320				
Layer:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		23.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932789323			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		91			
Mat2 Desc:		WATER-BEARING			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		58.0			
Formation End Depth:		69.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966918196			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11057101			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930822105			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		66.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933395573			
Layer:		1			
Slot:		012			
Screen Top Depth:		63.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		66.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996918196			
Pump Set At:					
Static Level:		40.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:		66.0			
Pumping Rate:		7.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		934001141			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		58.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10508531		Tag No:	
Depth M:		21.0312		Contractor:	5457
Year Completed:		1986		Latitude:	44.0274394428851
Well Completed Dt:		07/04/1986		Longitude:	-79.2791644199096
Audit No:		NA		Y:	44.02743944075452
Path:		691\6918196.pdf		X:	-79.27916426777519

37	1 of 1	NW/100.2	330.9 / -4.61	lot 17 con 8 ON	WWIS
Well ID:		6911574		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Water Supply		Date Received:	09/13/1973
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):				https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911574.pdf	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/07/1973			
Year Completed:		1973			
Depth (m):		20.1168			
Latitude:		44.0276349639709			
Longitude:		-79.2783975762834			
Path:		691\6911574.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10502205		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637964.60
Code OB Desc:				North83:	4876383.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:		09/07/1973		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932756158			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932756160			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		66.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932756159			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966911574			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11050775			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930814986			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		62.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933391457			
Layer:		1			
Slot:		080			
Screen Top Depth:		61.0			
Screen End Depth:		66.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996911574			
Pump Set At:					
Static Level:		50.0			
Final Level After Pumping:					
Recommended Pump Depth:		5.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		40			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933994821			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10502205			Tag No:	
Depth M:	20.1168			Contractor:	2218
Year Completed:	1973			Latitude:	44.0276349639709
Well Completed Dt:	09/07/1973			Longitude:	-79.2783975762834
Audit No:				Y:	44.0276349617968
Path:	691\6911574.pdf			X:	-79.27839742385598
38	1 of 1	E/100.2	326.4 / -9.05	lot 16 con 8 ON	WWIS
Well ID:	6908269			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/17/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908269.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	09/19/1966				
Year Completed:	1966				
Depth (m):	23.7744				
Latitude:	44.0264265391458				
Longitude:	-79.2740901508969				
Path:	690\6908269.pdf				
Bore Hole Information					
Bore Hole ID:	10498960			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638312.60
Code OB Desc:				North83:	4876256.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	09/19/1966			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	932741813				
Layer:	6				
Color:					
General Color:					
Mat1:	10				
Most Common Material:	COARSE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	69.0				
Formation End Depth:	78.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock					
Materials Interval					
Formation ID:	932741810				
Layer:	3				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	09				
Mat2 Desc:	MEDIUM SAND				
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		12.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741812			
Layer:		5			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		69.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741809			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741811			
Layer:		4			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741808			
Layer:		1			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908269			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047530			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811481			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		73.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389764			
Layer:		1			
Slot:		010			
Screen Top Depth:		73.0			
Screen End Depth:		78.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908269			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		72.0			
Recommended Pump Depth:		72.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	30				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933991541				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	69.0				
Water Found Depth UOM:	ft				
<u>Links</u>					
Bore Hole ID:	10498960			Tag No:	
Depth M:	23.7744			Contractor:	2204
Year Completed:	1966			Latitude:	44.0264265391458
Well Completed Dt:	09/19/1966			Longitude:	-79.2740901508969
Audit No:				Y:	44.026426536398105
Path:	690\6908269.pdf			X:	-79.27408999906514
39	1 of 1	E/100.4	340.7 / 5.20	lot 16 con 8 ON	WWIS
Well ID:	6914908			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/07/1979
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5417
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914908.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	08/18/1978				
Year Completed:	1978				
Depth (m):	22.86				
Latitude:	44.0256792139603				
Longitude:	-79.2740868846602				
Path:	691\6914908.pdf				
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10505479			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638314.60
Code OB Desc:				North83:	4876173.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/18/1978			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932772818				
Layer:	3				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	81				
Mat2 Desc:	SANDY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	50.0				
Formation End Depth:	60.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932772816				
Layer:	1				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	40.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932772819				
Layer:	4				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772817			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966914908			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054049			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818584			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393481			
Layer:		1			
Slot:		010			
Screen Top Depth:		70.0			
Screen End Depth:		75.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996914908				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933998097				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	75.0				
Water Found Depth UOM:	ft				
<u>Links</u>					
Bore Hole ID:	10505479			Tag No:	
Depth M:	22.86			Contractor:	5417
Year Completed:	1978			Latitude:	44.0256792139603
Well Completed Dt:	08/18/1978			Longitude:	-79.2740868846602
Audit No:				Y:	44.0256792115207
Path:	691\6914908.pdf			X:	-79.27408673285875
40	1 of 1	WNW/108.8	330.5 / -4.94	lot 17 con 8 ON	WWIS
Well ID:	6918048			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	05/22/1986
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5457
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6918048.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/08/1986			
Year Completed:		1986			
Depth (m):		19.5072			
Latitude:		44.0274968214281			
Longitude:		-79.2793873709413			
Path:		691\6918048.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10508384			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637885.60
Code OB Desc:				North83:	4876366.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	04/08/1986			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932788460			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		50.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932788461			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		59.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932788457			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932788458			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932788459			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		91			
Mat2 Desc:		WATER-BEARING			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966918048			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11056954			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930821945			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		61.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933395460			
Layer:		1			
Slot:		018			
Screen Top Depth:		61.0			
Screen End Depth:		64.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996918048			
Pump Set At:					
Static Level:		24.0			
Final Level After Pumping:		42.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934366049			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		24.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934000986			
Layer:		1			
Kind Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		FRESH			
Water Found Depth:		61.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10508384			Tag No:	
Depth M:	19.5072			Contractor:	5457
Year Completed:	1986			Latitude:	44.0274968214281
Well Completed Dt:	04/08/1986			Longitude:	-79.2793873709413
Audit No:				Y:	44.02749681880228
Path:	691\6918048.pdf			X:	-79.27938721877237
41	1 of 1	E/110.1	331.1 / -4.39	lot 16 con 8 ON	WWIS
Well ID:	6908274			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/23/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908274.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	09/20/1967				
Year Completed:	1967				
Depth (m):	26.8224				
Latitude:	44.0261828021409				
Longitude:	-79.2740473124719				
Path:	690\6908274.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10498965			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638316.60
Code OB Desc:				North83:	4876229.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	09/20/1967			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932741832			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932741833			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		56.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932741834			
Layer:		3			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		56.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932741835			
Layer:		4			
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		75.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908274			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047535			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811486			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		83.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389769			
Layer:		1			
Slot:		007			
Screen Top Depth:		83.0			
Screen End Depth:		88.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908274			
Pump Set At:					
Static Level:		75.0			
Final Level After Pumping:		82.0			
Recommended Pump Depth:		82.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991546			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10498965		Tag No:	
Depth M:		26.8224		Contractor:	2204
Year Completed:		1967		Latitude:	44.0261828021409
Well Completed Dt:		09/20/1967		Longitude:	-79.2740473124719
Audit No:				Y:	44.02618279944934
Path:		690\6908274.pdf		X:	-79.27404716024142

42	1 of 1	WNW/110.5	328.8 / -6.64	lot 17 con 8 ON	WWIS
Well ID:		6917967		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	05/26/1986
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		NA		Contractor:	5457
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					

Bore Hole Information

Bore Hole ID:	1009034008	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	637889.00
Code OB Desc:		North83:	4876369.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05/01/1986	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Links					
Bore Hole ID:	1009034008			Tag No:	
Depth M:				Contractor:	5457
Year Completed:	1986			Latitude:	44.0275231808088
Well Completed Dt:	05/01/1986			Longitude:	-79.2793441815678
Audit No:	NA			Y:	44.027523179027774
Path:				X:	-79.27934403047992

43	1 of 1	E/111.6	337.9 / 2.39	lot 16 con 8 ON	WWIS
Well ID:	6911234			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/15/1973
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911234.pdf				

Additional Detail(s) (Map)

Well Completed Date: 10/12/1972
Year Completed: 1972
Depth (m): 27.7368
Latitude: 44.0259491952726
Longitude: -79.274079048898
Path: 691\6911234.pdf

Bore Hole Information

Bore Hole ID:	10501877	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638314.60
Code OB Desc:		North83:	4876203.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	10/12/1972	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754688			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754689			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754690			
Layer:		3			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		46.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932754691			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		91.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966911234			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11050447			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930814614			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		86.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933391281			
Layer:		1			
Slot:		007			
Screen Top Depth:		86.0			
Screen End Depth:		91.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996911234			
Pump Set At:					
Static Level:		76.0			
Final Level After Pumping:					
Recommended Pump Depth:		86.0			
Pumping Rate:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 1 Pumping Duration MIN: 20 Flowing: No					
Water Details					
Water ID: 933994492 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 71.0 Water Found Depth UOM: ft					
Links					
Bore Hole ID: 10501877 Depth M: 27.7368 Year Completed: 1972 Well Completed Dt: 10/12/1972 Audit No: Path: 691\6911234.pdf					
Tag No: Contractor: 2218 Latitude: 44.0259491952726 Longitude: -79.274079048898 Y: 44.025949192617496 X: -79.27407889683286					
44	1 of 1	NNW/112.5	329.2 / -6.24	lot 18 con 8 ON	WWIS
Well ID: 6924603 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: 187867 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/01/1998 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 018 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924603.pdf					
Additional Detail(s) (Map)					
Well Completed Date: 08/17/1998 Year Completed: 1998 Depth (m): Latitude: 44.02785310491 Longitude: -79.2779370433386					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		692\6924603.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514881			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638001.00
Code OB Desc:				North83:	4876408.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	08/17/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933217945				
Layer:	1				
Plug From:	8.0				
Plug To:	48.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933217946				
Layer:	2				
Plug From:	8.0				
Plug To:	0.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966924603				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11063451				
Casing No:	1				
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10514881			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.02785310491
Well Completed Dt:	08/17/1998			Longitude:	-79.2779370433386
Audit No:	187867			Y:	44.02785310258281

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:	692\6924603.pdf			X:	-79.27793689097545
45	1 of 1	E/112.5	326.4 / -9.05	lot 16 con 8 ON	WWIS
Well ID:	6909664			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/02/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909664.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	10/02/1969				
Year Completed:	1969				
Depth (m):	25.6032				
Latitude:	44.0263972794046				
Longitude:	-79.273941261885				
Path:	690\6909664.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10500337			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638324.60
Code OB Desc:				North83:	4876253.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	10/02/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932747649				
Layer:	4				
Color:	6				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		84.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932747647			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932747648			
Layer:		3			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932747646			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966909664				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11048907				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930812932				
Layer:	1				
Material:	2				
Open Hole or Material:	GALVANIZED				
Depth From:					
Depth To:	79.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933390494				
Layer:	1				
Slot:	080				
Screen Top Depth:	79.0				
Screen End Depth:	84.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.25				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996909664				
Pump Set At:					
Static Level:	68.0				
Final Level After Pumping:					
Recommended Pump Depth:	78.0				
Pumping Rate:	4.0				
Flowing Rate:					
Recommended Pump Rate:	4.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	2				
Pumping Duration MIN:	15				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933992923				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			
Links					
Bore Hole ID:	10500337			Tag No:	
Depth M:	25.6032			Contractor:	2204
Year Completed:	1969			Latitude:	44.0263972794046
Well Completed Dt:	10/02/1969			Longitude:	-79.273941261885
Audit No:				Y:	44.026397276849195
Path:	690\6909664.pdf			X:	-79.2739411096453

46	1 of 1	WNW/117.5	329.9 / -5.59	lot 17 con 8 ON	WWIS
Well ID:	6917699			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/18/1985
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5457
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917699.pdf				

Additional Detail(s) (Map)

Well Completed Date: 08/06/1985
 Year Completed: 1985
 Depth (m): 20.4216
 Latitude: 44.0274332045313
 Longitude: -79.2799457486358
 Path: 691\6917699.pdf

Bore Hole Information

Bore Hole ID:	10508043	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	637841.00
Code OB Desc:		North83:	4876358.00
Open Hole:		Org CS:	N83
Cluster Kind:		UTMRC:	4
Date Completed:	08/06/1985	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	
Loc Method Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932786669			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932786675			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		60.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932786671			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		37.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932786672			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		37.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786674			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		91			
Mat2 Desc:		WATER-BEARING			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		57.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786670			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		12.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786673			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966917699				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11056613				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930821571				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	63.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933395211				
Layer:	1				
Slot:	025				
Screen Top Depth:	62.0				
Screen End Depth:	65.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	6.0				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996917699				
Pump Set At:					
Static Level:	36.0				
Final Level After Pumping:	40.0				
Recommended Pump Depth:	60.0				
Pumping Rate:	10.0				
Flowing Rate:					
Recommended Pump Rate:	10.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	4				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 934364966					
Test Type: Recovery					
Test Duration: 15					
Test Level: 36.0					
Test Level UOM: ft					
Water Details					
Water ID: 934000643					
Layer: 1					
Kind Code: 5					
Kind: Not stated					
Water Found Depth: 60.0					
Water Found Depth UOM: ft					
Links					
Bore Hole ID: 10508043					
Depth M: 20.4216					
Year Completed: 1985					
Well Completed Dt: 08/06/1985					
Audit No:					
Path: 691\6917699.pdf					
Tag No:					
Contractor: 5457					
Latitude: 44.0274332045313					
Longitude: -79.2799457486358					
Y: 44.027433202738585					
X: -79.27994559700677					
47	1 of 1	NW/121.4	329.9 / -5.57	lot 17 con 8 ON	WWIS
Well ID: 6920945					
Construction Date:					
Use 1st: Domestic					
Use 2nd:					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No: 58482					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliabilty:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
Site Info:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 04/03/1990					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 5459					
Form Version: 1					
Owner:					
County: YORK					
Lot: 017					
Concession: 08					
Concession Name: CON					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920945.pdf					
Additional Detail(s) (Map)					
Well Completed Date: 03/08/1990					
Year Completed: 1990					
Depth (m): 22.5552					
Latitude: 44.0278331386432					
Longitude: -79.2784043170716					
Path: 692\6920945.pdf					
Bore Hole Information					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10511260			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637963.60
Code OB Desc:				North83:	4876405.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	03/08/1990			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932805336				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	81				
Mat2 Desc:	SANDY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	48.0				
Formation End Depth:	68.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932805334				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	2.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932805337				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	31				
Mat2 Desc:	COARSE GRAVEL				
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932805335			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		18			
Mat2 Desc:		SANDSTONE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966920945			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11059830			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930825261			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		71.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933397450			
Layer:		1			
Slot:		012			
Screen Top Depth:		71.0			
Screen End Depth:		74.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996920945			
Pump Set At:					
Static Level:		40.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:		65.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935151499			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934880358			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934364528			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934621839			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934003787			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Links</u>					
Bore Hole ID:	10511260			Tag No:	
Depth M:	22.5552			Contractor:	5459
Year Completed:	1990			Latitude:	44.0278331386432
Well Completed Dt:	03/08/1990			Longitude:	-79.2784043170716
Audit No:	58482			Y:	44.027833136840314
Path:	692\6920945.pdf			X:	-79.27840416479395

48	1 of 1	NW/123.3	328.8 / -6.64	lot 17 con 8 ON	WWIS
Well ID:	6918962			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Public			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/28/1987
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	NA			Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6918962.pdf			

Additional Detail(s) (Map)

Well Completed Date: 09/22/1987
 Year Completed: 1987
 Depth (m): 15.5448
 Latitude: 44.0276404360438
 Longitude: -79.2793582584235
 Path: 691\6918962.pdf

Bore Hole Information

Bore Hole ID:	10509288	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	637887.60
Code OB Desc:		North83:	4876382.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	09/22/1987	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932793734			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932793732			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932793733			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932793735			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932793731			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966918962			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11057858			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930822960			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		47.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933396090			
Layer:		1			
Slot:		007			
Screen Top Depth:		46.0			
Screen End Depth:		51.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	996918962				
Pump Set At:					
Static Level:	18.0				
Final Level After Pumping:					
Recommended Pump Depth:	46.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:					
Pumping Duration HR:	2				
Pumping Duration MIN:	30				
Flowing:	No				
<u>Water Details</u>					
Water ID:	934001912				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	34.0				
Water Found Depth UOM:	ft				
<u>Links</u>					
Bore Hole ID:	10509288			Tag No:	
Depth M:	15.5448			Contractor:	2218
Year Completed:	1987			Latitude:	44.0276404360438
Well Completed Dt:	09/22/1987			Longitude:	-79.2793582584235
Audit No:	NA			Y:	44.02764043384411
Path:	691\6918962.pdf			X:	-79.27935810616711
49	1 of 1	E/131.7	326.3 / -9.15	lot 16 con 8 ON	WWIS
Well ID:	6910461			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/14/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN				
Site Info:	(WHITCHURCH TWP)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910461.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	08/05/1971				
Year Completed:	1971				
Depth (m):	27.7368				
Latitude:	44.0266625482954				
Longitude:	-79.2736216059889				
Path:	691\6910461.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10501106			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638349.60
Code OB Desc:				North83:	4876283.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	08/05/1971			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932751154				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	15.0				
Formation End Depth:	19.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932751156				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	45.0				
Formation End Depth:	81.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751155			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		19.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751153			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751157			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		81.0			
Formation End Depth:		91.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910461			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11049676			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813754			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		86.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390858			
Layer:		1			
Slot:		080			
Screen Top Depth:		86.0			
Screen End Depth:		91.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910461			
Pump Set At:					
Static Level:		78.0			
Final Level After Pumping:					
Recommended Pump Depth:		85.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933993694			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		81.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10501106			Tag No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth M:	27.7368			Contractor:	2218
Year Completed:	1971			Latitude:	44.0266625482954
Well Completed Dt:	08/05/1971			Longitude:	-79.2736216059889
Audit No:				Y:	44.026662545380404
Path:	691\6910461.pdf			X:	-79.27362145411156

50	1 of 1	E/132.3	326.3 / -9.15	lot 16 con 8 ON	WWIS
Well ID:	6908255			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	11/01/1955
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908255.pdf				

Additional Detail(s) (Map)

Well Completed Date: 09/29/1955
 Year Completed: 1955
 Depth (m): 21.336
 Latitude: 44.0264023204851
 Longitude: -79.2736790736167
 Path: 690\6908255.pdf

Bore Hole Information

Bore Hole ID:	10498946	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638345.60
Code OB Desc:		North83:	4876254.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	09/29/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Loc Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:					
		932741754			
Layer:					
		2			
Color:					
General Color:					
Mat1:					
		09			
Most Common Material:					
		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:					
		932741753			
Layer:					
		1			
Color:					
General Color:					
Mat1:					
		05			
Most Common Material:					
		CLAY			
Mat2:					
		12			
Mat2 Desc:					
		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
		966908255			
Method Construction Code:					
		8			
Method Construction:					
		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:					
		11047516			
Casing No:					
		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
		930811467			
Layer:					
		1			
Material:					
		1			
Open Hole or Material:					
		STEEL			
Depth From:					
Depth To:					
		65.0			
Casing Diameter:					
		2.0			
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Construction Record - Screen</u>					
Screen ID:					
		933389750			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:					
Screen Top Depth:		65.0			
Screen End Depth:		70.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908255			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991527			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10498946			Tag No:	
Depth M:	21.336			Contractor:	5419
Year Completed:	1955			Latitude:	44.0264023204851
Well Completed Dt:	09/29/1955			Longitude:	-79.2736790736167
Audit No:				Y:	44.02640231748845
Path:	690\6908255.pdf			X:	-79.27367892204013
51	1 of 2	NNW/135.0	329.9 / -5.55	TALL OAKS PROPERTY SERVICES LTD 5 APPLETON AVE STOUFFVILLE ON L4A7X3	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Operator			Oper Phone No:	
Licence Type Code:	02			Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot: Concession: Region: District: County: Trade Name: PDF URL:				Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
51	2 of 2	NNW/135.0	329.9 / -5.55	TALL OAKS PROPERTY SERVICES LTD 5 APPLETON AVE STOUFFVILLE ON L4A7X3	PES
Detail Licence No: Licence No: 05972 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Operator Licence Type Code: 02 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 4727274 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
52	1 of 1	NW/135.8	329.2 / -6.27	lot 17 con 8 ON	WWIS
Well ID: 6920562 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: NA Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:				Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 08/31/1989 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920562.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/24/1989			
Year Completed:		1989			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		23.1648			
Latitude:		44.0278670916614			
Longitude:		-79.2788650384105			
Path:		692\6920562.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10510880			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637926.60
Code OB Desc:				North83:	4876408.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/24/1989			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932803185			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932803187			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932803190			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932803189			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932803186			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932803188			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966920562				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11059450				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930824810				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	73.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933397190				
Layer:	1				
Slot:	014				
Screen Top Depth:	73.0				
Screen End Depth:	76.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	6.0				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	BAILER				
Pump Test ID:	996920562				
Pump Set At:					
Static Level:	40.0				
Final Level After Pumping:	60.0				
Recommended Pump Depth:	60.0				
Pumping Rate:	30.0				
Flowing Rate:					
Recommended Pump Rate:	20.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 935151273					
Test Type: Draw Down					
Test Duration: 60					
Test Level: 60.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934629961					
Test Type: Draw Down					
Test Duration: 30					
Test Level: 60.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934363449					
Test Type: Draw Down					
Test Duration: 15					
Test Level: 55.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934879738					
Test Type: Draw Down					
Test Duration: 45					
Test Level: 60.0					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 934003402					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 60.0					
Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10510880					
Depth M: 23.1648					
Year Completed: 1989					
Well Completed Dt: 08/24/1989					
Audit No: NA					
Path: 692\6920562.pdf					
Tag No:					
Contractor: 5459					
Latitude: 44.0278670916614					
Longitude: -79.2788650384105					
Y: 44.0278670900248					
X: -79.27886488629804					

53	1 of 1	N/137.2	325.9 / -9.61	lot 17 con 8 ON	WWIS
Well ID: 6912284					
Construction Date:					
Use 1st: Public					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 11/08/1974					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2218					
Form Version: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method:			Owner:		
Elevation (m):			County: YORK		
Elevatn Reliabilty:			Lot: 017		
Depth to Bedrock:			Concession: 08		
Well Depth:			Concession Name: CON		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6912284.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:			09/26/1974		
Year Completed:			1974		
Depth (m):			15.8496		
Latitude:			44.0281966334664		
Longitude:			-79.2774329432739		
Path:			691\6912284.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID:			10502905		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone: 17		
Code OB Desc:			East83: 638040.60		
Open Hole:			North83: 4876447.00		
Cluster Kind:			Org CS:		
Date Completed:			UTMRC: 4		
Remarks:			UTMRC Desc: margin of error : 30 m - 100 m		
Loc Method Desc:			Location Method: p4		
Elevrc Desc:			Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932759447		
Layer:			4		
Color:			3		
General Color:			BLUE		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			28.0		
Formation End Depth:			40.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932759448			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932759446			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		26.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932759444			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932759445			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		26.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966912284			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11051475			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930815813			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		48.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933391853			
Layer:		1			
Slot:		080			
Screen Top Depth:		47.0			
Screen End Depth:		52.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996912284			
Pump Set At:					
Static Level:		30.0			
Final Level After Pumping:					
Recommended Pump Depth:		46.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		20			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933995510			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10502905			Tag No:	
Depth M:	15.8496			Contractor:	2218
Year Completed:	1974			Latitude:	44.0281966334664
Well Completed Dt:	09/26/1974			Longitude:	-79.2774329432739
Audit No:				Y:	44.028196630591424
Path:	691\6912284.pdf			X:	-79.27743279070468
54	1 of 1	NNW/139.4	329.9 / -5.55	lot 17 con 8 ON	WWIS
Well ID:	6922044			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/13/1992
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	116142			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922044.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	09/15/1992				
Year Completed:	1992				
Depth (m):	21.336				
Latitude:	44.0280546641588				
Longitude:	-79.278168298217				
Path:	692\6922044.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10512350			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637982.00
Code OB Desc:				North83:	4876430.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		09/15/1992		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932812126			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		70.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932812123			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		0.0			
Formation End Depth:		38.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932812124			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		38.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932812125			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		10			
Mat3 Desc:		COARSE SAND			
Formation Top Depth:		65.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966922044			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11060920			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930826538			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		67.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933398216			
Layer:		1			
Slot:		018			
Screen Top Depth:		67.0			
Screen End Depth:		70.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922044			
Pump Set At:					
Static Level:		40.0			
Final Level After Pumping:		55.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:		60.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934633418			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		55.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935147836			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		55.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934882613			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		55.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934358513			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		55.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		934004831			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10512350			Tag No:	
Depth M:	21.336			Contractor:	5459
Year Completed:	1992			Latitude:	44.0280546641588
Well Completed Dt:	09/15/1992			Longitude:	-79.278168298217
Audit No:	116142			Y:	44.02805466200716

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:	692\6922044.pdf			X:	-79.27816814598353
55	1 of 1	N/140.6	325.9 / -9.61	lot 17 con 8 ON	WWIS
Well ID:	6908283			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	06/28/1966
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908283.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/29/1965				
Year Completed:	1965				
Depth (m):	12.192				
Latitude:	44.0284009538502				
Longitude:	-79.276653350492				
Path:	690\6908283.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10498974			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638102.60
Code OB Desc:				North83:	4876471.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	11/29/1965			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932741869				
Layer:	2				
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741870			
Layer:		3			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741868			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		02			
Mat2 Desc:		TOPSOIL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908283			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047544			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930811495			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		35.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389778			
Layer:		1			
Slot:		010			
Screen Top Depth:		35.0			
Screen End Depth:		40.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908283			
Pump Set At:					
Static Level:		11.0			
Final Level After Pumping:		34.0			
Recommended Pump Depth:		34.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991555			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10498974			Tag No:	
Depth M:	12.192			Contractor:	2204
Year Completed:	1965			Latitude:	44.0284009538502
Well Completed Dt:	11/29/1965			Longitude:	-79.276653350492
Audit No:				Y:	44.028400951893666
Path:	690\6908283.pdf			X:	-79.27665319789824
56	1 of 1	ENE/140.6	325.9 / -9.61	lot 16 con 8	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ON					
Well ID:	6913996			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/04/1977
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1413
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6913996.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/10/1977				
Year Completed:	1977				
Depth (m):	18.288				
Latitude:	44.0270215806378				
Longitude:	-79.2735487908844				
Path:	691\6913996.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10504573			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638354.60
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	06/10/1977			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932768151				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	66				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		DENSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932768152			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:		80			
Mat3 Desc:		POROUS			
Formation Top Depth:		48.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966913996			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11053143			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930817608			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		56.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933392911			
Layer:		1			
Slot:		014			
Screen Top Depth:		56.0			
Screen End Depth:		60.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996913996				
Pump Set At:					
Static Level:	22.0				
Final Level After Pumping:	25.0				
Recommended Pump Depth:	30.0				
Pumping Rate:	25.0				
Flowing Rate:					
Recommended Pump Rate:	7.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935139547				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	25.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934364816				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	25.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	933997160				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	60.0				
Water Found Depth UOM:	ft				
<u>Links</u>					
Bore Hole ID:	10504573			Tag No:	
Depth M:	18.288			Contractor:	1413
Year Completed:	1977			Latitude:	44.0270215806378
Well Completed Dt:	06/10/1977			Longitude:	-79.2735487908844
Audit No:				Y:	44.02702157866624
Path:	691\6913996.pdf			X:	-79.27354863936074
57	1 of 1	SSE/142.2	339.8 / 4.34	lot 16 con 8 ON	WWIS
Well ID:	6908256			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/14/1956
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908256.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/11/1956			
Year Completed:		1956			
Depth (m):		6.096			
Latitude:		44.0237767398801			
Longitude:		-79.2762882512641			
Path:		690\6908256.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10498947			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638142.60
Code OB Desc:				North83:	4875958.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	07/11/1956			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Loc Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741757			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		20.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741756			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741755			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908256			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047517			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811468			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		15.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	933389751				
Layer:	1				
Slot:					
Screen Top Depth:	15.0				
Screen End Depth:	20.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996908256				
Pump Set At:					
Static Level:	15.0				
Final Level After Pumping:	15.0				
Recommended Pump Depth:					
Pumping Rate:	3.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933991528				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	15.0				
Water Found Depth UOM:	ft				
<u>Links</u>					
Bore Hole ID:	10498947			Tag No:	
Depth M:	6.096			Contractor:	5419
Year Completed:	1956			Latitude:	44.0237767398801
Well Completed Dt:	07/11/1956			Longitude:	-79.2762882512641
Audit No:				Y:	44.02377673768767
Path:	690\6908256.pdf			X:	-79.27628809884352
58	1 of 1	E/149.5	326.7 / -8.76	lot 16 con 8 ON	WWIS
Well ID:	6908253			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/02/1955
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908253.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		02/21/1955			
Year Completed:		1955			
Depth (m):		21.336			
Latitude:		44.0264079265563			
Longitude:		-79.2734543034673			
Path:		690\6908253.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10498944			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638363.60
Code OB Desc:				North83:	4876255.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	02/21/1955			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Loc Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741749			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:					
		932741748			
Layer:					
		1			
Color:					
General Color:					
Mat1:					
		05			
Most Common Material:					
		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
		966908253			
Method Construction Code:					
		8			
Method Construction:					
		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:					
		11047514			
Casing No:					
		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
		930811465			
Layer:					
		1			
Material:					
		1			
Open Hole or Material:					
		STEEL			
Depth From:					
Depth To:					
		65.0			
Casing Diameter:					
		2.0			
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Construction Record - Screen</u>					
Screen ID:					
		933389748			
Layer:					
		1			
Slot:					
Screen Top Depth:					
		65.0			
Screen End Depth:					
		70.0			
Screen Material:					
Screen Depth UOM:					
		ft			
Screen Diameter UOM:					
		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
		PUMP			
Pump Test ID:					
		996908253			
Pump Set At:					
Static Level:					
		60.0			
Final Level After Pumping:					
		60.0			
Recommended Pump Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		3.0			
		ft			
		GPM			
		1			
		CLEAR			
		1			
		2			
		0			
		No			
<u>Water Details</u>					
Water ID:		933991525			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10498944		Tag No:	
Depth M:		21.336		Contractor:	5419
Year Completed:		1955		Latitude:	44.0264079265563
Well Completed Dt:		02/21/1955		Longitude:	-79.2734543034673
Audit No:				Y:	44.026407924588604
Path:		690\6908253.pdf		X:	-79.27345415105114

591 of 1NW/151.8328.4 / -7.04lot 17 con 8 ONWWIS

Well ID:

6921603

Construction Date:

Use 1st:

Domestic

Use 2nd:

Final Well Status:

Water Supply

Water Type:

Casing Material:

Audit No:

91763

Tag:

Constructn Method:

Elevation (m):

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality:

WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)

Site Info:

Flowing (Y/N):

Flow Rate:

Data Entry Status:

Data Src:

1

Date Received:

10/07/1991

Selected Flag:

TRUE

Abandonment Rec:

Contractor:

1413

Form Version:

1

Owner:

County:

YORK

Lot:

017

Concession:

08

Concession Name:

CON

Easting NAD83:

Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921603.pdf

Additional Detail(s) (Map)

Well Completed Date:

09/09/1991

Year Completed:

1991

Depth (m):

17.0688

Latitude:

44.0279188537326

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.2793127664265			
Path:		692\6921603.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10511913			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637890.60
Code OB Desc:				North83:	4876413.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	09/09/1991			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932809653				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	62				
Mat2 Desc:	CLEAN				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	37.0				
Formation End Depth:	56.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932809652				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	66				
Mat2 Desc:	DENSE				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	37.0				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933213928				
Layer:	2				
Plug From:	49.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		53.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933213927			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966921603			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11060483			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930826004			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		53.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933397926			
Layer:		1			
Slot:		010			
Screen Top Depth:		53.0			
Screen End Depth:		56.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996921603			
Pump Set At:					
Static Level:		33.0			
Final Level After Pumping:		49.0			
Recommended Pump Depth:		49.0			
Pumping Rate:		15.0			
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate: 10.0 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 1 Pumping Duration MIN: 0 Flowing: No					
<u>Water Details</u>					
Water ID: 934004408 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 56.0 Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10511913 Depth M: 17.0688 Year Completed: 1991 Well Completed Dt: 09/09/1991 Audit No: 91763 Path: 692\6921603.pdf Tag No: Contractor: 1413 Latitude: 44.0279188537326 Longitude: -79.2793127664265 Y: 44.027918851659415 X: -79.27931261367411					
60	1 of 1	E/153.1	325.9 / -9.61	ON	WWIS
Well ID: 6924412 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: 187978 Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 06/22/1998 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924412.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 05/07/1998 Year Completed: 1998 Depth (m): Latitude: 44.0267755056723 Longitude: -79.2733512917088 Path: 692\6924412.pdf					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10514690			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638371.00
Code OB Desc:				North83:	4876296.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	05/07/1998			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217732			
Layer:		1			
Plug From:		0.0			
Plug To:		46.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924412			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063260			
Casing No:		1			
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10514690			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0267755056723
Well Completed Dt:	05/07/1998			Longitude:	-79.2733512917088
Audit No:	187978			Y:	44.026775503408075
Path:	692\6924412.pdf			X:	-79.27335114033927
61	1 of 1	NNW/157.2	328.5 / -6.95	lot 17 con 8 ON	WWIS
Well ID:	6910597			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/13/1971

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751797			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751798			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751795			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751799			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910597			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049812			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813907			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		60.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390951			
Layer:		1			
Slot:		080			
Screen Top Depth:		60.0			
Screen End Depth:		65.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910597			
Pump Set At:					
Static Level:		47.0			
Final Level After Pumping:					
Recommended Pump Depth:		59.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993835			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		50.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10501242		Tag No:	
Depth M:		19.812		Contractor:	2218
Year Completed:		1971		Latitude:	44.0281749276208
Well Completed Dt:		10/15/1971		Longitude:	-79.2783819427138
Audit No:				Y:	44.02817492561401
Path:		691\6910597.pdf		X:	-79.27838179133002
62	1 of 1	E/158.2	331.6 / -3.82	lot 16 con 8 ON	WWIS
Well ID:		6910040		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	10/21/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2215
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910040.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/01/1970			
Year Completed:		1970			
Depth (m):		26.5176			
Latitude:		44.0261197580795			
Longitude:		-79.2734501921134			
Path:		691\6910040.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10500697		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638364.60

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	09/01/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749234			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749235			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		32.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749236			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		87.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966910040				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11049267				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930813318				
Layer:	1				
Material:	2				
Open Hole or Material:	GALVANIZED				
Depth From:					
Depth To:	82.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933390655				
Layer:	1				
Slot:	080				
Screen Top Depth:	82.0				
Screen End Depth:	87.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.25				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996910040				
Pump Set At:					
Static Level:	72.0				
Final Level After Pumping:					
Recommended Pump Depth:	81.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	45				
Flowing:	No				
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID: 933993294 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 72.0 Water Found Depth UOM: ft					
Links					
Bore Hole ID: 10500697 Depth M: 26.5176 Year Completed: 1970 Well Completed Dt: 09/01/1970 Audit No: Path: 691\6910040.pdf					
Tag No: Contractor: 2215 Latitude: 44.0261197580795 Longitude: -79.2734501921134 Y: 44.02611975548885 X: -79.27345004038753					
63	1 of 1	NNW/158.7	328.5 / -6.95	lot 17 con 8 ON	WWIS
Well ID: 6910596 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 12/13/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 2218 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910596.pdf					
Additional Detail(s) (Map)					
Well Completed Date: 10/11/1971 Year Completed: 1971 Depth (m): 18.5928 Latitude: 44.0281758675894 Longitude: -79.278444308305 Path: 691\6910596.pdf					
Bore Hole Information					
Bore Hole ID: 10501241 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/11/1971					
Elevation: Elevrc: Zone: 17 East83: 637959.60 North83: 4876443.00 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:		Location Method:			p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751791			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751792			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751793			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932751794			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		61.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910596			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049811			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813906			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		56.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390950			
Layer:		1			
Slot:		080			
Screen Top Depth:		56.0			
Screen End Depth:		61.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910596			
Pump Set At:					
Static Level:		45.0			
Final Level After Pumping:					
Recommended Pump Depth:		54.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
Water Details					
Water ID:		933993834			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		54.0			
Water Found Depth UOM:		ft			
Links					
Bore Hole ID:		10501241		Tag No:	
Depth M:		18.5928		Contractor:	2218
Year Completed:		1971		Latitude:	44.0281758675894
Well Completed Dt:		10/11/1971		Longitude:	-79.278444308305
Audit No:				Y:	44.028175866028064
Path:		691\6910596.pdf		X:	-79.27844415595025

64	1 of 1	E/160.7	333.0 / -2.43	lot 16 con 8 ON	WWIS
Well ID:		6909662		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	02/02/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909662.pdf			

Additional Detail(s) (Map)

Well Completed Date: 12/22/1969
Year Completed: 1969
Depth (m): 20.7264
Latitude: 44.026387853909

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.2733176262354			
Path:		690\6909662.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10500335			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638374.60
Code OB Desc:				North83:	4876253.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/22/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932747639				
Layer:	3				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	09				
Mat2 Desc:	MEDIUM SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	50.0				
Formation End Depth:	55.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932747640				
Layer:	4				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	55.0				
Formation End Depth:	68.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932747637				
Layer:	1				
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932747638			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909662			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11048905			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930812930			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		63.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390492			
Layer:		1			
Slot:		060			
Screen Top Depth:		63.0			
Screen End Depth:		68.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909662			
Pump Set At:					
Static Level:		58.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992921			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		55.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10500335		Tag No:	
Depth M:		20.7264		Contractor:	
Year Completed:		1969		Latitude:	
Well Completed Dt:		12/22/1969		Longitude:	
Audit No:				Y:	
Path:		690\6909662.pdf		X:	

65	1 of 1	E/166.6	328.2 / -7.23	lot 16 con 8 ON	WWIS
Well ID:					
Construction Date:		6909862	Flowing (Y/N):		
Use 1st:		Domestic	Flow Rate:		
Use 2nd:		0	Data Entry Status:		
Final Well Status:		Water Supply	Data Src:		1
Water Type:			Date Received:		07/02/1970
Casing Material:			Selected Flag:		TRUE
Audit No:			Abandonment Rec:		
Tag:			Contractor:		2215
Constructn Method:			Form Version:		1
Elevation (m):			Owner:		
Elevatn Reliabilty:			County:		YORK
Depth to Bedrock:			Lot:		016
Well Depth:			Concession:		08
Overburden/Bedrock:			Concession Name:		CON
Pump Rate:			Easting NAD83:		
			Northing NAD83:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Clear/Cloudy: Municipality: Site Info:		Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909862.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/09/1970			
Year Completed:		1970			
Depth (m):		27.1272			
Latitude:		44.0266559495531			
Longitude:		-79.2731850591291			
Path:		690\6909862.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10500532		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		03/09/1970		UTMRC Desc:	
Remarks:				Location Method:	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932748535			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932748533			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932748536			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		89.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932748534			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909862			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049102			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813133			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		84.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390573			
Layer:		1			
Slot:		080			
Screen Top Depth:		84.0			
Screen End Depth:		89.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909862			
Pump Set At:					
Static Level:		73.0			
Final Level After Pumping:					
Recommended Pump Depth:		82.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993130			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10500532		Tag No:	
Depth M:		27.1272		Contractor:	2215
Year Completed:		1970		Latitude:	44.0266559495531
Well Completed Dt:		03/09/1970		Longitude:	-79.2731850591291
Audit No:				Y:	44.026655947457776
Path:		690\6909862.pdf		X:	-79.27318490715989
66	1 of 1	E/167.6	325.0 / -10.47	lot 17 con 8 ON	WWIS
Well ID:		6922601		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	05/24/1994
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	141475			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922601.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	05/13/1994				
Year Completed:	1994				
Depth (m):	16.4592				
Latitude:	44.0268448609266				
Longitude:	-79.273174581933				
Path:	692\6922601.pdf				
 <u>Bore Hole Information</u>					
Bore Hole ID:	10512904			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638385.00
Code OB Desc:				North83:	4876304.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	05/13/1994			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Loc Method Desc:	from gps				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932815291				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	35.0				
Formation End Depth:	44.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932815292			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		10			
Mat2 Desc:		COARSE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932815288			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932815289			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		23.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932815290			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		10			
Mat2 Desc:		COARSE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		23.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933215257			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966922601			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11061474			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930827165			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		51.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933398609			
Layer:		1			
Slot:		018			
Screen Top Depth:		51.0			
Screen End Depth:		54.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922601			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		18.0			
Final Level After Pumping:		40.0			
Recommended Pump Depth:		40.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934635175			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		35.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934884218			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		40.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935149025			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		40.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934360167			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		934005318			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		44.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10512904			Tag No:	
Depth M:	16.4592			Contractor:	5459
Year Completed:	1994			Latitude:	44.0268448609266

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Dt:	05/13/1994			Longitude:	-79.273174581933
Audit No:	141475			Y:	44.02684485838277
Path:	692\6922601.pdf			X:	-79.27317443009517

67	1 of 1	E/168.7	328.2 / -7.23	lot 16 con 8 ON	WWIS
Well ID:	6908262			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/17/1962
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908262.pdf

Additional Detail(s) (Map)

Well Completed Date: 08/31/1962
Year Completed: 1962
Depth (m): 9.7536
Latitude: 44.026637573689
Longitude: -79.2731606362772
Path: 690\6908262.pdf

Bore Hole Information

Bore Hole ID: 10498953
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 08/31/1962
Remarks:
Loc Method Desc: Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83: 638386.60
North83: 4876281.00
Org CS:
UTMRC: 5
UTMRC Desc: margin of error : 100 m - 300 m
Location Method: p5

Overburden and Bedrock Materials Interval

Formation ID: 932741776

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741777			
Layer:		3			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741775			
Layer:		1			
Color:					
General Color:					
Mat1:		23			
Most Common Material:		PREVIOUSLY DUG			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908262			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047523			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930811474			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		27.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389757			
Layer:		1			
Slot:					
Screen Top Depth:		27.0			
Screen End Depth:		32.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908262			
Pump Set At:					
Static Level:		26.0			
Final Level After Pumping:					
Recommended Pump Depth:		27.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991534			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		25.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10498953		Tag No:		
Depth M:	9.7536		Contractor:	5419	
Year Completed:	1962		Latitude:	44.026637573689	
Well Completed Dt:	08/31/1962		Longitude:	-79.2731606362772	
Audit No:			Y:	44.02663757150364	
Path:	690\6908262.pdf		X:	-79.2731604837734	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
68	1 of 1	E/170.0	338.5 / 3.08	lot 16 con 8 ON	WWIS
Well ID: 6908261 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 07/03/1962 Selected Flag: TRUE Abandonment Rec: Contractor: 2613 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908261.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/24/1962			
Year Completed:		1962			
Depth (m):		29.5656			
Latitude:		44.026072687318			
Longitude:		-79.2733142994752			
Path:		690\6908261.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498952		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638375.60	
Code OB Desc:				North83: 4876218.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 9	
Date Completed:		04/24/1962		UTMRC Desc: unknown UTM	
Remarks:				Location Method: p9	
Loc Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741773			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		51.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741774			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741772			
Layer:		1			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966908261			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11047522			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811473			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		93.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389756			
Layer:		1			
Slot:		014			
Screen Top Depth:		93.0			
Screen End Depth:		97.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908261			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:		72.0			
Recommended Pump Depth:		90.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991533			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		76.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10498952			Tag No:	
Depth M:	29.5656			Contractor:	2613
Year Completed:	1962			Latitude:	44.026072687318
Well Completed Dt:	04/24/1962			Longitude:	-79.2733142994752
Audit No:				Y:	44.02607268483182
Path:	690\6908261.pdf			X:	-79.27331414689236
69	1 of 1	E/176.1	333.0 / -2.43	34 WINDSOR DRIVE lot 16 con 8 STOUFFVILLE ON	WWIS
Well ID:	7124521			Flowing (Y/N):	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z81597 Tag: A075297 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:				Flow Rate: Data Entry Status: Data Src: Date Received: 06/23/2009 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 5459 Form Version: 7 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7124521.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/25/2009			
Year Completed:		2009			
Depth (m):					
Latitude:		44.0263311425047			
Longitude:		-79.273139587264			
Path:		712\7124521.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002489270			
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:		05/25/2009			
Remarks:					
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002551840			
Layer:		1			
Plug From:		76.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1002551841			
Layer:		2			
Plug From:		76.0			
Plug To:		79.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002551845			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002551837			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002551843			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002551844			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002551842			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1002551839			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		inch			
<u>Links</u>					
Bore Hole ID:	1002489270			Tag No:	A075297
Depth M:				Contractor:	5459
Year Completed:	2009			Latitude:	44.0263311425047
Well Completed Dt:	05/25/2009			Longitude:	-79.273139587264
Audit No:	Z81597			Y:	44.0263311405052
Path:	712\7124521.pdf			X:	-79.27313943538219
70	1 of 1	E/178.8	339.4 / 3.95	PRIVATE RESIDENCE 45 VALLEY RD, STOUFFVILLE. FURNACE OIL TANK WHITCHURCH-STOUFFVILLE TOWN ON	SPL
Ref No:	164406			Municipality No:	27406
Year:				Nature of Damage:	
Incident Dt:	2/1/1999			Discharger Report:	
MOE Response:				Material Group:	
Dt MOE Arvl on Scn:				Health/Env Conseq:	
MOE Reported Dt:	2/5/1999			Agency Involved:	
Dt Document Closed:					
Site No:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		WHITCHURCH-STOUFFVILLE TOWN			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Incident Cause:		ABOVE-GROUND TANK LEAK			
Incident Event:					
Environment Impact:		CONFIRMED			
Nature of Impact:		Soil contamination			
Contaminant Qty:					
System Facility Address:					
Client Name:					
Client Type:					
Call Report Location Geodata:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Receiving Environment:					
Incident Reason:		CORROSION			
Incident Summary:		PRIVATE RESIDENCE- UNK QUANT FURNACE OIL LEAK TOGRAVEL FROM TANK PINHOLE.			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Source Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
71	1 of 1	E/180.0	339.4 / 3.95	lot 16 con 8 ON	WWIS
Well ID: 6922602 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 144962 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 06/06/1994 Selected Flag: TRUE Abandonment Rec: Contractor: 4743 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922602.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		02/03/1994			
Year Completed:		1994			
Depth (m):		24.9936			
Latitude:		44.0254283767364			
Longitude:		-79.2729786329952			
Path:		692\6922602.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10512905		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638404.00	
Code OB Desc:				North83: 4876147.00	
Open Hole:				Org CS: N83	
Cluster Kind:				UTMRC: 4	
Date Completed:		02/03/1994		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815293			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815297			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		45.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815299			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		03			
Mat2 Desc:		MUCK			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815298			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		62			
Mat2 Desc:		CLEAN			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		72.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932815295			
Layer:		3			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		19.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932815296			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:		68			
Mat3 Desc:		DRY			
Formation Top Depth:		39.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932815294			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		19.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933215258			
Layer:		1			
Plug From:		5.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966922602			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11061475			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930827166			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		72.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930827167			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		82.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933398610			
Layer:		1			
Slot:		003			
Screen Top Depth:		72.0			
Screen End Depth:		78.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922602			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		70.0			
Recommended Pump Depth:		75.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		9.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934884219				
Test Type:	Draw Down				
Test Duration:	45				
Test Level:	270.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934635176				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	70.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935149026				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	70.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934360168				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	70.0				
Test Level UOM:	ft				
 <u>Water Details</u>					
Water ID:	934005319				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	72.0				
Water Found Depth UOM:	ft				
 <u>Links</u>					
Bore Hole ID:	10512905			Tag No:	
Depth M:	24.9936			Contractor:	4743
Year Completed:	1994			Latitude:	44.0254283767364
Well Completed Dt:	02/03/1994			Longitude:	-79.2729786329952
Audit No:	144962			Y:	44.0254283747628
Path:	692\6922602.pdf			X:	-79.27297848077193
72	1 of 1	ENE/182.4	325.9 / -9.61	lot 16 con 8 ON	WWIS
Well ID:	6912557			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	04/02/1975
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2407
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6912557.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/30/1974			
Year Completed:		1974			
Depth (m):		26.8224			
Latitude:		44.0276946482213			
Longitude:		-79.2734044643994			
Path:		691\6912557.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10503164			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638364.60
Code OB Desc:				North83:	4876398.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	09/30/1974			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932760745			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		45.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932760743			
Layer:		1			
Color:		3			
General Color:		BLUE			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932760744			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932760746			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		85.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966912557			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		11051734			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930816101			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		85.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933392023			
Layer:		1			
Slot:		008			
Screen Top Depth:		85.0			
Screen End Depth:		88.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996912557			
Pump Set At:					
Static Level:		58.0			
Final Level After Pumping:		85.0			
Recommended Pump Depth:		88.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		4			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934623166			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		70.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934882822			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type: Draw Down Test Duration: 45 Test Level: 79.0 Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 935144968 Test Type: Draw Down Test Duration: 60 Test Level: 85.0 Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934360935 Test Type: Draw Down Test Duration: 15 Test Level: 68.0 Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 933995761 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 85.0 Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10503164 Depth M: 26.8224 Year Completed: 1974 Well Completed Dt: 09/30/1974 Audit No: Path: 691\6912557.pdf					
Tag No: Contractor: 2407 Latitude: 44.0276946482213 Longitude: -79.2734044643994 Y: 44.02769464589248 X: -79.27340431241987					
73	1 of 2	NNW/186.3	325.9 / -9.61	WHITCHURCH-STOUFFVILLE TOWN LAKESHORE RD./APPLETON AVE. WHITCHURCH-STOUFFVILLE TOWN ON	CA
Certificate #: 3-0341-96- Application Year: 96 Issue Date: 5/3/1996 Approval Type: Municipal sewage Status: Cancelled Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
73	2 of 2	NNW/186.3	325.9 / -9.61	WHITCHURCH-STOUFFVILLE TOWN LAKESHORE RD./APPLETON AVE. WHITCHURCH-STOUFFVILLE TOWN ON	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Certificate #: 3-0341-96- Application Year: 96 Issue Date: 6/25/1996 Approval Type: Municipal sewage Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
74	1 of 1	E/190.1	335.9 / 0.39	41 VALLEY ROAD lot 16 con 8 MUSSELMAND LAKE ON	WWIS
Well ID: 7293644 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z225796 Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7293644.pdf Additional Detail(s) (Map) Well Completed Date: 08/11/2017 Year Completed: 2017 Depth (m): Latitude: 44.0252729357904 Longitude: -79.2728209338652 Path: 729\7293644.pdf Bore Hole Information Bore Hole ID: 1006716145 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 08/11/2017 Remarks: Loc Method Desc: on Water Well Record					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 09/15/2017 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 5459 Form Version: 7 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
Elevation: Elevrc: Zone: 17 East83: 638417.00 North83: 4876130.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006766416			
Layer:		2			
Plug From:		45.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006766415			
Layer:		1			
Plug From:		0.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006766417			
Layer:		3			
Plug From:		50.0			
Plug To:		45.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006766418			
Layer:		4			
Plug From:		60.0			
Plug To:		50.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006766414			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006766407			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		1006766412			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006766413			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1006766408			
Pump Set At:					
Static Level:		12.199999809265137			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		1006766411			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006766410			
Diameter:		2.0			
Depth From:		60.0			
Depth To:		0.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Links</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1006716145			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	2017			Latitude:	44.0252729357904
Well Completed Dt:	08/11/2017			Longitude:	-79.2728209338652
Audit No:	Z225796			Y:	44.0252729334011
Path:	729\7293644.pdf			X:	-79.27282078248652

75	1 of 1	E/197.0	326.9 / -8.61	lot 16 con 8 ON	WWIS
Well ID:	6910275			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	04/26/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910275.pdf				

Additional Detail(s) (Map)

Well Completed Date: 03/25/1971
Year Completed: 1971
Depth (m): 27.432
Latitude: 44.0268302795527
Longitude: -79.2728056483576
Path: 691\6910275.pdf

Bore Hole Information

Bore Hole ID:	10500924	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638414.60
Code OB Desc:		North83:	4876303.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	03/25/1971	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			932750315		
Layer:			1		
Color:			8		
General Color:			BLACK		
Mat1:			02		
Most Common Material:			TOPSOIL		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			2.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932750317		
Layer:			3		
Color:			6		
General Color:			BROWN		
Mat1:			08		
Most Common Material:			FINE SAND		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			12.0		
Formation End Depth:			44.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932750319		
Layer:			5		
Color:			6		
General Color:			BROWN		
Mat1:			09		
Most Common Material:			MEDIUM SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			78.0		
Formation End Depth:			90.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932750316		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			09		
Most Common Material:			MEDIUM SAND		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		2.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932750318			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966910275			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049494			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813559			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		85.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390765			
Layer:		1			
Slot:		080			
Screen Top Depth:		85.0			
Screen End Depth:		90.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/28/1969				
Year Completed:	1969				
Depth (m):	17.0688				
Latitude:	44.0270102669378				
Longitude:	-79.2728004204417				
Path:	690\6909666.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10500339			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638414.60
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	11/28/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932747659				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	44.0				
Formation End Depth:	56.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932747656				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	12				
Mat2 Desc:	STONES				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	14.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932747658			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932747657			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909666			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11048909			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930812934			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		51.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID: 933390496					
Layer: 1					
Slot: 007					
Screen Top Depth: 51.0					
Screen End Depth: 56.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.25					
Results of Well Yield Testing					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996909666					
Pump Set At:					
Static Level: 16.0					
Final Level After Pumping:					
Recommended Pump Depth: 50.0					
Pumping Rate: 4.0					
Flowing Rate:					
Recommended Pump Rate: 4.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 3					
Pumping Duration MIN: 20					
Flowing: No					
Water Details					
Water ID: 933992925					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 44.0					
Water Found Depth UOM: ft					
Links					
Bore Hole ID: 10500339					
Depth M: 17.0688					
Year Completed: 1969					
Well Completed Dt: 11/28/1969					
Audit No:					
Path: 690\6909666.pdf					
Tag No:					
Contractor: 2204					
Latitude: 44.0270102669378					
Longitude: -79.2728004204417					
Y: 44.027010264411174					
X: -79.27280026840964					

76	2 of 3	ENE/199.4	325.0 / -10.47	lot 16 con 8 ON	WWIS
Well ID: 6909863					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 07/02/1970					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2215					
Form Version: 1					
Owner:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):			County:	YORK	
Elevatn Reliabilty:			Lot:	016	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909863.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:			05/14/1970		
Year Completed:			1970		
Depth (m):			22.5552		
Latitude:			44.0270102669378		
Longitude:			-79.2728004204417		
Path:			690\6909863.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID:			10500533		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone:		
Code OB Desc:			East83:		
Open Hole:			North83:		
Cluster Kind:			Org CS:		
Date Completed:			UTMRC:		
Remarks:			UTMRC Desc:		
Loc Method Desc:			Location Method:		
Elevrc Desc:			margin of error : 30 m - 100 m		
Location Source Date:			p4		
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932748539		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			27.0		
Formation End Depth:			60.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932748540		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932748538			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932748537			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966909863			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049103			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930813134			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		69.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390574			
Layer:		1			
Slot:		080			
Screen Top Depth:		69.0			
Screen End Depth:		74.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909863			
Pump Set At:					
Static Level:		14.0			
Final Level After Pumping:					
Recommended Pump Depth:		67.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993131			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10500533			Tag No:	
Depth M:	22.5552			Contractor:	2215
Year Completed:	1970			Latitude:	44.0270102669378
Well Completed Dt:	05/14/1970			Longitude:	-79.2728004204417
Audit No:				Y:	44.027010264411174
Path:	690\6909863.pdf			X:	-79.27280026840964

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
76	3 of 3	ENE/199.4	325.0 / -10.47	lot 16 con 8 ON	WWIS
Well ID: 6914904 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 02/07/1979 Selected Flag: TRUE Abandonment Rec: Contractor: 5417 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914904.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/11/1978			
Year Completed:		1978			
Depth (m):		12.192			
Latitude:		44.0270102669378			
Longitude:		-79.2728004204417			
Path:		691\6914904.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10505475		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638414.60	
Code OB Desc:				North83: 4876323.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		10/11/1978		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772804			
Layer:		2			
Color:					
General Color:					
Mat1:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772803			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966914904			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11054045			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930818580			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933393477			
Layer:		1			
Slot:		010			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996914904			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		7.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998093			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		30.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10505475		Tag No:	
Depth M:		12.192		Contractor:	5417
Year Completed:		1978		Latitude:	44.0270102669378
Well Completed Dt:		10/11/1978		Longitude:	-79.2728004204417
Audit No:				Y:	44.027010264411174
Path:		691\6914904.pdf		X:	-79.27280026840964
77	1 of 1	NNW/203.0	325.9 / -9.61	lot 17 con 8 ON	WWIS
Well ID:		6910563		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	11/10/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3413
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910563.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/24/1971			
Year Completed:		1971			
Depth (m):		12.192			
Latitude:		44.0285396029177			
Longitude:		-79.2786833499636			
Path:		691\6910563.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501208	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		637939.60
Code OB Desc:			North83:		4876483.00
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		4
Date Completed:		06/24/1971	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751642			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751643			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751644			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910563			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049778			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813870			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		40.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996910563			
Pump Set At:					
Static Level:		28.0			
Final Level After Pumping:					
Recommended Pump Depth:		36.0			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		2.0			
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: No					
<u>Water Details</u>					
Water ID: 933993800 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 36.0 Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10501208 Depth M: 12.192 Year Completed: 1971 Well Completed Dt: 06/24/1971 Audit No: Path: 691\6910563.pdf					
Tag No: Contractor: 3413 Latitude: 44.0285396029177 Longitude: -79.2786833499636 Y: 44.02853960058577 X: -79.2786831984365					
78	1 of 1	NW/204.5	325.9 / -9.61	lot 17 con 8 ON	WWIS
Well ID: 6910941 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/15/1972 Selected Flag: TRUE Abandonment Rec: Contractor: 2218 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910941.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 05/11/1972 Year Completed: 1972 Depth (m): 17.9832 Latitude: 44.0285405427279 Longitude: -79.278745715947 Path: 691\6910941.pdf					
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10501584			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637934.60
Code OB Desc:				North83:	4876483.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	05/11/1972			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932753380				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	4.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932753383				
Layer:	4				
Color:	3				
General Color:	BLUE				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	22.0				
Formation End Depth:	50.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932753384				
Layer:	5				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753381			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753382			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910941			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11050154			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930814282			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		54.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933391117					
Layer: 1					
Slot: 007					
Screen Top Depth: 54.0					
Screen End Depth: 59.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.25					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996910941					
Pump Set At:					
Static Level: 43.0					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate: 5.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 2					
Pumping Duration MIN: 10					
Flowing: No					
<u>Water Details</u>					
Water ID: 933994180					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 50.0					
Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10501584					
Depth M: 17.9832					
Year Completed: 1972					
Well Completed Dt: 05/11/1972					
Audit No:					
Path: 691\6910941.pdf					
Tag No:					
Contractor: 2218					
Latitude: 44.0285405427279					
Longitude: -79.278745715947					
Y: 44.02854054099404					
X: -79.27874556395504					
79	1 of 2	E/207.4	338.9 / 3.39	lot 16 con 8 ON	WWIS
Well ID: 6916138					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 02/12/1982					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932779065			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916138			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055248			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930819926			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		50.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394321			
Layer:		1			
Slot:		060			
Screen Top Depth:		50.0			
Screen End Depth:		55.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996916138			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate:5.0 Flowing Rate: Recommended Pump Rate:5.0 Levels UOM:ft Rate UOM:GPM Water State After Test Code: Water State After Test: Pumping Test Method:2 Pumping Duration HR:2 Pumping Duration MIN:0 Flowing:No					
Links					
Bore Hole ID:10506678		Tag No:			
Depth M:16.764		Contractor:		5419	
Year Completed:1981		Latitude:		44.0261103299503	
Well Completed Dt:03/04/1981		Longitude:		-79.2728265595348	
Audit No:		Y:		44.02611032776851	
Path:691\6916138.pdf		X:		-79.27282640766003	

79	2 of 2	E/207.4	338.9 / 3.39	lot 16 con 8 ON	WWIS
Well ID:6916567		Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:		Data Entry Status:			
Use 2nd:		Data Src:		1	
Final Well Status:Water Supply		Date Received:		02/01/1983	
Water Type:		Selected Flag:		TRUE	
Casing Material:		Abandonment Rec:			
Audit No:		Contractor:		2215	
Tag:		Form Version:		1	
Constructn Method:		Owner:			
Elevation (m):		County:		YORK	
Elevatn Reliabilty:		Lot:		016	
Depth to Bedrock:		Concession:		08	
Well Depth:		Concession Name:		CON	
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916567.pdf			
Additional Detail(s) (Map)					
Well Completed Date:08/20/1982					
Year Completed:1982					
Depth (m):19.5072					
Latitude:44.0261103299503					
Longitude:-79.2728265595348					
Path:691\6916567.pdf					
Bore Hole Information					
Bore Hole ID:10507041		Elevation:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638414.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/20/1982			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781084			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781083			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916567			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055611			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820367			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		60.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996916567			
Pump Set At:					
Static Level:		48.0			
Final Level After Pumping:					
Recommended Pump Depth:		58.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933999667			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507041			Tag No:	
Depth M:	19.5072			Contractor:	2215
Year Completed:	1982			Latitude:	44.0261103299503
Well Completed Dt:	08/20/1982			Longitude:	-79.2728265595348
Audit No:				Y:	44.02611032776851
Path:	691\6916567.pdf			X:	-79.27282640766003
80	1 of 1	E/209.8	336.6 / 1.11	lot 16 con 8 ON	WWIS
Well ID:	6924733			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	12/07/1998
Water Type:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:					
Audit No:	195413			Abandonment Rec:	
Tag:				Contractor:	5459
Constructn Method:				Form Version:	1
Elevation (m):				Owner:	
Elevatn Reliabilty:				County:	YORK
Depth to Bedrock:				Lot:	016
Well Depth:				Concession:	08
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Clear/Cloudy:				Zone:	
Municipality:		UTM Reliability:			
Site Info:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924733.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/24/1998				
Year Completed:	1998				
Depth (m):					
Latitude:	44.0262619235895				
Longitude:	-79.2727298181418				
Path:	692\6924733.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10515011			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638422.00
Code OB Desc:				North83:	4876240.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	11/24/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
<u>Use</u>					
Method Construction ID:	966924733				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11063581				
Casing No:	1				
Comment:					
Alt Name:					
<u>Links</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: 10515011 Depth M: Year Completed: 1998 Well Completed Dt: 11/24/1998 Audit No: 195413 Path: 692\6924733.pdf Tag No: Contractor: 5459 Latitude: 44.0262619235895 Longitude: -79.2727298181418 Y: 44.026261921834475 X: -79.27272966630785					
81	1 of 2	NNW/212.3	325.1 / -10.39	lot 17 con 8 ON	WWIS
Well ID: 7393775 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z323155 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 07/27/2021 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 4102 Form Version: 7 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1008728994 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 06/08/2021 Remarks: Loc Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 17 East83: 637940.00 North83: 4876493.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
<u>Links</u>					
Bore Hole ID: 1008728994 Depth M: Year Completed: 2021 Well Completed Dt: 06/08/2021 Audit No: Z323155 Path: Tag No: Contractor: 4102 Latitude: 44.0286295216759 Longitude: -79.278675755463 Y: 44.0286295196773 X: -79.27867560317516					

81	2 of 2	NNW/212.3	325.1 / -10.39	ON	WWIS
Well ID: 7393776 Flowing (Y/N):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	07/27/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z323154			Contractor:	4102
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN	(WHITCHURCH TWP)		
Site Info:					

Bore Hole Information

Bore Hole ID:	1008728520	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	637940.00
Code OB Desc:		North83:	4876493.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/08/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Links

Bore Hole ID:	1008728520	Tag No:	
Depth M:		Contractor:	4102
Year Completed:	2021	Latitude:	44.0286295216759
Well Completed Dt:	06/08/2021	Longitude:	-79.278675755463
Audit No:	Z323154	Y:	44.0286295196773
Path:		X:	-79.27867560317516

82	1 of 1	E/217.3	332.6 / -2.90	lot 16 con 8 ON	WWIS
Well ID:	6924343	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:		Data Entry Status:			
Use 2nd:		Data Src:	1		
Final Well Status:	Abandoned-Other	Date Received:	05/27/1998		
Water Type:		Selected Flag:	TRUE		
Casing Material:		Abandonment Rec:			
Audit No:	187926	Contractor:	5459		
Tag:		Form Version:	1		
Constructn Method:		Owner:			
Elevation (m):		County:	YORK		
Elevatn Reliabilty:		Lot:	016		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:			Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924343.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:			04/07/1998 1998 44.0264846444256 -79.272573610369 692\6924343.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:		
10514621			17 638434.00 4876265.00 N83 4 margin of error : 30 m - 100 m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:			933217655 1 0.0 86.0 ft		
<u>Method of Construction & Well Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:			966924343 0 Not Known		
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:			11063191 1		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Links</u>					
Bore Hole ID:	10514621			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0264846444256
Well Completed Dt:	04/07/1998			Longitude:	-79.272573610369
Audit No:	187926			Y:	44.02648464198861
Path:	692\6924343.pdf			X:	-79.27257345829321

<u>83</u>	1 of 1	ENE/219.1	327.0 / -8.49	lot 16 con 8 ON	WWIS
Well ID:	6909861			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/02/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2215
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909861.pdf				

Additional Detail(s) (Map)

Well Completed Date: 06/05/1970
Year Completed: 1970
Depth (m): 27.1272
Latitude: 44.0270064946157
Longitude: -79.2725509637247
Path: 690\6909861.pdf

Bore Hole Information

Bore Hole ID: 10500531
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 06/05/1970
Remarks:
Loc Method Desc: Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:

Elevation:
Elevrc:
Zone: 17
East83: 638434.60
North83: 4876323.00
Org CS:
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: p4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932748531			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932748529			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932748530			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932748532			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		89.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909861			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049101			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813132			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		84.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390572			
Layer:		1			
Slot:		080			
Screen Top Depth:		84.0			
Screen End Depth:		89.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909861			
Pump Set At:					
Static Level:		73.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993129			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10500531		Tag No:	
Depth M:		27.1272		Contractor:	2215
Year Completed:		1970		Latitude:	44.0270064946157
Well Completed Dt:		06/05/1970		Longitude:	-79.2725509637247
Audit No:				Y:	44.027006492992356
Path:		690\6909861.pdf		X:	-79.27255081172538
84	1 of 1	NNW/220.4	325.1 / -10.39	lot 17 con 8 ON	WWIS
Well ID:		6910602		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	12/13/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910602.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/23/1971			
Year Completed:		1971			
Depth (m):		17.0688			
Latitude:		44.0287186509556			
Longitude:		-79.2786157733536			
Path:		691\6910602.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501247		Elevation:	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Spatial Status:				Zone:	17	
Code OB:				East83:	637944.60	
Code OB Desc:				North83:	4876503.00	
Open Hole:				Org CS:		
Cluster Kind:				UTMRC:	4	
Date Completed:	09/23/1971	UTMRC Desc:				margin of error : 30 m - 100 m
Remarks:				Location Method:	p4	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:						
Location Source Date:						
Improvement Location Source:						
Improvement Location Method:						
Source Revision Comment:						
Supplier Comment:						
 <u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						
 Formation ID:						932751820
Layer:						4
Color:						6
General Color:						BROWN
Mat1:						09
Most Common Material:						MEDIUM SAND
Mat2:						
Mat2 Desc:						
Mat3:						
Mat3 Desc:						
Formation Top Depth:						48.0
Formation End Depth:						56.0
Formation End Depth UOM:						ft
 <u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						
 Formation ID:						932751818
Layer:						2
Color:						6
General Color:						BROWN
Mat1:						05
Most Common Material:						CLAY
Mat2:						12
Mat2 Desc:						STONES
Mat3:						
Mat3 Desc:						
Formation Top Depth:						8.0
Formation End Depth:						24.0
Formation End Depth UOM:						ft
 <u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						
 Formation ID:						932751817
Layer:						1
Color:						6
General Color:						BROWN
Mat1:						05
Most Common Material:						CLAY
Mat2:						09
Mat2 Desc:						MEDIUM SAND
Mat3:						
Mat3 Desc:						
Formation Top Depth:						0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751819			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966910602			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049817			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813912			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		51.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390956			
Layer:		1			
Slot:		090			
Screen Top Depth:		51.0			
Screen End Depth:		56.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910602			
Pump Set At:					
Static Level:		40.0			
Final Level After Pumping:					
Recommended Pump Depth:		50.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993840			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10501247		Tag No:	
Depth M:		17.0688		Contractor:	
Year Completed:		1971		Latitude:	
Well Completed Dt:		09/23/1971		Longitude:	
Audit No:				Y:	
Path:		691\6910602.pdf		X:	
				-79.27861562087824	
85	1 of 1	E/225.3	336.6 / 1.11	lot 16 con 8 ON	WWIS
Well ID:		6924345		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Abandoned-Other		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:		187927		Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924345.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/07/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0263037139069			
Longitude:		-79.2725164754386			
Path:		692\6924345.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514623			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638439.00
Code OB Desc:				North83:	4876245.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	04/07/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217657			
Layer:		1			
Plug From:		0.0			
Plug To:		72.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924345			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063193			
Casing No:		1			
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10514623			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	1998			Latitude:	44.0263037139069
Well Completed Dt:	04/07/1998			Longitude:	-79.2725164754386
Audit No:	187927			Y:	44.026303711388074
Path:	692\6924345.pdf			X:	-79.27251632278069

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	1 of 1	NW/231.3	327.2 / -8.28	lot 17 con 8 ON	WWIS
Well ID:6910460 Construction Date: Use 1st:Domestic Use 2nd:0 Final Well Status:Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:1 Date Received:09/14/1971 Selected Flag:TRUE Abandonment Rec: Contractor:2218 Form Version:1 Owner: County:YORK Lot:017 Concession:08 Concession Name:CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910460.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/27/1971			
Year Completed:		1971			
Depth (m):		14.9352			
Latitude:		44.028640872374			
Longitude:		-79.2794291378818			
Path:		691\6910460.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501105		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		08/27/1971		UTMRC Desc:	
Remarks:				Location Method:	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751151			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751150			
Layer:		1			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932751152			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		49.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966910460			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049675			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813753			
Layer:		1			
Material:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		44.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390857			
Layer:		1			
Slot:		090			
Screen Top Depth:		44.0			
Screen End Depth:		49.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910460			
Pump Set At:					
Static Level:		33.0			
Final Level After Pumping:					
Recommended Pump Depth:		43.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993693			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10501105		Tag No:	
Depth M:		14.9352		Contractor:	
Year Completed:		1971		2218	
Well Completed Dt:		08/27/1971		Latitude:	
Audit No:				44.028640872374	
Path:		691\6910460.pdf		Longitude:	
				-79.2794291378818	
				Y:	
				44.02864086979291	
				X:	
				-79.27942898582562	
87	1 of 1	NW/235.5	329.9 / -5.53	lot 18 con 8 ON	WWIS
Well ID:		6917913		Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/19/1986
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5457
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	018
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917913.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/02/1985				
Year Completed:	1985				
Depth (m):	17.9832				
Latitude:	44.0285591439628				
Longitude:	-79.2799805630431				
Path:	691\6917913.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10508251			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637835.60
Code OB Desc:				North83:	4876483.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	12/02/1985			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932787769				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787770			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		91			
Mat2 Desc:		WATER-BEARING			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917913			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056821			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930821801			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		56.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933395360			
Layer:		1			
Slot:		006			
Screen Top Depth:		53.0			
Screen End Depth:		56.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996917913			
Pump Set At:					
Static Level:		39.0			
Final Level After Pumping:		54.0			
Recommended Pump Depth:		58.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		934000848			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		42.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10508251		Tag No:	
Depth M:		17.9832		Contractor:	
Year Completed:		1985		Latitude:	
Well Completed Dt:		12/02/1985		Longitude:	
Audit No:				Y:	
Path:		691\6917913.pdf		X:	
				-79.27998041110357	
88	1 of 1	E/236.1	336.5 / 1.08	lot 16 con 8 ON	WWIS
Well ID:		6908665		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908665.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/14/1968			
Year Completed:		1968			
Depth (m):		20.7264			
Latitude:		44.0252009615711			
Longitude:		-79.272229074564			
Path:		690\6908665.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10499351			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638464.60
Code OB Desc:				North83:	4876123.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	06/14/1968			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932743327				
Layer:	2				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	2.0				
Formation End Depth:	25.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932743328				
Layer:	3				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	25.0				
Formation End Depth:	29.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932743331		
Layer:			6		
Color:					
General Color:					
Mat1:			09		
Most Common Material:			MEDIUM SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			54.0		
Formation End Depth:			68.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932743329		
Layer:			4		
Color:					
General Color:					
Mat1:			05		
Most Common Material:			CLAY		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			29.0		
Formation End Depth:			50.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932743330		
Layer:			5		
Color:					
General Color:					
Mat1:			09		
Most Common Material:			MEDIUM SAND		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			50.0		
Formation End Depth:			54.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932743326		
Layer:			1		
Color:					
General Color:					
Mat1:			02		
Most Common Material:			TOPSOIL		
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908665			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047921			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811886			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		63.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390048			
Layer:		1			
Slot:		007			
Screen Top Depth:		63.0			
Screen End Depth:		68.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908665			
Pump Set At:					
Static Level:		48.0			
Final Level After Pumping:		63.0			
Recommended Pump Depth:		63.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991928			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		54.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10499351		Tag No:	
Depth M:		20.7264		Contractor:	
Year Completed:		1968		2204	
Well Completed Dt:		06/14/1968		Latitude:	
Audit No:				44.0252009615711	
Path:		690\6908665.pdf		Longitude:	
				-79.272229074564	
				Y:	
				44.02520095993278	
				X:	
				-79.27222892316605	

89	1 of 1	NW/236.3	329.9 / -5.61	10 BYRON MUSSELMAN'S LAKE ON	WWIS
Well ID:	7285930			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	05/05/2017
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z225744			Contractor:	5459
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7285930.pdf				

Additional Detail(s) (Map)

Well Completed Date: 04/28/2017
 Year Completed: 2017
 Depth (m):
 Latitude: 44.0284317774438
 Longitude: -79.2804908791368
 Path: 728\7285930.pdf

Bore Hole Information

Bore Hole ID:	1006403154	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	637795.00
Code OB Desc:		North83:	4876468.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/28/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006645038			
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006645045			
Layer:		2			
Plug From:		50.0			
Plug To:		52.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006645046			
Layer:		3			
Plug From:		52.0			
Plug To:		59.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006645044			
Layer:		1			
Plug From:		0.0			
Plug To:		50.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006645043			
Method Construction Code:					
Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006645037			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006645041			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006645042			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006645040			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006645039			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		59.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Links</u>					
Bore Hole ID:	1006403154			Tag No:	
Depth M:				Contractor:	5459
Year Completed:	2017			Latitude:	44.0284317774438
Well Completed Dt:	04/28/2017			Longitude:	-79.2804908791368
Audit No:	Z225744			Y:	44.02843177495661
Path:	728\7285930.pdf			X:	-79.28049072679643

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
90	1 of 1	E/238.9	329.2 / -6.21	lot 16 con 8 ON	WWIS
Well ID: 6910689 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 12/29/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 2407 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910689.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/14/1971			
Year Completed:		1971			
Depth (m):		30.48			
Latitude:		44.0270027217493			
Longitude:		-79.2723015070563			
Path:		691\6910689.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501334		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638454.60	
Code OB Desc:				North83: 4876323.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 4	
Date Completed:		05/14/1971		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: p4	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932752212			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932752211			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932752213			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932752214			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		966910689			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049904			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930814002			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		97.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391003			
Layer:		1			
Slot:		008			
Screen Top Depth:		97.0			
Screen End Depth:		100.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996910689			
Pump Set At:					
Static Level:		65.0			
Final Level After Pumping:		84.0			
Recommended Pump Depth:		99.0			
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934356566			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		90.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935139507			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		98.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934627526			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		94.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934878308			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		96.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933993922			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		74.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10501334			Tag No:	
Depth M:	30.48			Contractor:	2407
Year Completed:	1971			Latitude:	44.0270027217493
Well Completed Dt:	05/14/1971			Longitude:	-79.2723015070563
Audit No:				Y:	44.02700271963556
Path:	691\6910689.pdf			X:	-79.27230135504114
91	1 of 1	WSW/242.1	323.9 / -11.61	lot 16 con 8 ON	WWIS
Well ID:	6908257			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/02/1957
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:				WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)	
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908257.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/13/1957			
Year Completed:		1957			
Depth (m):		17.6784			
Latitude:		44.0240047177361			
Longitude:		-79.2812602400164			
Path:		690\6908257.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498948		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	637743.60
Code OB Desc:				North83:	4875975.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:		03/13/1957		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:		Lot centroid			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741758			
Layer:		1			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741759			
Layer:		2			
Color:					
General Color:					
Mat1:		09			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908257			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047518			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811469			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		53.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389752			
Layer:		1			
Slot:		010			
Screen Top Depth:		53.0			
Screen End Depth:		58.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908257			
Pump Set At:					
Static Level:		7.0			
Final Level After Pumping:		13.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991529			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		58.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10498948		Tag No:	
Depth M:		17.6784		Contractor:	
Year Completed:		1957		2204	
Well Completed Dt:		03/13/1957		Latitude:	
Audit No:				44.0240047177361	
Path:		690\6908257.pdf		Longitude:	
				-79.2812602400164	
				Y:	
				44.02400471561792	
				X:	
				-79.28126008817344	

Well Completed Date: 07/02/1985
Year Completed: 1985
Depth (m): 24.0792
Latitude: 44.0261474045332
Longitude: -79.272301401082
Path: 691\69117742.pdf

Bore Hole ID: 10508085 **Elevation:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638456.60
Code OB Desc:				North83:	4876228.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/02/1985			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786872			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786873			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786874			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		64.0			
Formation End Depth:		79.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932786870			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932786871			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917742			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056655			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930821616			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		75.0			
Casing Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933395235			
Layer:		1			
Slot:		080			
Screen Top Depth:		74.0			
Screen End Depth:		79.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.1109999418258667			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917742			
Pump Set At:					
Static Level:		64.0			
Final Level After Pumping:					
Recommended Pump Depth:		74.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		934000680			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		64.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10508085		Tag No:	
Depth M:		24.0792		Contractor:	2218
Year Completed:		1985		Latitude:	44.0261474045332
Well Completed Dt:		07/02/1985		Longitude:	-79.272301401082
Audit No:				Y:	44.02614740292566
Path:		691\6917742.pdf		X:	-79.27230124911658

Unplottable Summary

Total: 3 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
LIMO	Highway 48 Landfill / York Sanitation #4 Waste Management of Canada Corporation	Town of Whitchurch-Stouffville Lots 14-15, Concession 8 York	ON	
LIMO		Lot 16 Concession 8 WHITCHURCH Whitchurch-Stouffville	ON	
WWIS		lot 17	ON	

Unplottable Report

Site: Highway 48 Landfill / York Sanitation #4 Waste Management of Canada Corporation
Town of Whitchurch-Stouffville Lots 14-15, Concession 8 York ON

Database:
[LIMO](#)

ECA/Instrument No:	A230701	Natural Attenuation:	
Operation Status:	Closed	Liners:	
C of A Issue Date:		Cover Material:	
C of A Issued to:		Leachate Off-Site:	
Lndfl Gas Mgmt (P):		Leachate On Site:	
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:	
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:	
Lndfl Gas Mgmt Sys:		Total Waste Rec:	
Landfill Gas Mntr:		TWR Methodology:	
Leachate Coll Sys:		TWR Unit:	
ERC Est Vol (m3):		Tot Aprv Cap Unit:	
ERC Volume Unit:		Financial Assurance:	
ERC Dt Last Det:		Last Report Year:	
Landfill Type:		Region:	
Source File Type:		District Office:	
Fill Rate:		Site County:	
Fill Rate Unit:		Lot:	
Tot Fill Area (ha):		Concession:	
Tot Site Area (ha):		Latitude:	
Footprint:		Longitude:	
Tot Aprv Cap (m3):		Easting:	
Contam Atten Zone:		Northing:	
Grndwtr Mntr:		UTM Zone:	
Surf Wtr Mntr:		Data Source:	
Air Emis Monitor:			
Approved Waste Type:			
Client Site Name:			
ERC Methodology:			
Site Name:	Highway 48 Landfill / York Sanitation #4 Waste Management of Canada Corporation Town of Whitchurch-Stouffville		

Site Location Details:

Service Area:

Page URL:

Site: Lot 16 Concession 8 WHITCHURCH Whitchurch-Stouffville ON

Database:
[LIMO](#)

ECA/Instrument No:	X7001	Natural Attenuation:	
Operation Status:	Historic	Liners:	
C of A Issue Date:		Cover Material:	
C of A Issued to:		Leachate Off-Site:	
Lndfl Gas Mgmt (P):		Leachate On Site:	
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:	
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:	
Lndfl Gas Mgmt Sys:		Total Waste Rec:	
Landfill Gas Mntr:		TWR Methodology:	
Leachate Coll Sys:		TWR Unit:	
ERC Est Vol (m3):		Tot Aprv Cap Unit:	
ERC Volume Unit:		Financial Assurance:	
ERC Dt Last Det:		Last Report Year:	
Landfill Type:		Region:	
Source File Type:	Historic and Closed Landfills	District Office:	
Fill Rate:		Site County:	
Fill Rate Unit:		Lot:	

Tot Fill Area (ha):		Concession:
Tot Site Area (ha):		Latitude:
Footprint:		Longitude:
Tot Apprv Cap (m3):		Easting:
Contam Atten Zone:		Northing:
Grndwtr Mntr:		UTM Zone:
Surf Wtr Mntr:		Data Source:
Air Emis Monitor:		
Approved Waste Type:		
Client Site Name:		
ERC Methodology:		
Site Name:		
Site Location Details:	Lot 16 Concession 8 WHITCHURCH	
	Whitchurch-Stouffville	
Service Area:		
Page URL:		

<u>Site:</u>	lot 17 ON	Database: WWIS
Well ID:	6926493	Flowing (Y/N):
Construction Date:		Flow Rate:
Use 1st:	Domestic	Data Entry Status:
Use 2nd:		Data Src:
Final Well Status:	Water Supply	Date Received:
Water Type:		Selected Flag:
Casing Material:		Abandonment Rec:
Audit No:	242059	Contractor:
Tag:		Form Version:
Constructn Method:		Owner:
Elevation (m):		County:
Elevatn Reliability:		Lot:
Depth to Bedrock:		Concession:
Well Depth:		Concession Name:
Overburden/Bedrock:		Easting NAD83:
Pump Rate:		Northing NAD83:
Static Water Level:		Zone:
Clear/Cloudy:		UTM Reliability:
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)	
Site Info:		

Bore Hole Information

Bore Hole ID:	10536737	Elevation:
DP2BR:		Elevrc:
Spatial Status:		Zone:
Code OB:		East83:
Code OB Desc:		North83:
Open Hole:		Org CS:
Cluster Kind:		UTMRC:
Date Completed:	07/07/2002	UTMRC Desc:
Remarks:		Location Method:
Loc Method Desc:	Not Applicable i.e. no UTM	
Elevrc Desc:		
Location Source Date:		
Improvement Location Source:		
Improvement Location Method:		
Source Revision Comment:		
Supplier Comment:		

Overburden and Bedrock **Materials Interval**

Formation ID:	932902954
Layer:	2

Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 1.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932902957
Layer: 5
Color:
General Color:
Mat1: 28
Most Common Material: SAND
Mat2: 62
Mat2 Desc: CLEAN
Mat3:
Mat3 Desc:
Formation Top Depth: 74.0
Formation End Depth: 90.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932902953
Layer: 1
Color:
General Color:
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932902956
Layer: 4
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 31.0
Formation End Depth: 74.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932902955
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 15.0
Formation End Depth: 31.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933235641
Layer: 1
Plug From: 0.0
Plug To: 65.0
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 966926493
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 11085307
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930831171
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930831172
Layer: 2
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 5.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933404352
Layer: 1
Slot: 008
Screen Top Depth: 83.0
Screen End Depth: 89.0
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 6.0

Results of Well Yield Testing

Pumping Test Method Desc: PUMP
Pump Test ID: 996926493
Pump Set At:
Static Level: 71.0
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate: 6.0
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 10
Pumping Duration MIN:
Flowing: No

Water Details

Water ID: 934030215
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 80.0
Water Found Depth UOM: ft

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Northern Development, Mines, Natural Resources and Forestry (ONDMNRF) maintains this database of pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Oct 2022

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Feb 28, 2022

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2021

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Feb 28, 2023

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -May 2023

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jun 2023

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Jul 31, 2023

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Oct 2022

Delisted Fuel Tanks:

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry:

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011- Jul 31, 2023

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Jul 31, 2023

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Jul 31, 2023

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jun 30, 2023

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2022

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Jun 2023

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Oct 31, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 21, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2023

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2021

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Oct 2022

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory 1993-2020:**

Federal

[NPR2](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Sep 2020**National Pollutant Release Inventory - Historic:**

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2023**Ontario Oil and Gas Wells:**

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Aug 2021**Inventory of PCB Storage Sites:**

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Jul 31, 2023

Canadian Pulp and Paper:

Private

[PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

[PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

[PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Jul 31, 2023

NPRI Reporters - PFAS Substances:

Federal

[PFCH](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Sep 2020

Potential PFAS Handlers from NPRI:

Federal

[PFHA](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Sep 2020

Pipeline Incidents:

Provincial

[PINC](#)

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial

[PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

[PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Jul 31, 2023

Ontario Regulation 347 Waste Receivers Summary:

Provincial

[REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial

[RSC](#)

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jul 2023

Retail Fuel Storage Tanks:

Private

[RST](#)

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Feb 28, 2023

Scott's Manufacturing Directory:

Private

[SCT](#)

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

[SPL](#)

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Oct 2021; May 2022; Jul 2022

Wastewater Discharger Registration Database:

Provincial

[SRDS](#)

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2020

Anderson's Storage Tanks:

Private

[TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

[TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2023

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Jul 31, 2023

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Mar 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



DATABASE REPORT

Project Property:	<i>Wiley Lane 2 Wiley Lane Whitchurch-Stouffville ON 23-0462</i>
Project No:	
Report Type:	<i>RSC Report (Rural)</i>
Order No:	<i>24110600091</i>
Requested by:	<i>EnVision Consultants Ltd.</i>
Date Completed:	<i>November 11, 2024</i>

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	19
Map.....	33
Aerial.....	34
Topographic Map.....	35
Detail Report.....	36
Unplottable Summary.....	415
Unplottable Report.....	416
Appendix: Database Descriptions.....	422
Definitions.....	432

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: Wiley Lane
2 Wiley Lane Whitchurch-Stouffville ON

Project No: 23-0462

Coordinates:

Latitude: 44.0252867
Longitude: -79.26879251
UTM Northing: 4,876,138.30
UTM Easting: 638,739.81
UTM Zone: 17T

Elevation: 1,082 FT
329.85 M

Order Information:

Order No: 24110600091
Date Requested: November 6, 2024
Requested by: EnVision Consultants Ltd.
Report Type: RSC Report (Rural)

Historical/Products:

ERIS Xplorer [ERIS Xplorer](#)
Topographic Map RSC Maps

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.30 km</i>	<i>Total</i>
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	1	1
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	2	2
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	1	1
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.30 km	Total
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPR2	National Pollutant Release Inventory 1993-2020	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PFAS	Ontario PFAS Spills	Y	0	0	0
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	1	1
PPHA	Potential PFAS Handlers from EASR	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	3	3
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	129	129

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.30 km</i>	<i>Total</i>
		Total:	0	139	139

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	WWIS		lot 15 con 9 ON <i>Well ID:</i> 6918262	SE/20.4	4.94	36
2	CA	R.M. OF YORK	NINTH LINE/HILLSDALE DR.,RES. WHITCHURCH-STOUFFVILLE TOWN ON	SE/26.4	3.43	39
3	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6908259	N/49.2	6.00	39
4	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6914895	NNW/50.3	6.00	42
5	WWIS		lot 17 con 9 ON <i>Well ID:</i> 6917840	NNE/63.6	4.42	46
6	WWIS		lot 16 con 8 ON <i>Well ID:</i> 6908930	NNW/68.9	8.75	50
7	WWIS		lot 16 con 9 ON <i>Well ID:</i> 6924479	ESE/72.7	8.83	53
8	WWIS		6 MAPLE GROVE RD. lot 16 con 9 STOUFFVILLE ON <i>Well ID:</i> 7146002	NNE/74.8	4.42	54
9	WWIS		lot 15 con 9 ON <i>Well ID:</i> 6911502	ESE/75.0	9.79	56
10	WWIS		lot 16 con 9 ON <i>Well ID:</i> 6908424	NE/75.1	3.70	59
11	WWIS		lot 15 con 9 ON <i>Well ID:</i> 6909357	ESE/89.0	9.79	63
12	WWIS		lot 16 con 9 ON	E/89.5	5.25	66

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6908417			
13	WWIS		lot 17 con 8 ON	NNW/92.2	11.00	69
			Well ID: 6924597			
13	WWIS		lot 17 con 8 ON	NNW/92.2	11.00	70
			Well ID: 6924600			
13	WWIS		lot 16 con 8 ON	NNW/92.2	11.00	72
			Well ID: 6917740			
14	WWIS		lot 18 con 9 ON	ESE/94.6	10.36	75
			Well ID: 6922086			
15	WWIS		lot 17 con 8 ON	NNW/95.8	12.09	79
			Well ID: 6924738			
16	SPL		2 Maple Grove St, Stouffville Whitchurch-Stouffville ON	N/101.5	7.06	80
16	PINC	ENBRIDGE GAS INC	2 MAPLE GROVE ST,,STOUFFVILLE,ON, L4A 7X3,CA ON	N/101.5	7.06	81
17	WWIS		lot 16 con 8 ON	NW/102.2	11.80	81
			Well ID: 6917835			
18	WWIS		lot 14 con 9 ON	E/111.8	10.05	85
			Well ID: 6920325			
19	WWIS		lot 16 con 9 ON	E/115.2	5.27	88
			Well ID: 6915364			
20	WWIS		lot 16 con 8 ON	NW/115.7	14.11	91
			Well ID: 6911235			
21	WWIS		lot 15 con 9 ON	ESE/118.4	13.19	94
			Well ID: 6908405			
22	WWIS		lot 16 con 9 ON	NNE/118.6	9.44	97

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6924489			
23	WWIS		lot 16 con 9 ON	SE/118.9	13.22	98
			Well ID: 6922624			
24	WWIS		2 VALLEY RD lot 16 con 8 STOUFFVILLE ON	NNW/119.4	12.39	99
			Well ID: 7044402			
25	WWIS		lot 16 con 8 ON	N/125.6	11.00	101
			Well ID: 6909158			
26	WWIS		lot 15 con 9 ON	SE/130.9	12.00	104
			Well ID: 6915151			
27	SPL		WHITCHURCH-STOUFFVILLE ON	NW/136.5	14.41	108
28	WWIS		lot 16 con 9 ON	E/138.9	5.51	109
			Well ID: 6908422			
29	WWIS		lot 16 con 9 ON	NE/144.1	3.67	111
			Well ID: 6910151			
30	WWIS		lot 16 con 9 ON	NNE/146.0	7.00	114
			Well ID: 6924976			
31	WWIS		lot 15 con 9 ON	ESE/146.0	14.80	116
			Well ID: 6920786			
32	WWIS		lot 16 con 9 ON	ESE/148.0	13.36	121
			Well ID: 6922598			
33	WWIS		lot 16 con 9 ON	NNE/149.8	7.00	126
			Well ID: 6908662			
34	WWIS		lot 16 con 8 ON	WNW/153.0	14.67	129
			Well ID: 6922353			
35	WWIS		lot 16 con 9 ON	ENE/153.7	3.58	134

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6908415			
36	WWIS		lot 16 con 8 ON	N/153.8	9.67	136
			Well ID: 6908266			
37	WWIS		lot 15 con 9 ON	E/155.2	12.00	139
			Well ID: 6908406			
38	WWIS		lot 17 con 8 ON	WNW/155.7	15.35	143
			Well ID: 6924431			
39	WWIS		lot 15 con 9 ON	ESE/156.8	15.03	144
			Well ID: 6914354			
40	WWIS		lot 14 con 9 ON	SSE/160.0	14.50	148
			Well ID: 6920065			
41	WWIS		lot 16 con 8 ON	WNW/161.6	12.02	151
			Well ID: 6916078			
42	WWIS		lot 16 con 9 ON	NE/162.1	3.27	155
			Well ID: 6910973			
43	WWIS		lot 16 con 8 ON	NNW/162.1	9.10	158
			Well ID: 6924187			
44	WWIS		lot 16 con 8 ON	WNW/162.1	14.59	160
			Well ID: 6918300			
45	WWIS		lot 16 con 9 ON	E/163.2	12.00	163
			Well ID: 6920507			
46	WWIS		lot 16 con 8 ON	N/164.7	9.67	167
			Well ID: 6909315			
47	WWIS		lot 16 con 9 ON	NNE/166.1	5.41	170
			Well ID: 6908420			
48	WWIS		lot 16 con 9 ON	E/166.2	6.63	173

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6908421			
49	WWIS		lot 16 con 9 ON	ENE/168.4	6.63	175
			Well ID: 6920842			
50	WWIS		lot 17 con 9 ON	E/168.4	12.00	179
			Well ID: 6924417			
51	WWIS		lot 16 con 8 ON	NW/172.7	12.73	180
			Well ID: 6908252			
52	WWIS		lot 16 con 9 ON	ENE/173.8	5.00	183
			Well ID: 6915170			
53	WWIS		lot 17 con 8 ON	WNW/184.1	13.39	186
			Well ID: 6924423			
54	WWIS		lot 16 con 8 ON	NW/184.3	4.68	187
			Well ID: 6910032			
54	WWIS		lot 16 con 8 ON	NW/184.3	4.68	190
			Well ID: 6914541			
55	WWIS		lot 14 con 9 ON	E/186.0	15.17	194
			Well ID: 6917900			
56	WWIS		lot 16 con 9 ON	N/186.2	6.25	198
			Well ID: 6917841			
57	WWIS		lot 16 con 9 ON	N/188.7	5.31	201
			Well ID: 6923074			
58	WWIS		lot 16 con 8 ON	NW/190.6	4.68	206
			Well ID: 6908263			
59	WWIS		lot 16 con 8 ON	NW/191.2	10.00	209
			Well ID: 6924338			
60	WWIS		lot 16 con 8 ON	N/202.6	7.25	210

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6908278			
61	WWIS		lot 16 con 8 ON	WNW/203.9	10.00	214
			Well ID: 6908264			
62	WWIS		lot 15 con 9 ON	E/205.0	15.34	217
			Well ID: 6910229			
62	WWIS		lot 15 con 9 ON	E/205.0	15.34	220
			Well ID: 6913449			
63	WWIS		lot 16 con 8 ON	WNW/205.3	14.00	224
			Well ID: 6908747			
64	WWIS		lot 16 con 9 ON	E/207.8	10.96	227
			Well ID: 6908426			
65	WWIS		lot 16 con 8 ON	NNW/208.1	5.34	230
			Well ID: 6914657			
66	WWIS		lot 16 con 8 ON	WNW/209.5	14.00	234
			Well ID: 6910038			
67	WWIS		lot 16 con 8 ON	NNW/209.6	5.34	237
			Well ID: 6908251			
68	WWIS		31 VALLEY RD lot 16 con 8 Whitchurch-Stouffville ON	W/211.7	11.87	239
			Well ID: 7321419			
69	WWIS		10 WINDSOR DEIVE lot 16 con 8 STOUFFVILLE ON	NW/213.1	10.00	242
			Well ID: 7227559			
70	WWIS		8 WINDSOR DRIVE lot 16 con 8 STOUFFVILLE ON	NW/215.2	3.36	245
			Well ID: 7227558			
71	WWIS		lot 17 con 8 ON	W/216.1	14.84	248
			Well ID: 6924604			
72	WWIS		lot 17 con 9 ON	NNW/219.3	1.00	249

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6908451			
73	WWIS		lot 16 con 9 ON	NE/220.3	3.00	252
			Well ID: 6908663			
74	WWIS		lot 16 con 9 ON	N/220.8	4.66	256
			Well ID: 6908410			
75	WWIS		14433 9TH LINE lot 15 con 9 MUSSELMANS LAKE ON	SSE/221.7	18.32	258
			Well ID: 7156677			
76	WWIS		lot 16 con 9 ON	NE/221.7	3.00	264
			Well ID: 6908408			
77	WWIS		lot 16 con 8 ON	WNW/222.9	14.64	267
			Well ID: 6908272			
78	WWIS		lot 16 con 9 ON	NE/225.5	4.93	270
			Well ID: 6908664			
79	WWIS		lot 16 con 8 ON	NW/227.5	0.87	274
			Well ID: 6914896			
80	WWIS		lot 16 con 8 ON	NW/227.9	0.87	277
			Well ID: 6908273			
81	WWIS		Coultrice Drive lot 16 con 8 Whitchurch-Stouffville ON	NNW/228.4	2.42	279
			Well ID: 7421128			
82	EHS		14622 Ninth Line Whitchurch-Stouffville ON L4A 7X3	NNW/229.0	2.33	282
83	WWIS		lot 16 con 9 ON	NNE/230.3	8.76	283
			Well ID: 6908425			
84	WWIS		lot 16 con 9 ON	N/231.3	4.66	286
			Well ID: 6923073			
85	WWIS		lot 15 con 9 ON	SSE/234.2	20.03	288

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6910408			
86	ECA	2022988 Ontario Inc. and 2036737 Ontario Inc.	Whitchurch-Stouffville ON L3Y 3E4	W/234.7	10.92	291
87	SPL		21 Valleyfield Rd WHITCHURCH-STOUFFVILLE ON	NE/236.0	4.50	291
88	ECA	Cedar Beach Park Limited	Whitchurch-Stouffville ON L4A 7X3	N/238.8	3.88	292
89	WWIS		Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON Well ID: 7421126	NNW/242.4	2.33	293
90	WWIS		lot 16 con 8 ON Well ID: 6914332	WNW/245.3	13.55	296
91	WWIS		lot 16 con 8 ON Well ID: 6920954	WNW/247.5	13.55	299
92	WWIS		lot 16 con 8 ON Well ID: 6908268	NW/247.5	-0.81	302
93	WWIS		lot 16 con 8 ON Well ID: 6924732	WNW/250.2	13.55	305
94	WWIS		lot 15 con 9 ON Well ID: 6910227	E/250.9	16.72	307
95	WWIS		lot 16 con 8 ON Well ID: 6908271	NNW/253.7	0.69	309
96	WWIS		lot 16 con 8 ON Well ID: 6915167	WNW/253.9	3.45	313
97	WWIS		lot 16 con 8 ON Well ID: 6911095	NNW/255.0	2.46	316
97	WWIS		lot 16 con 8 ON	NNW/255.0	2.46	321

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6915367			
98	WWIS		2 Coultice Dr. lot 16 con 8 Stouffville ON Well ID: 7421336	NNW/255.5	2.46	324
99	WWIS		lot 16 con 8 ON Well ID: 6908665	W/257.0	7.00	327
100	WWIS		lot 16 con 8 ON Well ID: 6910039	WNW/258.2	12.66	331
100	WWIS		lot 16 con 8 ON Well ID: 6915908	WNW/258.2	12.66	334
101	WWIS		LAKESHORE BLVD. lot 16 con 8 MUSSELMAN'S LAKE ON Well ID: 7121247	WNW/258.3	3.45	337
102	WWIS		lot 15 con 9 ON Well ID: 6910466	E/258.9	16.72	339
103	WWIS		lot 16 con 8 ON Well ID: 6908275	WNW/259.3	9.76	343
104	WWIS		Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON Well ID: 7421127	NNW/263.2	-0.03	346
105	WWIS		lot 16 con 8 ON Well ID: 6910945	NNW/263.8	3.99	349
106	WWIS		lot 16 con 8 ON Well ID: 6917742	WNW/267.0	10.45	352
107	WWIS		2 Coultice Dr. lot 16 con 8 Stouffville ON Well ID: 7421334	NNW/267.7	3.64	355
108	WWIS		lot 16 con 9 ON Well ID: 6924478	NE/268.2	6.00	358
109	WWIS		lot 16 con 8 ON	WNW/270.1	3.48	360

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6908260			
110	WWIS		Coultime Drive lot 16 con 8 Whitchurch-Stouffville ON Well ID: 7421145	NW/271.0	-0.24	363
111	WWIS		lot 16 con 9 ON Well ID: 6915022	ENE/271.8	11.66	366
111	WWIS		lot 16 con 9 ON Well ID: 6915023	ENE/271.8	11.66	369
112	WWIS		2 Coultime Dr. lot 16 con 8 Stouffville ON Well ID: 7421335	NW/272.5	3.99	373
113	WWIS		lot 17 con 8 ON Well ID: 7417739	NW/276.0	0.00	376
114	WWIS		Coultime Drive lot 16 con 8 Whitchurch-Stouffville ON Well ID: 7421125	NNW/277.1	3.54	376
115	WWIS		lot 16 con 9 ON Well ID: 6913049	NNE/277.1	12.39	379
116	WWIS		lot 17 con 8 ON Well ID: 7417738	NNW/279.6	3.64	382
117	WWIS		2 Coultime Dr. lot 16 con 8 Stouffville ON Well ID: 7421333	NW/280.8	-0.24	383
118	WWIS		lot 16 con 8 ON Well ID: 6908258	WNW/281.0	7.75	386
119	WWIS		lot 17 con 8 ON Well ID: 7416993	NNW/281.1	3.54	389
120	WWIS		lot 16 con 8 ON Well ID: 6908254	N/281.2	3.58	390
121	WWIS		lot 16 con 8 ON	NW/281.2	3.99	392

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6909663			
122	WWIS		lot 16 con 8 ON Well ID: 6914266	WNW/282.0	3.48	396
123	WWIS		lot 16 con 8 ON Well ID: 6924345	WNW/288.2	9.04	399
124	WWIS		lot 16 con 8 ON Well ID: 6909424	NNW/291.6	3.64	400
125	GEN	Home owner	7 Victor Drive Stouffville ON L4A 7X3	NE/292.0	4.95	403
126	WWIS		lot 16 con 9 ON Well ID: 6924485	N/292.4	4.78	404
127	EHS		14635 Ninth Line Whitchurch-Stouffville ON L4A 7X3	N/292.9	4.91	405
128	WWIS		lot 16 con 8 ON Well ID: 6914658	NW/295.5	1.00	405
129	WWIS		Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON Well ID: 7421129	NW/296.3	2.84	408
130	WWIS		lot 16 con 8 ON Well ID: 6924490	N/296.8	5.63	411
131	WWIS		lot 16 con 8 ON Well ID: 6924343	WNW/298.8	5.32	412

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 1 CA site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.M. OF YORK	NINTH LINE/HILLSDALE DR.,RES. WHITCHURCH-STOUFFVILLE TOWN ON	SE	26.35	<u>2</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Sep 30, 2024 has found that there are 2 ECA site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
2022988 Ontario Inc. and 2036737 Ontario Inc.	Whitchurch-Stouffville ON L3Y 3E4	W	234.74	<u>86</u>
Cedar Beach Park Limited	Whitchurch-Stouffville ON L4A 7X3	N	238.76	<u>88</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 2 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	14622 Ninth Line Whitchurch-Stouffville ON L4A 7X3	NNW	228.96	<u>82</u>
	14635 Ninth Line Whitchurch-Stouffville ON L4A 7X3	N	292.94	<u>127</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Oct 31, 2022 has found that there are 1 GEN site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Home owner	7 Victor Drive Stouffville ON L4A 7X3	NE	291.98	125

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ENBRIDGE GAS INC	2 MAPLE GROVE ST.,STOUFFVILLE, ON,L4A 7X3,CA ON	N	101.48	16

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024 has found that there are 3 SPL site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2 Maple Grove St, Stouffville Whitchurch-Stouffville ON	N	101.48	16
	WHITCHURCH-STOUFFVILLE ON	NW	136.52	27
	21 Valleyfield Rd WHITCHURCH-STOUFFVILLE ON	NE	235.96	87

WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 129 WWIS site(s) within approximately 0.30 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 15 con 9 ON <i>Well ID:</i> 6918262	SE	20.36	1
	lot 16 con 8 ON	N	49.19	3

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6908259			
	lot 16 con 8 ON	NNW	50.26	<u>4</u>
	Well ID: 6914895			
	lot 17 con 9 ON	NNE	63.59	<u>5</u>
	Well ID: 6917840			
	lot 16 con 8 ON	NNW	68.85	<u>6</u>
	Well ID: 6908930			
	lot 16 con 9 ON	ESE	72.65	<u>7</u>
	Well ID: 6924479			
	6 MAPLE GROVE RD. lot 16 con 9 STOUFFVILLE ON	NNE	74.78	<u>8</u>
	Well ID: 7146002			
	lot 15 con 9 ON	ESE	75.04	<u>9</u>
	Well ID: 6911502			
	lot 16 con 9 ON	NE	75.06	<u>10</u>
	Well ID: 6908424			
	lot 15 con 9 ON	ESE	89.03	<u>11</u>
	Well ID: 6909357			
	lot 16 con 9 ON	E	89.50	<u>12</u>
	Well ID: 6908417			
	lot 17 con 8 ON	NNW	92.20	<u>13</u>
	Well ID: 6924597			
	lot 17 con 8 ON	NNW	92.20	<u>13</u>
	Well ID: 6924600			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	NNW	92.20	<u>13</u>
	Well ID: 6917740			
	lot 18 con 9 ON	ESE	94.60	<u>14</u>
	Well ID: 6922086			
	lot 17 con 8 ON	NNW	95.79	<u>15</u>
	Well ID: 6924738			
	lot 16 con 8 ON	NW	102.24	<u>17</u>
	Well ID: 6917835			
	lot 14 con 9 ON	E	111.80	<u>18</u>
	Well ID: 6920325			
	lot 16 con 9 ON	E	115.18	<u>19</u>
	Well ID: 6915364			
	lot 16 con 8 ON	NW	115.68	<u>20</u>
	Well ID: 6911235			
	lot 15 con 9 ON	ESE	118.39	<u>21</u>
	Well ID: 6908405			
	lot 16 con 9 ON	NNE	118.65	<u>22</u>
	Well ID: 6924489			
	lot 16 con 9 ON	SE	118.93	<u>23</u>
	Well ID: 6922624			
	2 VALLEY RD lot 16 con 8 STOUFFVILLE ON	NNW	119.44	<u>24</u>
	Well ID: 7044402			
	lot 16 con 8 ON	N	125.63	<u>25</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6909158			
	lot 15 con 9 ON	SE	130.92	26
	Well ID: 6915151			
	lot 16 con 9 ON	E	138.89	28
	Well ID: 6908422			
	lot 16 con 9 ON	NE	144.13	29
	Well ID: 6910151			
	lot 16 con 9 ON	NNE	145.97	30
	Well ID: 6924976			
	lot 15 con 9 ON	ESE	146.02	31
	Well ID: 6920786			
	lot 16 con 9 ON	ESE	147.96	32
	Well ID: 6922598			
	lot 16 con 9 ON	NNE	149.83	33
	Well ID: 6908662			
	lot 16 con 8 ON	WNW	153.01	34
	Well ID: 6922353			
	lot 16 con 9 ON	ENE	153.67	35
	Well ID: 6908415			
	lot 16 con 8 ON	N	153.77	36
	Well ID: 6908266			
	lot 15 con 9 ON	E	155.20	37
	Well ID: 6908406			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 17 con 8 ON	WNW	155.72	<u>38</u>
	Well ID: 6924431			
	lot 15 con 9 ON	ESE	156.79	<u>39</u>
	Well ID: 6914354			
	lot 14 con 9 ON	SSE	160.05	<u>40</u>
	Well ID: 6920065			
	lot 16 con 8 ON	WNW	161.61	<u>41</u>
	Well ID: 6916078			
	lot 16 con 9 ON	NE	162.09	<u>42</u>
	Well ID: 6910973			
	lot 16 con 8 ON	NNW	162.11	<u>43</u>
	Well ID: 6924187			
	lot 16 con 8 ON	WNW	162.13	<u>44</u>
	Well ID: 6918300			
	lot 16 con 9 ON	E	163.18	<u>45</u>
	Well ID: 6920507			
	lot 16 con 8 ON	N	164.67	<u>46</u>
	Well ID: 6909315			
	lot 16 con 9 ON	NNE	166.12	<u>47</u>
	Well ID: 6908420			
	lot 16 con 9 ON	E	166.17	<u>48</u>
	Well ID: 6908421			
	lot 16 con 9 ON	ENE	168.38	<u>49</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6920842			
	lot 17 con 9 ON	E	168.39	50
	Well ID: 6924417			
	lot 16 con 8 ON	NW	172.73	51
	Well ID: 6908252			
	lot 16 con 9 ON	ENE	173.82	52
	Well ID: 6915170			
	lot 17 con 8 ON	WNW	184.07	53
	Well ID: 6924423			
	lot 16 con 8 ON	NW	184.25	54
	Well ID: 6910032			
	lot 16 con 8 ON	NW	184.25	54
	Well ID: 6914541			
	lot 14 con 9 ON	E	186.01	55
	Well ID: 6917900			
	lot 16 con 9 ON	N	186.15	56
	Well ID: 6917841			
	lot 16 con 9 ON	N	188.72	57
	Well ID: 6923074			
	lot 16 con 8 ON	NW	190.60	58
	Well ID: 6908263			
	lot 16 con 8 ON	NW	191.24	59
	Well ID: 6924338			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	N	202.57	<u>60</u>
	Well ID: 6908278			
	lot 16 con 8 ON	WNW	203.94	<u>61</u>
	Well ID: 6908264			
	lot 15 con 9 ON	E	205.00	<u>62</u>
	Well ID: 6910229			
	lot 15 con 9 ON	E	205.00	<u>62</u>
	Well ID: 6913449			
	lot 16 con 8 ON	WNW	205.34	<u>63</u>
	Well ID: 6908747			
	lot 16 con 9 ON	E	207.82	<u>64</u>
	Well ID: 6908426			
	lot 16 con 8 ON	NNW	208.13	<u>65</u>
	Well ID: 6914657			
	lot 16 con 8 ON	WNW	209.49	<u>66</u>
	Well ID: 6910038			
	lot 16 con 8 ON	NNW	209.60	<u>67</u>
	Well ID: 6908251			
	31 VALLEY RD lot 16 con 8 Whitchurch-Stouffville ON	W	211.74	<u>68</u>
	Well ID: 7321419			
	10 WINDSOR DEIVE lot 16 con 8 STOUFFVILLE ON	NW	213.09	<u>69</u>
	Well ID: 7227559			
	8 WINDSOR DRIVE lot 16 con 8 STOUFFVILLE ON	NW	215.22	<u>70</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7227558			
	lot 17 con 8 ON	W	216.09	<u>71</u>
	Well ID: 6924604			
	lot 17 con 9 ON	NNW	219.27	<u>72</u>
	Well ID: 6908451			
	lot 16 con 9 ON	NE	220.34	<u>73</u>
	Well ID: 6908663			
	lot 16 con 9 ON	N	220.75	<u>74</u>
	Well ID: 6908410			
	14433 9TH LINE lot 15 con 9 MUSSELMANS LAKE ON	SSE	221.71	<u>75</u>
	Well ID: 7156677			
	lot 16 con 9 ON	NE	221.75	<u>76</u>
	Well ID: 6908408			
	lot 16 con 8 ON	WNW	222.86	<u>77</u>
	Well ID: 6908272			
	lot 16 con 9 ON	NE	225.48	<u>78</u>
	Well ID: 6908664			
	lot 16 con 8 ON	NW	227.48	<u>79</u>
	Well ID: 6914896			
	lot 16 con 8 ON	NW	227.94	<u>80</u>
	Well ID: 6908273			
	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	NNW	228.36	<u>81</u>
	Well ID: 7421128			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 9 ON	NNE	230.30	<u>83</u>
	Well ID: 6908425			
	lot 16 con 9 ON	N	231.29	<u>84</u>
	Well ID: 6923073			
	lot 15 con 9 ON	SSE	234.24	<u>85</u>
	Well ID: 6910408			
	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	NNW	242.39	<u>89</u>
	Well ID: 7421126			
	lot 16 con 8 ON	WNW	245.34	<u>90</u>
	Well ID: 6914332			
	lot 16 con 8 ON	WNW	247.47	<u>91</u>
	Well ID: 6920954			
	lot 16 con 8 ON	WNW	250.20	<u>93</u>
	Well ID: 6924732			
	lot 15 con 9 ON	E	250.94	<u>94</u>
	Well ID: 6910227			
	lot 16 con 8 ON	NNW	253.75	<u>95</u>
	Well ID: 6908271			
	lot 16 con 8 ON	WNW	253.94	<u>96</u>
	Well ID: 6915167			
	lot 16 con 8 ON	NNW	254.97	<u>97</u>
	Well ID: 6911095			
	lot 16 con 8 ON	NNW	254.97	<u>97</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6915367			
	2 Coultice Dr. lot 16 con 8 Stouffville ON	NNW	255.48	<u>98</u>
	Well ID: 7421336			
	lot 16 con 8 ON	W	257.01	<u>99</u>
	Well ID: 6908665			
	lot 16 con 8 ON	WNW	258.17	<u>100</u>
	Well ID: 6910039			
	lot 16 con 8 ON	WNW	258.17	<u>100</u>
	Well ID: 6915908			
	LAKESHORE BLVD. lot 16 con 8 MUSSELMAN'S LAKE ON	WNW	258.29	<u>101</u>
	Well ID: 7121247			
	lot 15 con 9 ON	E	258.92	<u>102</u>
	Well ID: 6910466			
	lot 16 con 8 ON	WNW	259.32	<u>103</u>
	Well ID: 6908275			
	lot 16 con 8 ON	NNW	263.79	<u>105</u>
	Well ID: 6910945			
	lot 16 con 8 ON	WNW	267.05	<u>106</u>
	Well ID: 6917742			
	2 Coultice Dr. lot 16 con 8 Stouffville ON	NNW	267.72	<u>107</u>
	Well ID: 7421334			
	lot 16 con 9 ON	NE	268.24	<u>108</u>
	Well ID: 6924478			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	WNW	270.15	<u>109</u>
	Well ID: 6908260			
	lot 16 con 9 ON	ENE	271.83	<u>111</u>
	Well ID: 6915022			
	lot 16 con 9 ON	ENE	271.83	<u>111</u>
	Well ID: 6915023			
	2 Coultice Dr. lot 16 con 8 Stouffville ON	NW	272.47	<u>112</u>
	Well ID: 7421335			
	lot 17 con 8 ON	NW	275.98	<u>113</u>
	Well ID: 7417739			
	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	NNW	277.11	<u>114</u>
	Well ID: 7421125			
	lot 16 con 9 ON	NNE	277.13	<u>115</u>
	Well ID: 6913049			
	lot 17 con 8 ON	NNW	279.60	<u>116</u>
	Well ID: 7417738			
	lot 16 con 8 ON	WNW	281.02	<u>118</u>
	Well ID: 6908258			
	lot 17 con 8 ON	NNW	281.11	<u>119</u>
	Well ID: 7416993			
	lot 16 con 8 ON	N	281.16	<u>120</u>
	Well ID: 6908254			
	lot 16 con 8 ON	NW	281.16	<u>121</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6909663			
	lot 16 con 8 ON	WNW	281.97	122
	Well ID: 6914266			
	lot 16 con 8 ON	WNW	288.20	123
	Well ID: 6924345			
	lot 16 con 8 ON	NNW	291.62	124
	Well ID: 6909424			
	lot 16 con 9 ON	N	292.41	126
	Well ID: 6924485			
	lot 16 con 8 ON	NW	295.49	128
	Well ID: 6914658			
	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	NW	296.30	129
	Well ID: 7421129			
	lot 16 con 8 ON	N	296.84	130
	Well ID: 6924490			
	lot 16 con 8 ON	WNW	298.78	131
	Well ID: 6924343			

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	NW	247.52	92
	Well ID: 6908268			
	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	NNW	263.21	104
	Well ID: 7421127			
	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	NW	271.00	110

Well ID: 7421145


2 Coultice Dr. lot 16 con 8
Stouffville ON

NW

280.84

[117](#)

Well ID: 7421333



Map: 0.3 Kilometer Radius

Order Number: 24110600091

Address: 2 Wiley Lane, Whitchurch-Stouffville, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	

79°16'30"W

44°1'30"N

44°1'30"N



Aerial

Year: 2022


Order Number: 24110600091

Address: 2 Wiley Lane, Whitchurch-Stouffville, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Topographic Map

Address: 2 Wiley Lane, ON

Source: ESRI World Topographic Map

Order Number: 24110600091



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	SE/20.4	334.8 / 4.94	lot 15 con 9 ON	WWIS
Well ID: 6918262 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: NA Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 10/22/1986 Selected Flag: TRUE Abandonment Rec: Contractor: 5457 Form Version: 1 Owner: County: YORK Lot: 015 Concession: 09 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6918262.pdf Additional Detail(s) (Map) Well Completed Date: 08/06/1986 Year Completed: 1986 Depth (m): 23.4696 Latitude: 44.0248716751046 Longitude: -79.2683205917417 X: -79.26832043998635 Y: 44.024871672458296 Path: 691\6918262.pdf Bore Hole Information Bore Hole ID: 10508597 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 08/06/1986 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Elevation: Elevrc: Zone: 17 East83: 638778.60 North83: 4876093.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: wwr					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789661			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		01			
Material 3 Desc:		FILL			
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789664			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		68			
Material 2 Desc:		DRY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789663			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		14			
Material 1 Desc:		HARDPAN			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789662			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2:		81			
Material 2 Desc:		SANDY			
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		10.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932789665			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		91			
Material 3 Desc:		WATER-BEARING			
Formation Top Depth:		70.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966918262			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11057167			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930822196			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		74.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933395617			
Layer:		1			
Slot:		018			
Screen Top Depth:		71.0			
Screen End Depth:		74.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996918262			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		70.0			
Recommended Pump Depth:		75.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		12			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		934001211			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		74.0			
Water Found Depth UOM:		ft			
2	1 of 1	SE/26.4	333.3 / 3.43	R.M. OF YORK NINTH LINE/HILLSDALE DR.,RES. WHITCHURCH-STOUFFVILLE TOWN ON	CA
Certificate #:		7-0768-97-			
Application Year:		97			
Issue Date:		7/31/1997			
Approval Type:		Municipal water			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
3	1 of 1	N/49.2	335.9 / 6.00	lot 16 con 8 ON	WWIS
Well ID:		6908259		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	07/20/1959
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):			County:	YORK	
Elevatn Reliabilty:			Lot:	016	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908259.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/28/1959			
Year Completed:		1959			
Depth (m):		25.908			
Latitude:		44.026087229959			
Longitude:		-79.2689215786028			
X:		-79.26892142698307			
Y:		44.026087227927995			
Path:		690\6908259.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498950		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		05/28/1959		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741764			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932741766			
Layer:		4			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932741765			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932741763			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966908259			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11047520			
Casing No:		1			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811471			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		80.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389754			
Layer:		1			
Slot:					
Screen Top Depth:		80.0			
Screen End Depth:		85.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908259			
Pump Set At:					
Static Level:		75.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991531			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		78.0			
Water Found Depth UOM:		ft			
<u>4</u>	1 of 1	NNW/50.3	335.9 / 6.00	lot 16 con 8 ON	WWIS
Well ID:	6914895			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Date Received:	01/25/1979
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914895.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/16/1978				
Year Completed:	1978				
Depth (m):	22.5552				
Latitude:	44.0260536897286				
Longitude:	-79.2690847704496				
X:	-79.26908461848157				
Y:	44.02605368778138				
Path:	691\6914895.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10505466			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638714.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	11/16/1978			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932772773				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	20.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772775			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		69.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772772			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772771			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772774			
Layer:		4			
Color:		3			
General Color:		BLUE			
Material 1:		05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		69.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966914895			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11054036			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930818571			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		70.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933393471			
Layer:		1			
Slot:		080			
Screen Top Depth:		69.0			
Screen End Depth:		74.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996914895			
Pump Set At:					
Static Level:		54.0			
Final Level After Pumping:					
Recommended Pump Depth:		68.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		40			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998084			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
5	1 of 1	NNE/63.6	334.3 / 4.42	lot 17 con 9 ON	WWIS
Well ID:		6917840		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Water Supply		Date Received: 02/12/1986	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 2218	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 017	
Depth to Bedrock:				Concession: 09	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917840.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		12/24/1985			
Year Completed:		1985			
Depth (m):		27.7368			
Latitude:		44.0262347366805			
Longitude:		-79.2685554182032			
X:		-79.26855526569251			
Y:		44.026234734735205			
Path:		691\6917840.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10508178		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638756.60	
Code OB Desc:				North83: 4876244.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		12/24/1985		UTMRC Desc: margin of error : 100 m - 300 m	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Remarks:		Location Method Desc:		on Water Well Record	Location Method:	WWF
Elevrc Desc:						
Location Source Date:						
Improvement Location Source:						
Improvement Location Method:						
Source Revision Comment:						
Supplier Comment:						
<u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						
Formation ID:		932787342				
Layer:		6				
Color:						
General Color:						
Material 1:		06				
Material 1 Desc:		SILT				
Material 2:						
Material 2 Desc:						
Material 3:						
Material 3 Desc:						
Formation Top Depth:		68.0				
Formation End Depth:		81.0				
Formation End Depth UOM:		ft				
<u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						
Formation ID:		932787339				
Layer:		3				
Color:		6				
General Color:		BROWN				
Material 1:		28				
Material 1 Desc:		SAND				
Material 2:						
Material 2 Desc:						
Material 3:						
Material 3 Desc:						
Formation Top Depth:		12.0				
Formation End Depth:		32.0				
Formation End Depth UOM:		ft				
<u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						
Formation ID:		932787337				
Layer:		1				
Color:		8				
General Color:		BLACK				
Material 1:		02				
Material 1 Desc:		TOPSOIL				
Material 2:						
Material 2 Desc:						
Material 3:						
Material 3 Desc:						
Formation Top Depth:		0.0				
Formation End Depth:		2.0				
Formation End Depth UOM:		ft				
<u>Overburden and Bedrock</u>						
<u>Materials Interval</u>						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932787343			
Layer:		7			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		81.0			
Formation End Depth:		91.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932787338			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932787341			
Layer:		5			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		64.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932787340			
Layer:		4			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		85			
Material 2 Desc:		SOFT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		32.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917840			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056748			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930821728			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		85.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933395292			
Layer:		1			
Slot:		100			
Screen Top Depth:		81.0			
Screen End Depth:		91.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917840			
Pump Set At:					
Static Level:		36.0			
Final Level After Pumping:					
Recommended Pump Depth:		82.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		934000776			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			
<u>6</u>	1 of 1	NNW/68.9	338.6 / 8.75	lot 16 con 8 ON	WWIS
Well ID:	6908930			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/18/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2407
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908930.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/02/1968				
Year Completed:	1968				
Depth (m):	22.5552				
Latitude:	44.0262336767848				
Longitude:	-79.2690795314165				
X:	-79.2690793794924				
Y:	44.02623367482473				
Path:	690\6908930.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10499614			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638714.60
Code OB Desc:				North83:	4876243.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	11/02/1968			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932744435			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932744434			
Layer:		1			
Color:					
General Color:					
Material 1:		04			
Material 1 Desc:		PEAT			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932744436			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		26.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932744437			
Layer:		4			
Color:					
General Color:					
Material 1:		08			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		69.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932744438			
Layer:		5			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		69.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908930			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11048184			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930812162			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		70.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390162			
Layer:		1			
Slot:		008			
Screen Top Depth:		70.0			
Screen End Depth:		74.0			
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908930			
Pump Set At:					
Static Level:		43.0			
Final Level After Pumping:		74.0			
Recommended Pump Depth:		74.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992192			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
<u>7</u>	1 of 1	ESE/72.7	338.7 / 8.83	lot 16 con 9 ON	WWIS
Well ID:		6924479		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Abandoned-Other		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:		187974		Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924479.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/19/1998			
Year Completed:		1998			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m): Latitude: 44.0248255786709 Longitude: -79.2676556165596 X: -79.26765546500937 Y: 44.02482557677567 Path: 692\6924479.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID:	10514757			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638832.00
Code OB Desc:				North83:	4876089.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	06/19/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:	from gps				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933217811				
Layer:	1				
Plug From:	0.0				
Plug To:	76.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	966924479				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11063327				
Casing No:	1				
Comment:					
Alt Name:					
8	1 of 1	NNE/74.8	334.3 / 4.42	6 MAPLE GROVE RD. lot 16 con 9 STOUFFVILLE ON	WWIS
Well ID:	7146002			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	0			Date Received:	06/04/2010
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z79948			Contractor:	6409
Tag:	A066331			Form Version:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:				Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
STOUFFVILLE VILLAGE				YORK 016 09	
https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7146002.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: X: Y: Path:		05/26/2010 2010 44.0263283506946 -79.2684946689618 -79.26849451713251 44.026328348678945 714\7146002.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		1002988557 05/26/2010 Geocoding from address			
		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:			
		17 638761.25 4876254.50 UTM83 5 margin of error : 100 m - 300 m gcode			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc: Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		1002989492 1 0.0 m			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1002989496			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002989491			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1002989495			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002989494			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>9</u>	1 of 1	ESE/75.0	339.6 / 9.79	lot 15 con 9 ON	WWIS
Well ID:	6911502			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/03/1973
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911502.pdf				
Additional Detail(s) (Map)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		04/25/1973			
Year Completed:		1973			
Depth (m):		35.052			
Latitude:		44.0246820430691			
Longitude:		-79.267689744587			
X:		-79.26768959290725			
Y:		44.02468204082217			
Path:		691\6911502.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10502133			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638829.60
Code OB Desc:				North83:	4876073.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	04/25/1973			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932755832			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932755830			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932755831			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		64.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932755833			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		97.0			
Formation End Depth:		115.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932755829			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966911502			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11050703			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930814894			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		111.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391423			
Layer:		1			
Slot:		090			
Screen Top Depth:		110.0			
Screen End Depth:		115.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996911502			
Pump Set At:					
Static Level:		97.0			
Final Level After Pumping:					
Recommended Pump Depth:		108.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		20			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933994746			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		97.0			
Water Found Depth UOM:		ft			
10	1 of 1	NE/75.1	333.5 / 3.70	lot 16 con 9 ON	WWIS
Well ID:	6908424			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/22/1961
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908424.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/29/1961			
Year Completed:		1961			
Depth (m):		22.86			
Latitude:		44.026045105738			
Longitude:		-79.2679245559326			
X:		-79.26792440424039			
Y:		44.02604510358402			
Path:		690\6908424.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10499114			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638807.60
Code OB Desc:				North83:	4876224.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/29/1961			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742256			
Layer:		4			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742254			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742255			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742253			
Layer:		1			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908424			
Method Construction Code:		8			
Method Construction:		Jetting			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047684			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811637			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		70.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389899			
Layer:		1			
Slot:					
Screen Top Depth:		70.0			
Screen End Depth:		75.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908424			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:					
Recommended Pump Depth:		65.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991694			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	1 of 1	ESE/89.0	339.6 / 9.79	lot 15 con 9 ON	WWIS
Well ID:6909357 Construction Date: Use 1st:Domestic Use 2nd:0 Final Well Status:Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:1 Date Received:08/15/1969 Selected Flag:TRUE Abandonment Rec: Contractor:2204 Form Version:1 Owner: County:YORK Lot:015 Concession:09 Concession Name:CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909357.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/04/1969			
Year Completed:		1969			
Depth (m):		28.6512			
Latitude:		44.0246792056283			
Longitude:		-79.2675026598723			
X:		-79.26750250802972			
Y:		44.02467920391144			
Path:		690\6909357.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10500036		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:17	
Code OB:				East83:638844.60	
Code OB Desc:				North83:4876073.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:4	
Date Completed:		08/04/1969		UTMRC Desc:margin of error : 30 m - 100 m	
Remarks:				Location Method:p4	
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932746294			
Layer:		4			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932746292			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932746293			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		13.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932746295			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		47.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746297			
Layer:		7			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		88.0			
Formation End Depth:		94.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746296			
Layer:		6			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746291			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909357			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11048606			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930812603			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		89.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390334			
Layer:		1			
Slot:		006			
Screen Top Depth:		89.0			
Screen End Depth:		94.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909357			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:					
Recommended Pump Depth:		86.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933992618			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			
12	1 of 1	E/89.5	335.1 / 5.25	lot 16 con 9 ON	WWIS
Well ID:	6908417			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/15/1958
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908417.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/04/1958			
Year Completed:		1958			
Depth (m):		16.4592			
Latitude:		44.0255260901108			
Longitude:		-79.2675403771287			
X:		-79.26754022550564			
Y:		44.025526087418314			
Path:		690\6908417.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10499107		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638839.60
Code OB Desc:				North83:	4876167.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:		10/04/1958		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742234			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742233			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908417			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047677			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811630			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		49.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389893			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996908417				
Pump Set At:					
Static Level:	47.0				
Final Level After Pumping:	47.0				
Recommended Pump Depth:					
Pumping Rate:	4.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	4				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933991687				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	47.0				
Water Found Depth UOM:	ft				
13	1 of 3	NNW/92.2	340.9 / 11.00	lot 17 con 8 ON	WWIS
Well ID:	6924597			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	09/08/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	195374			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924597.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	08/26/1998				
Year Completed:	1998				
Depth (m):					
Latitude:	44.0263564513395				
Longitude:	-79.2694577899076				
X:	-79.2694576383668				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Y:		44.026356448897495			
Path:		692\6924597.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514875			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638684.00
Code OB Desc:				North83:	4876256.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	08/26/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933217938				
Layer:	1				
Plug From:	0.0				
Plug To:	75.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966924597				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11063445				
Casing No:	1				
Comment:					
Alt Name:					

13	2 of 3	NNW/92.2	340.9 / 11.00	lot 17 con 8 ON	WWIS
Well ID:	6924600			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	09/08/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	195373			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924600.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/26/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0263564513395			
Longitude:		-79.2694577899076			
X:		-79.2694576383668			
Y:		44.026356448897495			
Path:		692\6924600.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514878		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638684.00
Code OB Desc:				North83:	4876256.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:		08/26/1998		UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217941			
Layer:		1			
Plug From:		0.0			
Plug To:		102.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924600			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063448			
Casing No:		1			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
13	3 of 3	NNW/92.2	340.9 / 11.00	lot 16 con 8 ON	WWIS
Well ID:		6917740	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:			Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:		Water Supply	Date Received:		
Water Type:			Selected Flag:		
Casing Material:			Abandonment Rec:		
Audit No:			Contractor:		
Tag:			Form Version:		
Constructn Method:			Owner:		
Elevation (m):			County:		
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917740.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/02/1985			
Year Completed:		1985			
Depth (m):		24.384			
Latitude:		44.0263564513395			
Longitude:		-79.2694577899076			
X:		-79.2694576383668			
Y:		44.026356448897495			
Path:		691\6917740.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10508083	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			East83:		
Code OB Desc:			North83:		
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		
Date Completed:		10/02/1985	UTMRC Desc:		
Remarks:			Location Method:		
Location Method Desc:		from gps	margin of error : 10 - 30 m		
Elevrc Desc:			gps		
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786861			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786860			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786863			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		62.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932786862			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		62.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966917740				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11056653				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930821614				
Layer:	1				
Material:	2				
Open Hole or Material:	GALVANIZED				
Depth From:					
Depth To:	76.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933395233				
Layer:	1				
Slot:	080				
Screen Top Depth:	75.0				
Screen End Depth:	80.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.0				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	996917740				
Pump Set At:					
Static Level:	62.0				
Final Level After Pumping:					
Recommended Pump Depth:	74.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:					
Pumping Duration HR:	1				
Pumping Duration MIN:	40				
Flowing:	No				
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		934000678			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			

14	1 of 1	ESE/94.6	340.2 / 10.36	lot 18 con 9 ON	WWIS
Well ID:	6922086			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/21/1992
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	116156			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	018
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922086.pdf			

Additional Detail(s) (Map)

Well Completed Date: 11/06/1992
 Year Completed: 1992
 Depth (m): 29.8704
 Latitude: 44.0248842231331
 Longitude: -79.2673669172601
 X: -79.26736676542889
 Y: 44.02488422075446
 Path: 692\6922086.pdf

Bore Hole Information

Bore Hole ID:	10512392	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638855.00
Code OB Desc:		North83:	4876096.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	2
Date Completed:	11/06/1992	UTMRC Desc:	margin of error : 3 - 10 m
Remarks:		Location Method:	gps
Location Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932812371			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932812369			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		84			
Material 2 Desc:		SILTY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		43.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932812372			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:		62			
Material 3 Desc:		CLEAN			
Formation Top Depth:		90.0			
Formation End Depth:		98.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932812370			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		09			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		75.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932812368			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		81			
Material 2 Desc:		SANDY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		43.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966922086			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11060962			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930826582			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		95.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933398248			
Layer:		1			
Slot:		008			
Screen Top Depth:		95.0			
Screen End Depth:		98.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922086			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:		85.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934358543			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934633446			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934883060			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935148281			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934004864			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		934004865			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		90.0			
Water Found Depth UOM:		ft			
15	1 of 1	NNW/95.8	341.9 / 12.09	lot 17 con 8 ON	WWIS
Well ID:	6924738			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	12/07/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	195390			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924738.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	10/05/1998				
Year Completed:	1998				
Depth (m):					
Latitude:	44.0264349888581				
Longitude:	-79.2692932878079				
X:	-79.26929313622269				
Y:	44.02643498655994				
Path:	692\6924738.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10515016			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638697.00
Code OB Desc:				North83:	4876265.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	10/05/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:	from gps				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
Method of Construction & Well Use					
Method Construction ID:		966924738			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
Pipe Information					
Pipe ID:		11063586			
Casing No:		1			
Comment:					
Alt Name:					

16	1 of 2	N/101.5	336.9 / 7.06	2 Maple Grove St, Stouffville Whitchurch-Stouffville ON	SPL
Ref No:		7728-BEZLWB		Municipality No:	
Year:				Nature of Damage:	
Incident Dt:		8/13/2019		Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:		8/13/2019		Impact to Health:	
Dt Document Closed:		10/24/2019		Agency Involved:	
Site No:		NA		2 - Minor Environment	
MOE Response:		No			
Site County/District:		Regional Municipality of York			
Site Geo Ref Meth:					
Site District Office:		York-Durham			
Nearest Watercourse:					
Site Name:		Enbridge: 1/2" gasoline<UNOFFICIAL>			
Site Address:		2 Maple Grove St, Stouffville			
Site Region:		Central			
Site Municipality:		Whitchurch-Stouffville			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Incident Cause:					
Incident Preceding Spill:		Leak/Break			
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:		0 other - see incident description			
Contaminant Qty 1:		0			
Contaminant Unit:		other - see incident description			
Client Type:					
Source Type:		Pipeline/Components			
Contaminant Code:		35			
Contaminant Name:		NATURAL GAS (METHANE)			
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:		1075			
Receiving Medium:		Air			
Incident Reason:		Operator/Human Error			
Incident Summary:		TSSA/Enbridge: 1/2 " gasoline damage			
Activity Preceding Spill:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Other SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Call Report Locatn Geodata: Time Reported: System Facility Address: Client Name:					
16	2 of 2	N/101.5	336.9 / 7.06	ENBRIDGE GAS INC 2 MAPLE GROVE ST,,STOUFFVILLE,ON,L4A 7X3,CA ON	PINC
Incident Id: Incident No: 2663424 Incident Reported Dt: 8/13/2019 Type: FS-Pipeline Incident Status Code: Tank Status: Pipeline Damage Reason Est Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: ENBRIDGE GAS INC Incident Address: 2 MAPLE GROVE ST,,STOUFFVILLE,ON,L4A 7X3,CA Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:					
Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:					
17	1 of 1	NW/102.2	341.7 / 11.80	lot 16 con 8 ON	WWIS
Well ID: 6917835 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 02/14/1986 Selected Flag: TRUE Abandonment Rec: Contractor: 1672 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917835.pdf			
Additional Detail(s) (Map)					
Well Completed Date:	10/29/1985				
Year Completed:	1985				
Depth (m):	31.3944				
Latitude:	44.0263081991154				
Longitude:	-79.2698385304085				
X:	-79.26983837840254				
Y:	44.02630819644251				
Path:	691\6917835.pdf				
Bore Hole Information					
Bore Hole ID:	10508173			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638653.60
Code OB Desc:				North83:	4876250.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/29/1985			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	932787318				
Layer:	4				
Color:					
General Color:					
Material 1:	10				
Material 1 Desc:	COARSE SAND				
Material 2:	11				
Material 2 Desc:	GRAVEL				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	99.0				
Formation End Depth:	103.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock					
Materials Interval					
Formation ID:	932787316				
Layer:	2				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	11				
Material 2 Desc:	GRAVEL				
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787317			
Layer:		3			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		99.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787315			
Layer:		1			
Color:					
General Color:					
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966917835			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056743			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930821722			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		103.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933395289			
Layer:		1			
Slot:		014			
Screen Top Depth:		96.0			
Screen End Depth:		100.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996917835			
Pump Set At:					
Static Level:		22.0			
Final Level After Pumping:		90.0			
Recommended Pump Depth:		96.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934365475			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		45.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934623861			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		22.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934000769			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		103.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
18	1 of 1	E/111.8	339.9 / 10.05	lot 14 con 9 ON	WWIS
Well ID: 6920325 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 09439 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 04/27/1989 Selected Flag: TRUE Abandonment Rec: Contractor: 2407 Form Version: 1 Owner: County: YORK Lot: 014 Concession: 09 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920325.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		01/20/1988			
Year Completed:		1988			
Depth (m):		26.8224			
Latitude:		44.0251694398939			
Longitude:		-79.2671764295514			
X:		-79.26717627770837			
Y:		44.025169437540114			
Path:		692\6920325.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10510644		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638869.60	
Code OB Desc:				North83: 4876128.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		01/20/1988		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: wwr	
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932801871			
Layer:		3			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932801872			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		31			
Material 2 Desc:		COARSE GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932801870			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932801869			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		966920325			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11059214			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930824546			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		84.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933397048			
Layer:		1			
Slot:		012			
Screen Top Depth:		82.0			
Screen End Depth:		86.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996920325			
Pump Set At:					
Static Level:		67.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:		85.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		12.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934879193			
Test Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		45			
Test Level:		21.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935150998			
Test Type:					
Test Duration:		60			
Test Level:		21.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362877			
Test Type:					
Test Duration:		15			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629411			
Test Type:					
Test Duration:		30			
Test Level:		21.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934003167			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		74.0			
Water Found Depth UOM:		ft			
19	1 of 1	E/115.2	335.1 / 5.27	lot 16 con 9 ON	WWIS
Well ID:	6915364			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/19/1980
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915364.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/06/1979				
Year Completed:	1979				
Depth (m):	24.384				
Latitude:	44.0255753564633				
Longitude:	-79.2672269915259				
X:	-79.26722684022992				
Y:	44.02557535395392				
Path:	691\6915364.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10505927			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638864.60
Code OB Desc:				North83:	4876173.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	12/06/1979			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932774933				
Layer:	1				
Color:					
General Color:					
Material 1:	23				
Material 1 Desc:	PREVIOUSLY DUG				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	6.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932774934				
Layer:	2				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	6.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774935			
Layer:		3			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966915364			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11054497			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930819078			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		72.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933393780			
Layer:		1			
Slot:		100			
Screen Top Depth:		72.0			
Screen End Depth:		82.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996915364			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			

[20](#)

1 of 1

NW/115.7

344.0 / 14.11

lot 16 con 8
ON

WWIS

Well ID:	6911235	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	01/15/1973
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	2218
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	016
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911235.pdf

Additional Detail(s) (Map)

Well Completed Date:	12/02/1972
Year Completed:	1972
Depth (m):	24.9936
Latitude:	44.0265131060475
Longitude:	-79.2696953082421
X:	-79.26969515643107
Y:	44.02651310366066
Path:	691\6911235.pdf

Bore Hole Information

Bore Hole ID:	10501878	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638664.60
Code OB Desc:		North83:	4876273.00
Open Hole:		Org CS:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	4
Date Completed:	12/02/1972			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754692			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754693			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		46.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754694			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966911235				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11050448				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930814615				
Layer:	1				
Material:	2				
Open Hole or Material:	GALVANIZED				
Depth From:					
Depth To:	77.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933391282				
Layer:	1				
Slot:	007				
Screen Top Depth:	77.0				
Screen End Depth:	82.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.25				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996911235				
Pump Set At:					
Static Level:	68.0				
Final Level After Pumping:					
Recommended Pump Depth:	76.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	30				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933994493				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			

[21](#)

1 of 1

ESE/118.4

343.0 / 13.19

lot 15 con 9
ON

WWIS

Well ID:	6908405	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	07/11/1961
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	5419
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	015
Depth to Bedrock:		Concession:	09
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908405.pdf

Additional Detail(s) (Map)

Well Completed Date: 06/19/1961
Year Completed: 1961
Depth (m): 30.48
Latitude: 44.0245036775057
Longitude: -79.2672083065908
X: -79.26720815537396
Y: 44.02450367548858
Path: 690\6908405.pdf

Bore Hole Information

Bore Hole ID:	10499095	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638868.60
Code OB Desc:		North83:	4876054.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	06/19/1961	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742200			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742202			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742201			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742203			
Layer:		4			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		85.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908405			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047665			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811618			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		90.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389881			
Layer:		1			
Slot:					
Screen Top Depth:		90.0			
Screen End Depth:		100.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908405			
Pump Set At:					
Static Level:		85.0			
Final Level After Pumping:		85.0			
Recommended Pump Depth:		90.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Water Details</u>					
Water ID:	933991675				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	85.0				
Water Found Depth UOM:	ft				
22	1 of 1	NNE/118.6	339.3 / 9.44	lot 16 con 9 ON	WWIS
Well ID:	6924489			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	07/14/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187972			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924489.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/19/1998				
Year Completed:	1998				
Depth (m):					
Latitude:	44.0267288690102				
Longitude:	-79.2684861261496				
X:	-79.26848597412099				
Y:	44.026728866451826				
Path:	692\6924489.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10514767		Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			East83:		
Code OB Desc:			North83:		
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		
Date Completed:	06/19/1998		UTMRC Desc:		
Remarks:			Location Method:		
Location Method Desc:	from gps		gps		
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Annular Space/Abandonment Sealing Record					
Plug ID:		933217821			
Layer:		1			
Plug From:		0.0			
Plug To:		71.0			
Plug Depth UOM:		ft			
Method of Construction & Well Use					
Method Construction ID:		966924489			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
Pipe Information					
Pipe ID:		11063337			
Casing No:		1			
Comment:					
Alt Name:					

23	1 of 1	SE/118.9	343.1 / 13.22	lot 16 con 9 ON	WWIS
Well ID:		6922624		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Abandoned-Supply		1	
Water Type:				Date Received:	
Casing Material:				06/10/1994	
Audit No:		141490		Selected Flag:	
Tag:				TRUE	
Constructn Method:				Abandonment Rec:	
Elevation (m):				Contractor:	
Elevatn Reliabilty:				5459	
Depth to Bedrock:				Form Version:	
Well Depth:				1	
Overburden/Bedrock:				Owner:	
Pump Rate:				County:	
Static Water Level:				YORK	
Clear/Cloudy:				Lot:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		016	
Site Info:				Concession:	
				09	
				Concession Name:	
				CON	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922624.pdf			

Additional Detail(s) (Map)	
Well Completed Date:	
06/02/1994	
Year Completed:	
1994	
Depth (m):	
Latitude:	
44.0241491142573	
Longitude:	
-79.2675755002479	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
X:		-79.26757534794868			
Y:		44.024149111662624			
Path:		692\6922624.pdf			

Bore Hole Information

Bore Hole ID:	10512927	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638840.00
Code OB Desc:		North83:	4876014.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	2
Date Completed:	06/02/1994	UTMRC Desc:	margin of error : 3 - 10 m
Remarks:		Location Method:	gps
Location Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	933215275
Layer:	1
Plug From:	4.0
Plug To:	80.0
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	966922624
Method Construction Code:	0
Method Construction:	Not Known
Other Method Construction:	

Pipe Information

Pipe ID:	11061497
Casing No:	1
Comment:	
Alt Name:	

24	1 of 1	NNW/119.4	342.2 / 12.39	2 VALLEY RD lot 16 con 8 STOUFFVILLE ON	WWIS
Well ID:	7044402	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:		Data Entry Status:			
Use 2nd:		Data Src:			
Final Well Status:	Abandoned-Other	Date Received:	06/04/2007		
Water Type:		Selected Flag:	TRUE		
Casing Material:		Abandonment Rec:	Yes		
Audit No:	Z05080	Contractor:	5459		
Tag:	A004957	Form Version:	3		
Constructn Method:		Owner:			
Elevation (m):		County:	YORK		
Elevatn Reliability:		Lot:	016		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:				Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (MARKHAM TWP)	08 CON
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	23044402			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	7916571.00 4401440.00 UTM83 9 unknown UTM wwr
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	44000011 1 18.59000015258789 17.68000030517578 m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	44000012 3 2.440000057220459 0.0 m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	44000010 2 17.68000030517578 2.440000057220459 m				
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:	29044402 0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		42144402			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		5.0			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		46000003			
Diameter:		71.19999694824219			
Depth From:		2.440000057220459			
Depth To:		0.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		46000004			
Diameter:		5.079999923706055			
Depth From:		18.59000015258789			
Depth To:		2.440000057220459			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
25	1 of 1	N/125.6	340.9 / 11.00	lot 16 con 8 ON	WWIS
Well ID:	6909158			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	05/29/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909158.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/03/1969			
Year Completed:		1969			
Depth (m):		20.4216			
Latitude:		44.0267736379163			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.2690638140249			
X:		-79.26906366162653			
Y:		44.02677363590531			
Path:		690\6909158.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10499840			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638714.60
Code OB Desc:				North83:	4876303.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	04/03/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932745526				
Layer:	1				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	8.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932745529				
Layer:	4				
Color:					
General Color:					
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	34.0				
Formation End Depth:	51.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932745530				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		5			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		51.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745528			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932745527			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966909158			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11048410			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930812393			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		62.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390250			
Layer:		1			
Slot:		060			
Screen Top Depth:		62.0			
Screen End Depth:		67.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909158			
Pump Set At:					
Static Level:		51.0			
Final Level After Pumping:		58.0			
Recommended Pump Depth:		58.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992427			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		51.0			
Water Found Depth UOM:		ft			
26	1 of 1	SE/130.9	341.9 / 12.00	lot 15 con 9 ON	WWIS
Well ID:	6915151			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/13/1979
Water Type:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:			Abandonment Rec:		
Audit No:			Contractor:	1413	
Tag:			Form Version:	1	
Constructn Method:			Owner:		
Elevation (m):			County:	YORK	
Elevatn Reliabilty:			Lot:	015	
Depth to Bedrock:			Concession:	09	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915151.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/24/1979			
Year Completed:		1979			
Depth (m):		35.9664			
Latitude:		44.0242254545568			
Longitude:		-79.2672663242228			
X:		-79.2672661721746			
Y:		44.02422545285179			
Path:		691\6915151.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10505720		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				638864.60	
Cluster Kind:				North83:	
Date Completed:		08/24/1979		4876023.00	
Remarks:				Org CS:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		UTMRC:	
Elevrc Desc:				5	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 100 m - 300 m	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p5	
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932774069			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774070			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		68			
Material 3 Desc:		DRY			
Formation Top Depth:		28.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774071			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		74			
Material 3 Desc:		LAYERED			
Formation Top Depth:		72.0			
Formation End Depth:		108.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774072			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		62			
Material 2 Desc:		CLEAN			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		108.0			
Formation End Depth:		118.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966915151			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11054290			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818833			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		114.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393645			
Layer:		1			
Slot:		008			
Screen Top Depth:		114.0			
Screen End Depth:		118.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996915151			
Pump Set At:					
Static Level:		72.0			
Final Level After Pumping:		86.0			
Recommended Pump Depth:		100.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		7.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934358827			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		86.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935141782			
Test Type:		Draw Down			
Test Duration:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		86.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933998344			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		118.0			
Water Found Depth UOM:		ft			

27	1 of 1	NW/136.5	344.3 / 14.41	WHITCHURCH-STOUFFVILLE ON	SPL
Ref No:	1-27N4O2			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	10/10/2022 6:10:00 PM			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	10/10/2022 7:28:00 PM			Impact to Health:	1 Minor Health Impact
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:	Desktop Response				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	York Durham District Office				
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:	REGIONAL MUNICIPALITY OF YORK				
Site Municipality:	WHITCHURCH-STOUFFVILLE				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Incident Cause:					
Incident Preceding Spill:	Line Strike				
Environment Impact:	2 Minor Impact &/or Mortality				
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	1 other - see notes				
Contaminant Qty 1:					
Contaminant Unit:					
Client Type:	Private Business				
Source Type:					
Contaminant Code:					
Contaminant Name:	NATURAL GAS				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:	Air				
Incident Reason:					
Incident Summary:	Enbridge: 1/2" plastic IP residential service damaged - 16 Valley Road, Stouffville				
Activity Preceding Spill:					
Property 2nd Watershed:	02E Eastern Georgian Bay				
Property Tertiary Watershed:	02EC Severn River - Lake Simcoe				
Sector Type:	NATURAL GAS DISTRIBUTION				
SAC Action Class:					
Call Report Locatn Geodata:	{"integration_ids":["PR00003108398"],"wkts":["POINT (-79.2703753000 44.0263616000)"],"creation_date":"2022-10-10"}				
Time Reported:					
System Facility Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Name:		ENBRIDGE CONSUMERS GAS			
28	1 of 1	E/138.9	335.4 / 5.51	lot 16 con 9 ON	WWIS
Well ID:		6908422		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908422.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		12/03/1960			
Year Completed:		1960			
Depth (m):		16.4592			
Latitude:		44.0256250004251			
Longitude:		-79.2669385504451			
X:		-79.26693839846665			
Y:		44.025624997663876			
Path:		690\6908422.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10499112		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		12/03/1960		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932742249			
Layer:		2			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742248			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966908422			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11047682			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811635			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		49.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389898			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:					
Screen Top Depth:		49.0			
Screen End Depth:		54.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908422			
Pump Set At:					
Static Level:		48.0			
Final Level After Pumping:		48.0			
Recommended Pump Depth:		48.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991692			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48.0			
Water Found Depth UOM:		ft			
<u>29</u>	1 of 1	NE/144.1	333.5 / 3.67	lot 16 con 9 ON	WWIS
Well ID:	6910151			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/12/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2215
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910151.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/02/1970				
Year Completed:	1970				
Depth (m):	24.9936				
Latitude:	44.0263852974401				
Longitude:	-79.2672033905906				
X:	-79.26720323872749				
Y:	44.02638529497446				
Path:	691\6910151.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10500805			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638864.60
Code OB Desc:				North83:	4876263.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/02/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932749735				
Layer:	3				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	22.0				
Formation End Depth:	53.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932749734				
Layer:	2				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	08				
Material 2 Desc:	FINE SAND				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	10.0				
Formation End Depth:	22.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932749733			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932749736			
Layer:		4			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		53.0			
Formation End Depth:		71.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932749737			
Layer:		5			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		71.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910151			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11049375			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813433			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		75.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390706			
Layer:		1			
Slot:		100			
Screen Top Depth:		75.0			
Screen End Depth:		82.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910151			
Pump Set At:					
Static Level:		57.0			
Final Level After Pumping:					
Recommended Pump Depth:		75.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		10			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933993398			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		82.0			
Water Found Depth UOM:		ft			
30	1 of 1	NNE/146.0	336.9 / 7.00	lot 16 con 9 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6924976			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	09/14/1999
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	202778			Contractor:	1413
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924976.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	08/17/1999				
Year Completed:	1999				
Depth (m):	5.1816				
Latitude:	44.0269410716324				
Longitude:	-79.2682303811087				
X:	-79.26823022921242				
Y:	44.02694106959197				
Path:	692\6924976.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10515254			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638781.00
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	08/17/1999			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:	from gps				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932826141				
Layer:	1				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	74				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:		LAYERED			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932826142			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		00			
Material 1 Desc:		UNKNOWN TYPE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966924976			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11063824			
Casing No:		1			
Comment:					
Alt Name:					
31	1 of 1	ESE/146.0	344.7 / 14.80	lot 15 con 9 ON	WWIS
Well ID:	6920786			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	11/15/1989
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	58432			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920786.pdf			
Additional Detail(s) (Map)					
Well Completed Date:	11/07/1989				
Year Completed:	1989				
Depth (m):	44.196				
Latitude:	44.024560617678				
Longitude:	-79.2668073578979				
X:	-79.26680720594497				
Y:	44.02456061582735				
Path:	692\6920786.pdf				
Bore Hole Information					
Bore Hole ID:	10511101	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		17	
Code OB:		East83:		638900.60	
Code OB Desc:		North83:		4876061.00	
Open Hole:		Org CS:			
Cluster Kind:		UTMRC:		5	
Date Completed:	11/07/1989	UTMRC Desc:		margin of error : 100 m - 300 m	
Remarks:		Location Method:		wwr	
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock Materials Interval					
Formation ID:	932804408				
Layer:	5				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	105.0				
Formation End Depth:	119.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock Materials Interval					
Formation ID:	932804411				
Layer:	8				
Color:	6				
General Color:	BROWN				
Material 1:	08				
Material 1 Desc:	FINE SAND				
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		139.0			
Formation End Depth:		145.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932804409			
Layer:		6			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		119.0			
Formation End Depth:		124.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932804404			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		33.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932804405			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		33.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932804406			
Layer:		3			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		57.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932804407			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		85			
Material 2 Desc:		SOFT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		88.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932804410			
Layer:		7			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		124.0			
Formation End Depth:		139.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966920786			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11059671			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930825074			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		142.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933397340			
Layer:		1			
Slot:		010			
Screen Top Depth:		142.0			
Screen End Depth:		145.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996920786			
Pump Set At:					
Static Level:		105.0			
Final Level After Pumping:		135.0			
Recommended Pump Depth:		135.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934621757			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		130.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934880282			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		135.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935151823			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		60			
Test Level:		135.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934364008			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		125.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934003628			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		139.0			
Water Found Depth UOM:		ft			
32	1 of 1	ESE/148.0	343.2 / 13.36	lot 16 con 9 ON	WWIS
Well ID:		6922598		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Water Supply		Date Received:	05/31/1994
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		141481		Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922598.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/24/1994			
Year Completed:		1994			
Depth (m):		37.7952			
Latitude:		44.0242748338146			
Longitude:		-79.2669604286403			
X:		-79.26696027704931			
Y:		44.024274831568576			
Path:		692\6922598.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10512901		Elevation:	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	638889.00
Code OB Desc:				North83:	4876029.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	05/24/1994			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815277			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815274			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815281			
Layer:		8			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		116.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		124.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932815275			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932815276			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932815279			
Layer:		6			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		81			
Material 2 Desc:		SANDY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		88.0			
Formation End Depth:		95.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932815280			
Layer:		7			
Color:		6			
General Color:		BROWN			
Material 1:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		95.0			
Formation End Depth:		116.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932815278			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		10			
Material 2 Desc:		COARSE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933215252			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966922598			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11061471			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930827163			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		121.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		933398607			
Layer:		1			
Slot:		006			
Screen Top Depth:		121.0			
Screen End Depth:		124.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922598			
Pump Set At:					
Static Level:		85.0			
Final Level After Pumping:		105.0			
Recommended Pump Depth:		115.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934884216			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		105.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935149023			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		105.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934360165			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		95.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934635173			
Test Type:		Draw Down			
Test Duration:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		100.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934005316			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		116.0			
Water Found Depth UOM:		ft			

33	1 of 1	NNE/149.8	336.9 / 7.00	lot 16 con 9 ON	WWIS
Well ID:	6908662			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/14/1968
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908662.pdf				

Additional Detail(s) (Map)

Well Completed Date: 07/23/1968
 Year Completed: 1968
 Depth (m): 20.7264
 Latitude: 44.026938499731
 Longitude: -79.2680607511425
 X: -79.2680605994936
 Y: 44.02693849760921
 Path: 690\6908662.pdf

Bore Hole Information

Bore Hole ID:	10499348	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638794.60
Code OB Desc:		North83:	4876323.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	07/23/1968	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743313			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743315			
Layer:		4			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		59.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743312			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743314			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908662			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047918			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811883			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		63.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390045			
Layer:		1			
Slot:		007			
Screen Top Depth:		63.0			
Screen End Depth:		68.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908662			
Pump Set At:					
Static Level:		53.0			
Final Level After Pumping:		61.0			
Recommended Pump Depth:		61.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991925			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		59.0			
Water Found Depth UOM:		ft			
34	1 of 1	WNW/153.0	344.5 / 14.67	lot 16 con 8 ON	WWIS
Well ID:		6922353		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Water Supply		Date Received: 09/16/1993	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		116057		Contractor: 6386	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 016	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6922353.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/13/1993			
Year Completed:		1993			
Depth (m):		23.4696			
Latitude:		44.0264272600071			
Longitude:		-79.2705662883527			
X:		-79.27056613570974			
Y:		44.02642725771058			
Path:		692\6922353.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10512658		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638595.00	
Code OB Desc:				North83: 4876262.00	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	05/13/1993			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932813912			
Layer:		6			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		91			
Material 3 Desc:		WATER-BEARING			
Formation Top Depth:		66.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932813913			
Layer:		7			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		91			
Material 2 Desc:		WATER-BEARING			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		67.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932813909			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		4.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813908			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		85			
Material 2 Desc:		SOFT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813910			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		14			
Material 1 Desc:		HARDPAN			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		28			
Material 3 Desc:		SAND			
Formation Top Depth:		17.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813907			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932813911			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		53.0			
Formation End Depth:		66.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933214912			
Layer:		1			
Plug From:		0.0			
Plug To:		13.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966922353			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11061228			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930826892			
Layer:		3			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		77.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930826891			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		74.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930826890			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		72.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933398436			
Layer:		1			
Slot:		140			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996922353			
Pump Set At:					
Static Level:		11.0			
Final Level After Pumping:					
Recommended Pump Depth:		40.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934634039			
Test Type:					
Test Duration:		30			
Test Level:		38.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935148590			
Test Type:					
Test Duration:		60			
Test Level:		40.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934359570			
Test Type:					
Test Duration:		15			
Test Level:		35.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934883645				
Test Type:					
Test Duration:	45				
Test Level:	40.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	934005103				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	66.0				
Water Found Depth UOM:	ft				
35	1 of 1	ENE/153.7	333.4 / 3.58	lot 16 con 9 ON	WWIS
Well ID:	6908415			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/26/1956
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908415.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	10/24/1956				
Year Completed:	1956				
Depth (m):	16.764				
Latitude:	44.0262011476138				
Longitude:	-79.266934237466				
X:	-79.26693408470645				
Y:	44.02620114549987				
Path:	690\6908415.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10499105			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638886.60
Code OB Desc:				North83:	4876243.00
Open Hole:				Org CS:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	9
Date Completed:	10/24/1956			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742230			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742229			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908415			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047675			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930811628					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 50.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933389891					
Layer: 1					
Slot:					
Screen Top Depth: 50.0					
Screen End Depth: 55.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996908415					
Pump Set At:					
Static Level: 50.0					
Final Level After Pumping: 50.0					
Recommended Pump Depth:					
Pumping Rate: 2.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 5					
Pumping Duration MIN: 0					
Flowing: No					
<u>Water Details</u>					
Water ID: 933991685					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 50.0					
Water Found Depth UOM: ft					
<u>36</u>	1 of 1	N/153.8	339.5 / 9.67	lot 16 con 8 ON	WWIS
Well ID: 6908266					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 09/09/1963					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2204					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908266.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/10/1963			
Year Completed:		1963			
Depth (m):		21.9456			
Latitude:		44.0270424843685			
Longitude:		-79.2689811182504			
X:		-79.26898096631716			
Y:		44.02704248169053			
Path:		690\6908266.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10498957			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638720.60
Code OB Desc:				North83:	4876333.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	07/10/1963			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741795			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		26.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741794			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741797			
Layer:		4			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		62.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741796			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		62.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908266			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047527			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811478			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		67.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389761			
Layer:		1			
Slot:		010			
Screen Top Depth:		67.0			
Screen End Depth:		72.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908266			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		66.0			
Recommended Pump Depth:		66.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991538			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			
37	1 of 1	E/155.2	341.9 / 12.00	lot 15 con 9 ON	WWIS
Well ID:	6908406			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/17/1962
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908406.pdf			

Additional Detail(s) (Map)

Well Completed Date: 06/16/1962
Year Completed: 1962
Depth (m): 26.2128
Latitude: 44.0251069280013
Longitude: -79.2666167449365
X: -79.26661659333529
Y: 44.025106925387796
Path: 690\6908406.pdf

Bore Hole Information

Bore Hole ID:	10499096	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638914.60
Code OB Desc:		North83:	4876122.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	06/16/1962	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 932742206
Layer: 3
Color:
General Color:
Material 1: 05
Material 1 Desc: CLAY
Material 2: 11
Material 2 Desc: GRAVEL
Material 3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742204			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742207			
Layer:		4			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		86.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742205			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908406			
Method Construction Code:		8			
Method Construction:		Jetting			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047666			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811619			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		81.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389882			
Layer:		1			
Slot:		010			
Screen Top Depth:		81.0			
Screen End Depth:		86.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908406			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:		80.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		5			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991676			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	1 of 1	WNW/155.7	345.2 / 15.35	lot 17 con 8 ON	WWIS
Well ID: 6924431 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: 187931 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 06/22/1998 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924431.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/16/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0261522452519			
Longitude:		-79.270836327417			
X:		-79.2708361755105			
Y:		44.02615224265239			
Path:		692\6924431.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514709		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638574.00	
Code OB Desc:				North83: 4876231.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 2	
Date Completed:		06/16/1998		UTMRC Desc: margin of error : 3 - 10 m	
Remarks:				Location Method: gps	
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217751			
Layer:		1			
Plug From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		99.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924431			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063279			
Casing No:		1			
Comment:					
Alt Name:					
39	1 of 1	ESE/156.8	344.9 / 15.03	lot 15 con 9 ON	WWIS
Well ID:		6914354		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	02/10/1978
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2651
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914354.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/12/1977			
Year Completed:		1977			
Depth (m):		39.624			
Latitude:		44.0246659601896			
Longitude:		-79.2666295982331			
X:		-79.26662944646574			
Y:		44.024665957887656			
Path:		691\6914354.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10504930		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638914.60
Code OB Desc:				North83:	4876073.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/12/1977			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932770030			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		108.0			
Formation End Depth:		130.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932770028			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		17.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932770026			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		77			
Material 2 Desc:		LOOSE			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770029			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		42.0			
Formation End Depth:		108.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770027			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		2.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770031			
Layer:		6			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		130.0			
Formation End Depth:		130.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966914354			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11053500			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:		1			
<u>Construction Record - Casing</u>					
Casing ID:		930817983			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		126.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393120			
Layer:		1			
Slot:		008			
Screen Top Depth:		126.0			
Screen End Depth:		130.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996914354			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:					
Pumping Rate:		30.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934876289			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934626004			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		80.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935140145				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	80.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934365310				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	80.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	933997522				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	108.0				
Water Found Depth UOM:	ft				

40	1 of 1	SSE/160.0	344.4 / 14.50	lot 14 con 9 ON	WWIS
Well ID:	6920065			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/08/1988
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	37833			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	014
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920065.pdf				

<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/15/1988				
Year Completed:	1988				
Depth (m):	43.8912				
Latitude:	44.0236214438242				
Longitude:	-79.2678079819671				
X:	-79.26780783012036				
Y:	44.02362144146429				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		692\6920065.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10510384			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638822.60
Code OB Desc:				North83:	4875955.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	11/15/1988			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932799984				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	115.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932799986				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	08				
Material 1 Desc:	FINE SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	137.0				
Formation End Depth:	144.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932799985				
Layer:	2				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		115.0			
Formation End Depth:		137.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966920065			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11058954			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930824243			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		140.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933396860			
Layer:		1			
Slot:		008			
Screen Top Depth:		140.0			
Screen End Depth:		144.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996920065			
Pump Set At:					
Static Level:		100.0			
Final Level After Pumping:		115.0			
Recommended Pump Depth:		120.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934362304				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	115.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935150447				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	115.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934628860				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	115.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934878638				
Test Type:	Draw Down				
Test Duration:	45				
Test Level:	115.0				
Test Level UOM:	ft				
 <u>Water Details</u>					
Water ID:	934002923				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	137.0				
Water Found Depth UOM:	ft				
41	1 of 1	WNW/161.6	341.9 / 12.02	lot 16 con 8 ON	WWIS
Well ID:	6916078			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/12/1982
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):			County:	YORK	
Elevatn Reliabilty:			Lot:	016	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916078.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/30/1981			
Year Completed:		1981			
Depth (m):		28.3464			
Latitude:		44.0260820251494			
Longitude:		-79.2709556636231			
X:		-79.27095551217248			
Y:		44.02608202263763			
Path:		691\6916078.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10506621		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		09/30/1981		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932778794			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932778792			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932778795			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		58.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932778793			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932778791			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966916078			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055191			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930819848			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		89.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394281			
Layer:		1			
Slot:		080			
Screen Top Depth:		88.0			
Screen End Depth:		93.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996916078			
Pump Set At:					
Static Level:		72.0			
Final Level After Pumping:					
Recommended Pump Depth:		88.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933999268			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			
42	1 of 1	NE/162.1	333.1 / 3.27	lot 16 con 9 ON	WWIS
Well ID:	6910973			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/04/1972
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910973.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	09/13/1972				
Year Completed:	1972				
Depth (m):	26.8224				
Latitude:	44.0269328255293				
Longitude:	-79.2676865674733				
X:	-79.26768641536552				
Y:	44.02693282400356				
Path:	691\6910973.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10501616			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638824.60
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	09/13/1972			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753504			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753500			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753502			
Layer:		3			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753503			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932753501			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966910973			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11050186			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930814313			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		79.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391129			
Layer:		1			
Slot:		100			
Screen Top Depth:		79.0			
Screen End Depth:		88.0			
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910973			
Pump Set At:					
Static Level:		53.0			
Final Level After Pumping:					
Recommended Pump Depth:		78.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933994211			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		74.0			
Water Found Depth UOM:		ft			
43	1 of 1	NNW/162.1	338.9 / 9.10	lot 16 con 8 ON	WWIS
Well ID:		6924187		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Abandoned-Other		Date Received: 01/09/1998	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		179460		Contractor: 5459	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 016	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924187.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/01/1997			
Year Completed:		1997			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):					
Latitude:		44.0270229704149			
Longitude:		-79.2694758276664			
X:		-79.26947567647221			
Y:		44.0270229678058			
Path:		692\6924187.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514465	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		638681.00
Code OB Desc:			North83:		4876330.00
Open Hole:			Org CS:		N83
Cluster Kind:			UTMRC:		4
Date Completed:		11/01/1997	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		
Location Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217450			
Layer:		2			
Plug From:		87.0			
Plug To:		7.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217449			
Layer:		1			
Plug From:		92.0			
Plug To:		87.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924187			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063035			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930828915 Layer: 1 Material: 1 Open Hole or Material: STEEL Depth From: Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft					
44	1 of 1	WNW/162.1	344.4 / 14.59	lot 16 con 8 ON	WWIS
Well ID: 6918300 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: NA Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6918300.pdf					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 11/12/1986					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2218					
Form Version: 1					
Owner:					
County: YORK					
Lot: 016					
Concession: 08					
Concession Name: CON					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					
Additional Detail(s) (Map)					
Well Completed Date: 02/07/1986 Year Completed: 1986 Depth (m): 25.908 Latitude: 44.026349475921 Longitude: -79.2707806795462 X: -79.27078052847206 Y: 44.02634947381334 Path: 691\6918300.pdf					
Bore Hole Information					
Bore Hole ID: 10508635 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 02/07/1986 Remarks: Location Method Desc: from gps Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method:					
Elevation: Elevrc: Zone: 17 East83: 638578.00 North83: 4876253.00 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: gps					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789835			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789836			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789834			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932789837			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966918300			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11057205			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930822238			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		81.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933395642			
Layer:		1			
Slot:		080			
Screen Top Depth:		80.0			
Screen End Depth:		85.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996918300			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:		78.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		934001249			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			
45	1 of 1	E/163.2	341.9 / 12.00	lot 16 con 9 ON	WWIS
Well ID:		6920507		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:		58339		Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920507.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/03/1989			
Year Completed:		1989			
Depth (m):		27.7368			
Latitude:		44.025249895394			
Longitude:		-79.2665451967721			
X:		-79.26654504522797			
Y:		44.02524989254826			
Path:		692\6920507.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10510825		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		07/03/1989		UTMRC Desc:	
		margin of error : 30 m - 100 m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:		Location Method:			
Location Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932802871			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932802874			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		83.0			
Formation End Depth:		91.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932802873			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932802870			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932802872			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966920507			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11059395			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930824753			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		88.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933397161			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		008			
Screen Top Depth:		88.0			
Screen End Depth:		91.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996920507			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:		80.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934363416			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		75.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629933			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935151244			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934879710			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		80.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		934003350			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		83.0			
Water Found Depth UOM:		ft			
46	1 of 1	N/164.7	339.5 / 9.67	lot 16 con 8 ON	WWIS
Well ID:	6909315			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/14/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909315.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/14/1969				
Year Completed:	1969				
Depth (m):	22.86				
Latitude:	44.027133611973				
Longitude:	-79.2690533355202				
X:	-79.26905318364818				
Y:	44.02713360959474				
Path:	690\6909315.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10499994			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638714.60
Code OB Desc:				North83:	4876343.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	06/14/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746115			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746117			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746116			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932746118			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966909315			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11048564			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930812555			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		71.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390316			
Layer:		1			
Slot:		080			
Screen Top Depth:		70.0			
Screen End Depth:		75.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909315			
Pump Set At:					
Static Level:		61.0			
Final Level After Pumping:					
Recommended Pump Depth:		65.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992579			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			
47	1 of 1	NNE/166.1	335.3 / 5.41	lot 16 con 9 ON	WWIS
Well ID:		6908420		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	07/11/1961
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908420.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/08/1960			
Year Completed:		1960			
Depth (m):		16.764			
Latitude:		44.0270248996671			
Longitude:		-79.2678211466405			
X:		-79.26782099462183			
Y:		44.027024897675894			
Path:		690\6908420.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10499110		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638813.60
Code OB Desc:				North83:	4876333.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		06/08/1960		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742243			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742242			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742244			
Layer:		3			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
Use					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		966908420			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11047680			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811633			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		50.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389896			
Layer:		1			
Slot:					
Screen Top Depth:		50.0			
Screen End Depth:		55.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908420			
Pump Set At:					
Static Level:		48.0			
Final Level After Pumping:		48.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		5			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991690			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		48.0			
Water Found Depth UOM:		ft			

48	1 of 1	E/166.2	336.5 / 6.63	lot 16 con 9 ON	WWIS
Well ID:	6908421			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/05/1960
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908421.pdf

Additional Detail(s) (Map)

Well Completed Date: 07/21/1960
Year Completed: 1960
Depth (m): 24.384
Latitude: 44.0256558878783
Longitude: -79.2666007434845
X: -79.2666005907028
Y: 44.02565588592109
Path: 690\6908421.pdf

Bore Hole Information

Bore Hole ID: 10499111
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 07/21/1960
Remarks:
Location Method Desc: Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83: 638914.60
North83: 4876183.00
Org CS:
UTMRC: 5
UTMRC Desc: margin of error : 100 m - 300 m
Location Method: p5

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932742245			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932742246			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932742247			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966908421			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11047681			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930811634			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		75.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389897			
Layer:		1			
Slot:					
Screen Top Depth:		75.0			
Screen End Depth:		80.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908421			
Pump Set At:					
Static Level:		75.0			
Final Level After Pumping:		75.0			
Recommended Pump Depth:		75.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991691			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			
<u>49</u>	1 of 1	ENE/168.4	336.5 / 6.63	lot 16 con 9 ON	WWIS
Well ID:	6920842			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/22/1990

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:	58426	Contractor:		5459	
Tag:		Form Version:		1	
Constructn Method:			Owner:		
Elevation (m):		County:		YORK	
Elevatn Reliabilty:		Lot:		016	
Depth to Bedrock:		Concession:		09	
Well Depth:		Concession Name:		CON	
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920842.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	01/09/1990				
Year Completed:	1990				
Depth (m):	38.1				
Latitude:	44.0257638799785				
Longitude:	-79.2665975956045				
X:	-79.26659744389569				
Y:	44.02576387751641				
Path:	692\6920842.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10511157	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		17	
Code OB:		East83:		638914.60	
Code OB Desc:		North83:		4876195.00	
Open Hole:		Org CS:			
Cluster Kind:		UTMRC:		5	
Date Completed:	01/09/1990	UTMRC Desc:		margin of error : 100 m - 300 m	
Remarks:		Location Method:		wwr	
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932804735				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	12				
Material 3 Desc:	STONES				
Formation Top Depth:	0.0				
Formation End Depth:	107.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932804736			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		107.0			
Formation End Depth:		118.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932804737			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		118.0			
Formation End Depth:		125.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966920842			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11059727			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930825141			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		119.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		933397381			
Layer:		1			
Slot:		008			
Screen Top Depth:		119.0			
Screen End Depth:		125.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996920842			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:		110.0			
Recommended Pump Depth:		110.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934364460			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		100.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934621792			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		110.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934880313			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		110.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935151853			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		60			
Test Level:		110.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934003683			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		118.0			
Water Found Depth UOM:		ft			
50	1 of 1	E/168.4	341.9 / 12.00	lot 17 con 9 ON	WWIS
Well ID:		6924417		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Abandoned-Other		Date Received:	06/22/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		187965		Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924417.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/15/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0250953923048			
Longitude:		-79.2664498771649			
X:		-79.26644972503755			
Y:		44.025095389889614			
Path:		692\6924417.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514695		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638928.00
Code OB Desc:				North83:	4876121.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:		06/15/1998		UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Annular Space/Abandonment Sealing Record					
Plug ID:		933217737			
Layer:		1			
Plug From:		0.0			
Plug To:		87.0			
Plug Depth UOM:		ft			
Method of Construction & Well Use					
Method Construction ID:		966924417			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
Pipe Information					
Pipe ID:		11063265			
Casing No:		1			
Comment:					
Alt Name:					

51	1 of 1	NW/172.7	342.6 / 12.73	lot 16 con 8 ON	WWIS
Well ID:		6908252		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908252.pdf			

Additional Detail(s) (Map)	
Well Completed Date:	05/28/1954
Year Completed:	1954
Depth (m):	22.2504

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		44.0269423100851			
Longitude:		-79.2700946030803			
X:		-79.27009445112027			
Y:		44.02694230786959			
Path:		690\6908252.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10498943			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638631.60
Code OB Desc:				North83:	4876320.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	05/28/1954			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932741747				
Layer:	2				
Color:					
General Color:					
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	40.0				
Formation End Depth:	73.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932741746				
Layer:	1				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	40.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		966908252			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047513			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811464			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		68.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389747			
Layer:		1			
Slot:					
Screen Top Depth:		68.0			
Screen End Depth:		73.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908252			
Pump Set At:					
Static Level:		63.0			
Final Level After Pumping:		63.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991524			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			
52	1 of 1	ENE/173.8	334.9 / 5.00	lot 16 con 9 ON	WWIS
Well ID:		6915170		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Water Supply		Date Received:	10/23/1979
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915170.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		06/14/1979			
Year Completed:		1979			
Depth (m):		28.6512			
Latitude:		44.0260158615369			
Longitude:		-79.2665902504827			
X:		-79.26659009835139			
Y:		44.02601585993931			
Path:		691\6915170.pdf			
Bore Hole Information					
Bore Hole ID:		10505739		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638914.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		06/14/1979		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932774154			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		84.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774152			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774155			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		84.0			
Formation End Depth:		94.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932774153			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		60.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966915170			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054309			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818853			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		89.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393654			
Layer:		1			
Slot:		010			
Screen Top Depth:		89.0			
Screen End Depth:		94.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996915170			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:					
Recommended Pump Depth:		89.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933998366			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		84.0			
Water Found Depth UOM:		ft			
53	1 of 1	WNW/184.1	343.2 / 13.39	lot 17 con 8 ON	WWIS
Well ID:	6924423			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	06/22/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187932			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924423.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/15/1998				
Year Completed:	1998				
Depth (m):					
Latitude:	44.0260864804679				
Longitude:	-79.2712500177318				
X:	-79.27124986574188				
Y:	44.02608647748967				
Path:	692\6924423.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10514701			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638541.00
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	06/15/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:	from gps				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217743			
Layer:		1			
Plug From:		0.0			
Plug To:		92.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924423			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063271			
Casing No:		1			
Comment:					
Alt Name:					
54	1 of 2	NW/184.3	334.5 / 4.68	lot 16 con 8 ON	WWIS
Well ID:	6910032			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/20/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2215
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910032.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	10/03/1970				
Year Completed:	1970				
Depth (m):	29.2608				
Latitude:	44.0269725192204				
Longitude:	-79.2703058554613				
X:	-79.27030570336369				
Y:	44.02697251662523				
Path:	691\6910032.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10500689			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638614.60
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	10/03/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932749200				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	2.0				
Formation End Depth:	23.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932749201				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	08				
Material 2 Desc:	FINE SAND				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	23.0				
Formation End Depth:	50.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932749203				
Layer:	5				
Color:	6				
General Color:	BROWN				
Material 1:	09				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		82.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749199			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749202			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966910032			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049259			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813310			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:					
		2			
Open Hole or Material:					
		GALVANIZED			
Depth From:					
		91.0			
Depth To:					
		2.0			
Casing Diameter:					
		inch			
Casing Diameter UOM:					
		ft			
Casing Depth UOM:					
		ft			
Construction Record - Screen					
Screen ID:					
		933390649			
Layer:					
		1			
Slot:					
		080			
Screen Top Depth:					
		91.0			
Screen End Depth:					
		96.0			
Screen Material:					
		ft			
Screen Depth UOM:					
		inch			
Screen Diameter UOM:					
		1.25			
Results of Well Yield Testing					
Pumping Test Method Desc:					
		PUMP			
Pump Test ID:					
		996910032			
Pump Set At:					
		82.0			
Static Level:					
		82.0			
Final Level After Pumping:					
		92.0			
Recommended Pump Depth:					
		92.0			
Pumping Rate:					
		5.0			
Flowing Rate:					
		5.0			
Recommended Pump Rate:					
		5.0			
Levels UOM:					
		ft			
Rate UOM:					
		GPM			
Water State After Test Code:					
		1			
Water State After Test:					
		CLEAR			
Pumping Test Method:					
		1			
Pumping Duration HR:					
		1			
Pumping Duration MIN:					
		15			
Flowing:					
		No			
Water Details					
Water ID:					
		933993286			
Layer:					
		1			
Kind Code:					
		1			
Kind:					
		FRESH			
Water Found Depth:					
		82.0			
Water Found Depth UOM:					
		ft			
54	2 of 2	NW/184.3	334.5 / 4.68	lot 16 con 8 ON	WWIS
Well ID:					
		6914541			
Construction Date:					
		Domestic			
Use 1st:					
		0			
Use 2nd:					
		Water Supply			
Final Well Status:					
		Water Supply			
Water Type:					
		Water Supply			
Casing Material:					
		Water Supply			
Audit No:					
		Water Supply			
Tag:					
		Water Supply			
Constructn Method:					
		Water Supply			
Flowing (Y/N):					
		Water Supply			
Flow Rate:					
		Water Supply			
Data Entry Status:					
		Water Supply			
Data Src:					
		Water Supply			
Date Received:					
		Water Supply			
Selected Flag:					
		Water Supply			
Abandonment Rec:					
		Water Supply			
Contractor:					
		Water Supply			
Form Version:					
		Water Supply			
Owner:					
		Water Supply			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):			County:	YORK	
Elevatn Reliabilty:			Lot:	016	
Depth to Bedrock:			Concession:	08	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914541.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/09/1978			
Year Completed:		1978			
Depth (m):		29.2608			
Latitude:		44.0269725192204			
Longitude:		-79.2703058554613			
X:		-79.27030570336369			
Y:		44.02697251662523			
Path:		691\6914541.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10505115		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		06/09/1978		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932771103			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932771106			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		49.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932771107			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		82.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932771104			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932771105			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		44.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		49.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966914541			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11053685			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930818183			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		92.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933393242			
Layer:		1			
Slot:		008			
Screen Top Depth:		91.0			
Screen End Depth:		96.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996914541			
Pump Set At:					
Static Level:		82.0			
Final Level After Pumping:					
Recommended Pump Depth:		90.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933997718			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		82.0			
Water Found Depth UOM:		ft			
55	1 of 1	E/186.0	345.0 / 15.17	lot 14 con 9 ON	WWIS
Well ID:	6917900			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/25/1986
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	014
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917900.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/27/1985				
Year Completed:	1985				
Depth (m):	45.72				
Latitude:	44.0249568811748				
Longitude:	-79.2662218262797				
X:	-79.2662216743134				
Y:	44.02495687855763				
Path:	691\6917900.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10508238			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638946.60
Code OB Desc:				North83:	4876106.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	11/27/1985			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787707			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		81			
Material 2 Desc:		SANDY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787709			
Layer:		3			
Color:					
General Color:					
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787712			
Layer:		6			
Color:					
General Color:					
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		144.0			
Formation End Depth:		150.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787710			
Layer:		4			
Color:					
General Color:					
Material 1:		05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		131.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787708			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		25.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787711			
Layer:		5			
Color:					
General Color:					
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		90			
Material 2 Desc:		VERY			
Material 3:		08			
Material 3 Desc:		FINE SAND			
Formation Top Depth:		131.0			
Formation End Depth:		144.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966917900			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056808			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930821787			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		147.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933395349			
Layer:		1			
Slot:		004			
Screen Top Depth:		147.0			
Screen End Depth:		150.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996917900			
Pump Set At:					
Static Level:		90.0			
Final Level After Pumping:		135.0			
Recommended Pump Depth:		135.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934365519			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		135.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934881898			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		135.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934623903			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		135.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935147416				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	135.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	934000834				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	147.0				
Water Found Depth UOM:	ft				
56	1 of 1	N/186.2	336.1 / 6.25	lot 16 con 9 ON	WWIS
Well ID:	6917841			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/14/1986
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5206
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917841.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	07/15/1985				
Year Completed:	1985				
Depth (m):	24.9936				
Latitude:	44.0273461939341				
Longitude:	-79.2688225364403				
X:	-79.2688223840487				
Y:	44.027346191719694				
Path:	691\6917841.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10508179			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638732.60

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4876367.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/15/1985			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787347			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		13			
Material 3 Desc:		BOULDERS			
Formation Top Depth:		52.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787344			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932787346			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		13			
Material 3 Desc:		BOULDERS			
Formation Top Depth:		47.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787345			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932787348			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917841			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056749			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930821729			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		79.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		933395293			
Layer:		1			
Slot:		020			
Screen Top Depth:		79.0			
Screen End Depth:		82.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996917841			
Pump Set At:					
Static Level:		62.0			
Final Level After Pumping:		65.0			
Recommended Pump Depth:		75.0			
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:		8.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934365479			
Test Type:					
Test Duration:		15			
Test Level:		62.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935147376			
Test Type:					
Test Duration:		60			
Test Level:		62.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934000777			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			
57	1 of 1	N/188.7	335.2 / 5.31	lot 16 con 9 ON	WWIS
Well ID:	6923074			Flowing (Y/N):	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:			Flow Rate:		
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/21/1995
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	141588			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923074.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/14/1995			
Year Completed:		1995			
Depth (m):		27.1272			
Latitude:		44.0273699025151			
Longitude:		-79.2686047222191			
X:		-79.2686045696094			
Y:		44.02736990060278			
Path:		692\6923074.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10513377			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638750.00
Code OB Desc:				North83:	4876370.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	03/14/1995			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932817357			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		89.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932817355			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		28			
Material 3 Desc:		SAND			
Formation Top Depth:		1.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932817356			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932817358			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932817354			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933215939			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966923074			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11061947			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930827616			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		86.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933398911			
Layer:		1			
Slot:		010			
Screen Top Depth:		86.0			
Screen End Depth:		89.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996923074			
Pump Set At:					
Static Level:		65.0			
Final Level After Pumping:		75.0			
Recommended Pump Depth:		80.0			
Pumping Rate:		12.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934361292			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		75.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934876534			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		75.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935149825			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		75.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934635708			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		75.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		934005662			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
58	1 of 1	NW/190.6	334.5 / 4.68	lot 16 con 8 ON	WWIS
Well ID: 6908263 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/09/1963 Selected Flag: TRUE Abandonment Rec: Contractor: 2204 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908263.pdf Additional Detail(s) (Map) Well Completed Date: 06/19/1963 Year Completed: 1963 Depth (m): 22.2504 Latitude: 44.0269745967595 Longitude: -79.2704430564087 X: -79.2704429039112 Y: 44.02697459449152 Path: 690\6908263.pdf Bore Hole Information Bore Hole ID: 10498954 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 06/19/1963 Remarks: Location Method Desc: Original Pre1985 UTM Rel Code 9: unknown UTM Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 17 East83: 638603.60 North83: 4876323.00 Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: p9 Overburden and Bedrock Materials Interval Formation ID: 932741782 Layer: 5 Color: General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		66.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741779			
Layer:		2			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741778			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741783			
Layer:		6			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		66.0			
Formation End Depth:		73.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932741781			
Layer:		4			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741780			
Layer:		3			
Color:					
General Color:					
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908263			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047524			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811475			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		68.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		933389758			
Layer:		1			
Slot:					
Screen Top Depth:		68.0			
Screen End Depth:		73.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908263			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:		67.0			
Recommended Pump Depth:		67.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991535			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		66.0			
Water Found Depth UOM:		ft			

59	1 of 1	NW/191.2	339.9 / 10.00	lot 16 con 8 ON	WWIS
Well ID:	6924338			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	05/27/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187925			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN	(WHITCHURCH TWP)		
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924338.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		04/07/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0267019615118			
Longitude:		-79.2708702553617			
X:		-79.27087010302202			
Y:		44.0267019595485			
Path:		692\6924338.pdf			
Bore Hole Information					
Bore Hole ID:		10514616	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		638570.00
Code OB Desc:			North83:		4876292.00
Open Hole:			Org CS:		N83
Cluster Kind:			UTMRC:		4
Date Completed:		04/07/1998	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		
Location Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Annular Space/Abandonment					
Sealing Record					
Plug ID:		933217650			
Layer:		1			
Plug From:		0.0			
Plug To:		93.0			
Plug Depth UOM:		ft			
Method of Construction & Well					
Use					
Method Construction ID:		966924338			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
Pipe Information					
Pipe ID:		11063186			
Casing No:		1			
Comment:					
Alt Name:					
60	1 of 1	N/202.6	337.1 / 7.25	lot 16 con 8 ON	WWIS
Well ID:		6908278	Flowing (Y/N):		
Construction Date:			Flow Rate:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/29/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908278.pdf				

Additional Detail(s) (Map)

Well Completed Date: 12/07/1967
Year Completed: 1967
Depth (m): 24.384
Latitude: 44.0274600456709
Longitude: -79.2692060524893
X: -79.26920589986327
Y: 44.02746004368492
Path: 690\6908278.pdf

Bore Hole Information

Bore Hole ID:	10498969	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638701.60
Code OB Desc:		North83:	4876379.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	12/07/1967	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Location Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 932741852
Layer: 3
Color: 7
General Color: RED
Material 1: 05
Material 1 Desc: CLAY
Material 2:
Material 2 Desc:
Material 3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		56.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741853			
Layer:		4			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		56.0			
Formation End Depth:		62.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741854			
Layer:		5			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		62.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741850			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741851			
Layer:		2			
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908278			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047539			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811490			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		75.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389773			
Layer:		1			
Slot:		007			
Screen Top Depth:		75.0			
Screen End Depth:		80.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908278			
Pump Set At:					
Static Level:		64.0			
Final Level After Pumping:					
Recommended Pump Depth:		64.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991550			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			

Well ID:	6908264	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	09/09/1963
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	2204
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	016
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

Additional Detail(s) (Map)

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	9
Date Completed:	07/05/1963			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741788			
Layer:		5			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		63.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741785			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741787			
Layer:		4			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741789			
Layer:		6			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		63.0			
Formation End Depth:		73.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741786			
Layer:		3			
Color:					
General Color:					
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741784			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908264			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047525			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811476			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		68.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389759			
Layer:		1			
Slot:					
Screen Top Depth:		68.0			
Screen End Depth:		73.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908264			
Pump Set At:					
Static Level:		14.0			
Final Level After Pumping:		67.0			
Recommended Pump Depth:		67.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991536			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		63.0			
Water Found Depth UOM:		ft			
62	1 of 2	E/205.0	345.2 / 15.34	lot 15 con 9 ON	WWIS
Well ID:	6910229			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/02/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910229.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		08/04/1970			
Year Completed:		1970			
Depth (m):		29.8704			
Latitude:		44.0251064620861			
Longitude:		-79.2659928628178			
X:		-79.26599271087542			
Y:		44.02510645965022			
Path:		691\6910229.pdf			
Bore Hole Information					
Bore Hole ID:		10500879			
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:		08/04/1970			
Remarks:					
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		932750086			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		55.0			
Formation End Depth:		98.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932750084			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932750085			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966910229			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049449			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813511			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		93.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390747			
Layer:		1			
Slot:		060			
Screen Top Depth:		93.0			
Screen End Depth:		98.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910229			
Pump Set At:					
Static Level:		88.0			
Final Level After Pumping:					
Recommended Pump Depth:		88.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993472			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		88.0			
Water Found Depth UOM:		ft			

62	2 of 2	E/205.0	345.2 / 15.34	lot 15 con 9 ON	WWIS
Well ID:		6913449		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	09/16/1976
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6913449.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:			08/20/1976		
Year Completed:			1976		
Depth (m):			33.528		
Latitude:			44.0251064620861		
Longitude:			-79.2659928628178		
X:			-79.26599271087542		
Y:			44.02510645965022		
Path:			691\6913449.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID:			10504033		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone:		
Code OB Desc:			East83:		
Open Hole:			North83:		
Cluster Kind:			Org CS:		
Date Completed:			UTMRC:		
Remarks:			UTMRC Desc:		
Location Method Desc:			Location Method:		
Elevrc Desc:			margin of error : 100 m - 300 m		
Location Source Date:			p5		
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932765290		
Layer:			2		
Color:			6		
General Color:			BROWN		
Material 1:			28		
Material 1 Desc:			SAND		
Material 2:			05		
Material 2 Desc:			CLAY		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			4.0		
Formation End Depth:			14.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932765292		
Layer:			4		
Color:			6		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932765293			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932765291			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932765289			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932765294			
Layer:		6			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		110.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966913449			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11052603			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930817052			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		101.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933392562			
Layer:		1			
Slot:		006			
Screen Top Depth:		100.0			
Screen End Depth:		110.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996913449			
Pump Set At:					
Static Level:		72.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping: Recommended Pump Depth: Pumping Rate: 5.0 Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 2 Pumping Duration MIN: 10 Flowing: No					
<u>Water Details</u>					
Water ID: 933996627 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 72.0 Water Found Depth UOM: ft					

63	1 of 1	WNW/205.3	343.9 / 14.00	lot 16 con 8 ON	WWIS
Well ID: 6908747 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 01/30/1969 Selected Flag: TRUE Abandonment Rec: Contractor: 2407 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908747.pdf					

Additional Detail(s) (Map)

Well Completed Date: 12/01/1968
Year Completed: 1968
Depth (m): 29.5656
Latitude: 44.025911476187
Longitude: -79.2715845267329
X: -79.271584374906
Y: 44.02591147386774
Path: 690\6908747.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10499431			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638514.60
Code OB Desc:				North83:	4876203.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/01/1968			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932743683				
Layer:	3				
Color:	3				
General Color:	BLUE				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	28.0				
Formation End Depth:	93.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932743681				
Layer:	1				
Color:					
General Color:					
Material 1:	02				
Material 1 Desc:	TOPSOIL				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	1.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932743684				
Layer:	4				
Color:	3				
General Color:	BLUE				
Material 1:	08				
Material 1 Desc:	FINE SAND				
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		93.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932743682			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908747			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11048001			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811967			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		93.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390109			
Layer:		1			
Slot:		008			
Screen Top Depth:		93.0			
Screen End Depth:		97.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996908747				
Pump Set At:					
Static Level:	31.0				
Final Level After Pumping:	93.0				
Recommended Pump Depth:	93.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	6				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933992004				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	93.0				
Water Found Depth UOM:	ft				
64	1 of 1	E/207.8	340.8 / 10.96	lot 16 con 9 ON	WWIS
Well ID:	6908426			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	06/05/1963
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908426.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	04/15/1963				
Year Completed:	1963				
Depth (m):	27.1272				
Latitude:	44.0258104932387				
Longitude:	-79.2661095924502				
X:	-79.26610943965963				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Y: Path:		44.025810490437564 690\6908426.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10499116			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638953.60
Code OB Desc:				North83:	4876201.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	04/15/1963			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932742264				
Layer:	4				
Color:					
General Color:					
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	44.0				
Formation End Depth:	78.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932742261				
Layer:	1				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	9.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932742265				
Layer:	5				
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		89.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742262			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742263			
Layer:		3			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908426			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047686			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930811639					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 84.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933389901					
Layer: 1					
Slot: 006					
Screen Top Depth: 84.0					
Screen End Depth: 89.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996908426					
Pump Set At:					
Static Level: 14.0					
Final Level After Pumping: 83.0					
Recommended Pump Depth: 83.0					
Pumping Rate: 4.0					
Flowing Rate:					
Recommended Pump Rate: 4.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 3					
Pumping Duration MIN: 30					
Flowing: No					
<u>Water Details</u>					
Water ID: 933991696					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 78.0					
Water Found Depth UOM: ft					

65	1 of 1	NNW/208.1	335.2 / 5.34	lot 16 con 8 ON	WWIS
Well ID: 6914657					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 09/08/1978					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2218					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:				WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)	
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914657.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/22/1978			
Year Completed:		1978			
Depth (m):		22.5552			
Latitude:		44.0274130414843			
Longitude:		-79.2696691214071			
X:		-79.26966896867168			
Y:		44.02741303870966			
Path:		691\6914657.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10505230		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		06/22/1978		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932771674			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932771672			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932771673			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932771675			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		62.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932771676			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		62.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966914657			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11053800			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818308			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		70.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393312			
Layer:		1			
Slot:		080			
Screen Top Depth:		69.0			
Screen End Depth:		74.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996914657			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:					
Recommended Pump Depth:		68.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Water Details</u>					
Water ID:		933997834			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			

66	1 of 1	WNW/209.5	343.9 / 14.00	lot 16 con 8 ON	WWIS
Well ID:	6910038			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/21/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2215
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910038.pdf				

Additional Detail(s) (Map)

Well Completed Date:	10/15/1970
Year Completed:	1970
Depth (m):	25.908
Latitude:	44.0260914634852
Longitude:	-79.2715792952896
X:	-79.27157914310335
Y:	44.026091460697025
Path:	691\6910038.pdf

Bore Hole Information

Bore Hole ID:	10500695	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638514.60
Code OB Desc:		North83:	4876223.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	10/15/1970	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932749226			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932749229			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932749227			
Layer:		2			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932749228			
Layer:		3			
Color:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966910038			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11049265			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930813316			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		80.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390653			
Layer:		1			
Slot:		080			
Screen Top Depth:		80.0			
Screen End Depth:		85.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910038			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:					
Recommended Pump Depth:		80.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993292			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			
67	1 of 1	NNW/209.6	335.2 / 5.34	lot 16 con 8 ON	WWIS
Well ID:		6908251		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908251.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/22/1954			
Year Completed:		1954			
Depth (m):		22.86			
Latitude:		44.0274137972561			
Longitude:		-79.2697190130117			
X:		-79.2697188610865			
Y:		44.02741379440924			
Path:		690\6908251.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498942		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	5
Date Completed:	05/22/1954			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741745			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741744			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908251			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047512			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930811463					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 70.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933389746					
Layer: 1					
Slot:					
Screen Top Depth: 70.0					
Screen End Depth: 75.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996908251					
Pump Set At:					
Static Level: 65.0					
Final Level After Pumping: 65.0					
Recommended Pump Depth:					
Pumping Rate: 4.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: No					
<u>Water Details</u>					
Water ID: 933991523					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 75.0					
Water Found Depth UOM: ft					
68	1 of 1	W/211.7	341.7 / 11.87	31 VALLEY RD lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID: 7321419					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status: Abandoned-Other					
Water Type:					
Casing Material:					
Audit No: Z288837					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src:					
Date Received: 11/01/2018					
Selected Flag: TRUE					
Abandonment Rec: Yes					
Contractor: 7523					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/732\7321419.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/05/2018			
Year Completed:		2018			
Depth (m):					
Latitude:		44.025742111279			
Longitude:		-79.2716967606039			
X:		-79.27169660949849			
Y:		44.02574210854222			
Path:		732\7321419.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1007304898			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638506.00
Code OB Desc:				North83:	4876184.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/05/2018			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	www
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007552438				
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007552447			
Layer:		3			
Plug From:		19.0			
Plug To:		21.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007552445			
Layer:		1			
Plug From:		0.0			
Plug To:		1.5199999809265137			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007552446			
Layer:		2			
Plug From:		1.5199999809265137			
Plug To:		19.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007552444			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007552437			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007552441			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:		0.0			
Depth To:		1.5199999809265137			
Casing Diameter:		1.2300000190734863			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		1007552442			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		1.5199999809265137			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		21.0			
Casing Diameter:		5.079999923706055			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007552443			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1007552440			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1007552439			
Diameter:		1.2300000190734863			
Depth From:		0.0			
Depth To:		1.5199999809265137			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>69</u>	1 of 1	NW/213.1	339.9 / 10.00	10 WINDSOR DEIVE lot 16 con 8 STOUFFVILLE ON	WWIS
Well ID:	7227559			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	09/16/2014
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z178298			Contractor:	7386
Tag:	A154497			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7227559.pdf			

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		07/16/2014			
Year Completed:		2014			
Depth (m):					
Latitude:		44.0269282671796			
Longitude:		-79.270951022819			
X:		-79.27095087140141			
Y:		44.026928264745216			
Path:		722\7227559.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1005126447			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638563.00
Code OB Desc:				North83:	4876317.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	07/16/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005369501				
Layer:	3				
Plug From:	2.0				
Plug To:	2.0999999046325684				
Plug Depth UOM:	m				
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005369499				
Layer:	1				
Plug From:	0.0				
Plug To:	0.10000000149011612				
Plug Depth UOM:	m				
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005369500				
Layer:	2				
Plug From:	0.10000000149011612				
Plug To:	2.0				
Plug Depth UOM:	m				
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005369503				
Layer:	5				
Plug From:	26.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		27.43000030517578			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005369502			
Layer:		4			
Plug From:		2.0999999046325684			
Plug To:		26.0			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1005369498			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1005369491			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1005369496			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		2.0			
Depth To:		27.43000030517578			
Casing Diameter:		5.079999923706055			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Casing</u>					
Casing ID:		1005369495			
Layer:		1			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		0.0			
Depth To:		2.0			
Casing Diameter:		121.91999816894531			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1005369497			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005369494			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005369493			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>70</u>	1 of 1	NW/215.2	333.2 / 3.36	8 WINDSOR DRIVE lot 16 con 8 STOUFFVILLE ON	WWIS
Well ID:	7227558			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	09/16/2014
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z178297			Contractor:	7386
Tag:	A154496			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7227558.pdf			

Additional Detail(s) (Map)

Well Completed Date:	07/16/2014
Year Completed:	2014
Depth (m):	
Latitude:	44.0270081285708
Longitude:	-79.2708738307836
X:	-79.27087367918662
Y:	44.027008126394
Path:	722\7227558.pdf

Bore Hole Information

Bore Hole ID:	1005126444	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	638569.00
Code OB Desc:				North83:	4876326.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		07/16/2014	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005369394			
Layer:		3			
Plug From:		2.0			
Plug To:		2.0999999046325684			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005369395			
Layer:		4			
Plug From:		2.0999999046325684			
Plug To:		28.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005369392			
Layer:		1			
Plug From:		0.0			
Plug To:		0.10000000149011612			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005369393			
Layer:		2			
Plug From:		0.10000000149011612			
Plug To:		2.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005369396			
Layer:		5			
Plug From:		28.0			
Plug To:		29.260000228881836			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID: 1005369391					
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 1005369384					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1005369389					
Layer: 2					
Material: 1					
Open Hole or Material: STEEL					
Depth From: 2.0					
Depth To: 29.260000228881836					
Casing Diameter: 5.079999923706055					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Casing</u>					
Casing ID: 1005369388					
Layer: 1					
Material: 4					
Open Hole or Material: OPEN HOLE					
Depth From: 0.0					
Depth To: 2.0					
Casing Diameter: 121.91999816894531					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1005369390					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter:					
<u>Water Details</u>					
Water ID: 1005369387					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1005369386					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter: Depth From: Depth To: Hole Depth UOM: m Hole Diameter UOM: cm					
71	1 of 1	W/216.1	344.7 / 14.84	lot 17 con 8 ON	WWIS
Well ID: 6924604 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: 187868 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924604.pdf					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/01/1998 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
Additional Detail(s) (Map)					
Well Completed Date: 08/17/1998 Year Completed: 1998 Depth (m): Latitude: 44.0258686685521 Longitude: -79.2717305166295 X: -79.2717303654698 Y: 44.02586866672326 Path: 692\6924604.pdf					
Bore Hole Information					
Bore Hole ID: 10514882 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 08/17/1998 Remarks: Location Method Desc: from gps Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: Elevrc: Zone: 17 East83: 638503.00 North83: 4876198.00 Org CS: UTMRC: 2 UTMRC Desc: margin of error : 3 - 10 m Location Method: gps					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217947			
Layer:		1			
Plug From:		8.0			
Plug To:		57.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217948			
Layer:		2			
Plug From:		8.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924604			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063452			
Casing No:		1			
Comment:					
Alt Name:					
72	1 of 1	NNW/219.3	330.9 / 1.00	lot 17 con 9 ON	WWIS
Well ID:	6908451			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/17/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2407
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908451.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	11/09/1966				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		1966			
Depth (m):		24.0792			
Latitude:		44.0275039797338			
Longitude:		-79.2697288672569			
X:		-79.26972871469563			
Y:		44.027503977442514			
Path:		690\6908451.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10499141		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		11/09/1966		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742349			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742353			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		76.0			
Formation End Depth:		79.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932742350			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742352			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		38.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742351			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		26.0			
Formation End Depth:		38.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908451			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047711			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811664			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		76.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389925			
Layer:		1			
Slot:		008			
Screen Top Depth:		76.0			
Screen End Depth:		79.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908451			
Pump Set At:					
Static Level:		31.0			
Final Level After Pumping:		76.0			
Recommended Pump Depth:		76.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		5			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991721			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		76.0			
Water Found Depth UOM:		ft			
73	1 of 1	NE/220.3	332.9 / 3.00	lot 16 con 9 ON	WWIS
Well ID:	6908663			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/14/1968
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908663.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/09/1968			
Year Completed:		1968			
Depth (m):		23.4696			
Latitude:		44.026915795575			
Longitude:		-79.266564017124			
X:		-79.26656386477794			
Y:		44.02691579349487			
Path:		690\6908663.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10499349			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638914.60
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/09/1968			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932743320			
Layer:		5			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		51.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743318			
Layer:		3			
Color:					
General Color:					
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743317			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743319			
Layer:		4			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743316			
Layer:		1			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966908663			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11047919			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811884			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		69.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390046			
Layer:		1			
Slot:		006			
Screen Top Depth:		69.0			
Screen End Depth:		77.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908663			
Pump Set At:					
Static Level:		52.0			
Final Level After Pumping:		67.0			
Recommended Pump Depth:		4.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		67.0			
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 3 Pumping Duration MIN: 0 Flowing: No					
<u>Water Details</u>					
Water ID: 933991926 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 51.0 Water Found Depth UOM: ft					
74	1 of 1	N/220.8	334.5 / 4.66	lot 16 con 9 ON	WWIS
Well ID: 6908410 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/09/1954 Selected Flag: TRUE Abandonment Rec: Contractor: 2419 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 09 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908410.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 05/15/1954 Year Completed: 1954 Depth (m): 23.4696 Latitude: 44.0276455545849 Longitude: -79.2683770752896 X: -79.26837692308993 Y: 44.02764555267663 Path: 690\6908410.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10499100 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:					
Elevation: Elevrc: Zone: 17 East83: 638767.60 North83: 4876401.00 Org CS: UTMRC: 9					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	05/15/1954			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742218			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932742219			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908410			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047670			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811623			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		72.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389886			
Layer:		1			
Slot:					
Screen Top Depth:		72.0			
Screen End Depth:		77.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908410			
Pump Set At:					
Static Level:		67.0			
Final Level After Pumping:		67.0			
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991680			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			

<u>75</u>	1 of 1	SSE/221.7	348.2 / 18.32	14433 9TH LINE lot 15 con 9 MUSSELMANS LAKE ON	WWIS
Well ID:	7156677			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Water Supply			Date Received:	12/17/2010
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z115904			Contractor:	5459
Tag:	A102857			Form Version:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method:			Owner:		
Elevation (m):			County: YORK		
Elevatn Reliabilty:			Lot: 015		
Depth to Bedrock:			Concession: 09		
Well Depth:			Concession Name: CON		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7156677.pdf		
Additional Detail(s) (Map)					
Well Completed Date:			12/07/2010		
Year Completed:			2010		
Depth (m):			45.72		
Latitude:			44.0230615169986		
Longitude:			-79.2676945247059		
X:			-79.26769437298645		
Y:			44.023061514652284		
Path:			715\7156677.pdf		
Bore Hole Information					
Bore Hole ID:			1003439786		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone: 17		
Code OB Desc:			East83: 638833.00		
Open Hole:			North83: 4875893.00		
Cluster Kind:			Org CS: UTM83		
Date Completed:			UTMRC: 3		
Remarks:			UTMRC Desc: margin of error : 10 - 30 m		
Location Method Desc:			Location Method: wwr		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:			1003736328		
Layer:			1		
Color:			6		
General Color:			BROWN		
Material 1:			28		
Material 1 Desc:			SAND		
Material 2:					
Material 2 Desc:					
Material 3:			85		
Material 3 Desc:			SOFT		
Formation Top Depth:			0.0		
Formation End Depth:			20.0		
Formation End Depth UOM:			ft		
Overburden and Bedrock					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1003736331			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		57.0			
Formation End Depth:		120.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003736332			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		120.0			
Formation End Depth:		150.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003736330			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:		84			
Material 3 Desc:		SILTY			
Formation Top Depth:		30.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003736329			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:		81			
Material 3 Desc:		SANDY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		20.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003736353			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003736351			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003736326			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003736335			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.0			
Depth To:		143.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003736336			
Layer:		1			
Slot:		6			
Screen Top Depth:		143.0			
Screen End Depth:		150.0			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1003736327			
Pump Set At:					
Static Level:					
Final Level After Pumping:		111.19999694824219			
Recommended Pump Depth:					
Pumping Rate:		15.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:		30			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736344			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		110.69999694824219			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736349			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		112.4000015258789			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736343			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		110.69999694824219			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736337			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		104.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736339			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		108.19999694824219			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736340			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		109.30000305175781			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1003736347			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		111.19999694824219			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736338			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		106.4000015258789			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736345			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		110.69999694824219			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736346			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		111.19999694824219			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736342			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		110.5			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736348			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		111.19999694824219			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003736341			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		109.80000305175781			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		1003736334			
Layer:		1			
Kind Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		FRESH			
Water Found Depth:		150.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003736333			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		150.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
76	1 of 1	NE/221.7	332.9 / 3.00	lot 16 con 9 ON	WWIS
Well ID:		6908408		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908408.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		02/03/1952			
Year Completed:		1952			
Depth (m):		19.812			
Latitude:		44.0269246056309			
Longitude:		-79.2665512820062			
X:		-79.26655113026376			
Y:		44.026924603576624			
Path:		690\6908408.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10499098		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		02/03/1952		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932742214			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932742213			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932742215			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966908408			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047668			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811621			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		60.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389884			
Layer:		1			
Slot:					
Screen Top Depth:		60.0			
Screen End Depth:		65.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908408			
Pump Set At:					
Static Level:		60.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991678			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
77	1 of 1	WNW/222.9	344.5 / 14.64	lot 16 con 8 ON	WWIS
Well ID:		6908272		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	09/01/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908272.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/11/1967			
Year Completed:		1967			
Depth (m):		29.8704			
Latitude:		44.0265048680354			
Longitude:		-79.2715298446166			
X:		-79.27152969262241			
Y:		44.026504865874536			
Path:		690\6908272.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10498963		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638517.60
Code OB Desc:				North83:	4876269.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		08/11/1967		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741828			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		7			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		86.0			
Formation End Depth:		98.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741823			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741824			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741826			
Layer:		5			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741822			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741827			
Layer:		6			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		86.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741825			
Layer:		4			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908272			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11047533			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811484			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		93.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389767			
Layer:		1			
Slot:		010			
Screen Top Depth:		93.0			
Screen End Depth:		98.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908272			
Pump Set At:					
Static Level:		81.0			
Final Level After Pumping:		82.0			
Recommended Pump Depth:		81.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991544			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		86.0			
Water Found Depth UOM:		ft			
78	1 of 1	NE/225.5	334.8 / 4.93	lot 16 con 9 ON	WWIS
Well ID:	6908664			Flowing (Y/N):	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src: 1	
Final Well Status:	Water Supply			Date Received: 08/14/1968	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 2204	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 016	
Depth to Bedrock:				Concession: 09	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908664.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	07/29/1968				
Year Completed:	1968				
Depth (m):	24.384				
Latitude:	44.0273752251303				
Longitude:	-79.2671745436615				
X:	-79.26717439194766				
Y:	44.02737522271529				
Path:	690\6908664.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10499350			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638864.60	
Code OB Desc:				North83: 4876373.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:	07/29/1968			UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932743321				
Layer:	1				
Color:					
General Color:					
Material 1:	02				
Material 1 Desc:	TOPSOIL				
Material 2:					
Material 2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932743325			
Layer:		5			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		63.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932743323			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		52.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932743324			
Layer:		4			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		55.0			
Formation End Depth:		63.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932743322			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908664			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047920			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811885			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		75.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390047			
Layer:		1			
Slot:		006			
Screen Top Depth:		75.0			
Screen End Depth:		80.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908664			
Pump Set At:					
Static Level:		50.0			
Final Level After Pumping:		71.0			
Recommended Pump Depth:		70.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991927			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		53.0			
Water Found Depth UOM:		ft			
79	1 of 1	NW/227.5	330.7 / 0.87	lot 16 con 8 ON	WWIS
Well ID:		6914896		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Water Supply		Date Received: 01/25/1979	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 2218	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 016	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914896.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		12/29/1978			
Year Completed:		1978			
Depth (m):		23.1648			
Latitude:		44.0274224870669			
Longitude:		-79.270292766605			
X:		-79.2702926148739			
Y:		44.02742248495376			
Path:		691\6914896.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10505467		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638614.60	
Code OB Desc:				North83: 4876373.00	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	12/29/1978			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772776			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772778			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932772777			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966914896				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11054037				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930818572				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	72.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933393472				
Layer:	1				
Slot:	080				
Screen Top Depth:	71.0				
Screen End Depth:	76.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.25				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	BAILER				
Pump Test ID:	996914896				
Pump Set At:					
Static Level:	60.0				
Final Level After Pumping:					
Recommended Pump Depth:	70.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	1				
Pumping Duration MIN:	10				
Flowing:	No				
<u>Water Details</u>					

Water ID:	933998085
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	65.0
Water Found Depth UOM:	ft

WWIS

Well ID:	6908273	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	10/23/1967
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	2204
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	016
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908273.pdf

Additional Detail(s) (Map)

Well Completed Date: 09/09/1967
Year Completed: 1967
Depth (m): 28.956
Latitude: 44.0273707573566
Longitude: -79.2704440120408
X: -79.27044385968287
Y: 44.027370754562426
Path: 690/6908273.pdf

Bore Hole Information

Bore Hole ID:	10498964	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638602.60
Code OB Desc:		North83:	4876367.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	09/09/1967	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741831			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		95.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741829			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741830			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908273			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047534			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811485			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		90.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389768			
Layer:		1			
Slot:		010			
Screen Top Depth:		90.0			
Screen End Depth:		95.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908273			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:		89.0			
Recommended Pump Depth:		89.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991545			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.0			
Water Found Depth UOM:		ft			
81	1 of 1	NNW/228.4	332.3 / 2.42	Coultrice Drive lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID:	7421128			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	06/20/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	2L4ILL5I			Contractor:	7472
Tag:	A348358			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421128.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	04/27/2022				
Year Completed:	2022				
Depth (m):	4.572				
Latitude:	44.0274658972268				
Longitude:	-79.2701866852089				
X:	-79.2701865328521				
Y:	44.02746589488939				
Path:	742\7421128.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1009075976			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638623.00
Code OB Desc:				North83:	4876378.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/27/2022			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1009076074				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	01				
Material 1 Desc:	FILL				
Material 2:					
Material 2 Desc:					
Material 3:	77				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1009076075			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		10.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076160			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076159			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076137			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1009076037			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1009076014			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009076092			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009076107			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009076015			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1009076122			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
82	1 of 1	NNW/229.0	332.2 / 2.33	14622 Ninth Line Whitchurch-Stouffville ON L4A 7X3	EHS
Order No:	20200515135			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date:	21-MAY-20			Search Radius (km):	.2
Date Received:	15-MAY-20			X:	-79.2696218
Previous Site Name:				Y:	44.0276248
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

83	1 of 1	NNE/230.3	338.6 / 8.76	lot 16 con 9 ON	WWIS
Well ID:	6908425			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/17/1962
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908425.pdf				

Additional Detail(s) (Map)

Well Completed Date:	07/19/1962
Year Completed:	1962
Depth (m):	25.908
Latitude:	44.0275983986789
Longitude:	-79.2676422207058
X:	-79.2676420690878
Y:	44.02759839665364
Path:	690\6908425.pdf

Bore Hole Information

Bore Hole ID:	10499115	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638826.60
Code OB Desc:		North83:	4876397.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	07/19/1962	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742257			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742259			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742260			
Layer:		4			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		78.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932742258			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908425			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047685			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811638			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		80.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389900			
Layer:		1			
Slot:					
Screen Top Depth:		80.0			
Screen End Depth:		85.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908425			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:					
Recommended Pump Depth:		80.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991695			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		78.0			
Water Found Depth UOM:		ft			

84	1 of 1	N/231.3	334.5 / 4.66	lot 16 con 9 ON	WWIS
Well ID:		6923073		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Abandoned-Supply		Date Received:	03/21/1995
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		141587		Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923073.pdf			

Additional Detail(s) (Map)

Well Completed Date: 03/13/1995
Year Completed: 1995
Depth (m):
Latitude: 44.0277518451908
Longitude: -79.2688556489096
X: -79.26885549680144
Y: 44.027751842621164
Path: 692\6923073.pdf

Bore Hole Information

Bore Hole ID:	10513376	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638729.00
Code OB Desc:		North83:	4876412.00
Open Hole:		Org CS:	N83
Cluster Kind:		UTMRC:	4
Date Completed:	03/13/1995	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	
Location Method Desc:			
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933215937			
Layer:		2			
Plug From:		7.0			
Plug To:		52.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933215936			
Layer:		1			
Plug From:		0.0			
Plug To:		7.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933215938			
Layer:		3			
Plug From:		52.0			
Plug To:		58.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966923073			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11061946			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930827615			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
85	1 of 1	SSE/234.2	349.9 / 20.03	lot 15 con 9 ON	WWIS
Well ID:6910408 Construction Date: Use 1st:Domestic Use 2nd:0 Final Well Status:Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:1 Date Received:08/25/1971 Selected Flag:TRUE Abandonment Rec: Contractor:3903 Form Version:1 Owner: County:YORK Lot:015 Concession:09 Concession Name:CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910408.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/26/1971			
Year Completed:		1971			
Depth (m):		46.3296			
Latitude:		44.0230124343673			
Longitude:		-79.2674264409325			
X:		-79.2674262888465			
Y:		44.02301243138597			
Path:		691\6910408.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10501054		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				638854.60	
Cluster Kind:				North83:	
Date Completed:		07/26/1971		4875888.00	
Remarks:				Org CS:	
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		UTMRC:	
Elevrc Desc:				4	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 30 m - 100 m	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p4	
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932750926			
Layer:		2			
Color:		3			
General Color:		BLUE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		32.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932750925			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		0.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932750928			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		138.0			
Formation End Depth:		152.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932750927			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		35.0			
Formation End Depth:		138.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		966910408			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049624			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813696			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		146.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390819			
Layer:		1			
Slot:		010			
Screen Top Depth:		146.0			
Screen End Depth:		150.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996910408			
Pump Set At:					
Static Level:		100.0			
Final Level After Pumping:		125.0			
Recommended Pump Depth:		142.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		3			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934355528			
Test Type:		Recovery			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		15			
Test Level:		100.0			
Test Level UOM:		ft			
Draw Down & Recovery					
Pump Test Detail ID:		934877276			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		100.0			
Test Level UOM:		ft			
Draw Down & Recovery					
Pump Test Detail ID:		934626907			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		100.0			
Test Level UOM:		ft			
Draw Down & Recovery					
Pump Test Detail ID:		935147644			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		100.0			
Test Level UOM:		ft			
Water Details					
Water ID:		933993640			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		145.0			
Water Found Depth UOM:		ft			
86	1 of 1	W/234.7	340.8 / 10.92	2022988 Ontario Inc. and 2036737 Ontario Inc. Whitchurch-Stouffville ON L3Y 3E4	ECA
Approval No:		3015-BKKM7W		MOE District: York-Durham	
Approval Date:		2020-01-07		City:	
Status:		Approved		Longitude: -79.27199	
Record Type:		ECA		Latitude: 44.025683	
Link Source:		IDS		Geometry X:	
SWP Area Name:		Lakes Simcoe and Couchiching/Black River		Geometry Y:	
Approval Type:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
Project Type:		MUNICIPAL AND PRIVATE SEWAGE WORKS			
Business Name:		2022988 Ontario Inc. and 2036737 Ontario Inc.			
Address:					
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/9671-BK9RCD-14.pdf			
PDF Site Location:					
87	1 of 1	NE/236.0	334.4 / 4.50	21 Valleyfield Rd WHITCHURCH-STOUFFVILLE ON	SPL
Ref No:		1-3STUMM		Municipality No:	
Year:				Nature of Damage:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Dt: 9/1/2023 4:32:42 PM Dt MOE Arvl on Scn: MOE Reported Dt: 9/1/2023 4:32:42 PM Dt Document Closed: Site No: MOE Response: Desktop Response Site County/District: Site Geo Ref Meth: Site District Office: York Durham District Office Nearest Watercourse: Site Name: Site Address: 21 Valleyfield Rd Site Region: REGIONAL MUNICIPALITY OF YORK Site Municipality: WHITCHURCH-STOUFFVILLE Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Incident Cause: Incident Preceding Spill: Line Strike Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 1 other - see notes Contaminant Qty 1: Contaminant Unit: Client Type: Public Utilities Corporation Source Type: Pipeline/Components Contaminant Code: Contaminant Name: NATURAL GAS Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Air Incident Reason: Human error (Specify) Incident Summary: TSSA FSB: 1.25" pl IP main damage; made safe Activity Preceding Spill: Construction or repair Property 2nd Watershed: 02E Eastern Georgian Bay Property Tertiary Watershed: 02EC Severn River - Lake Simcoe Sector Type: NATURAL GAS DISTRIBUTION SAC Action Class: Call Report Locatn Geodata: {"integration_ids":["PR00003127594"],"wkts":["POINT (-79.2668190000 44.0273029000)"],"creation_date":"2023-09-01"} Time Reported: System Facility Address: Client Name: ENBRIDGE GAS INC. Discharger Report: Material Group: Impact to Health: Agency Involved:					

88	1 of 1	N/238.8	333.7 / 3.88	Cedar Beach Park Limited	ECA
Whitchurch-Stouffville ON L4A 7X3					
Approval No: 0046-5JRJT5 Approval Date: 2003-03-05 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lakes Simcoe and Couchiching/Black River Approval Type: ECA-Municipal and Private Water Works Project Type: Municipal and Private Water Works Business Name: Cedar Beach Park Limited Address: Full Address: MOE District: York-Durham City: Longitude: -79.26912999999999 Latitude: 44.0278 Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full PDF Link: PDF Site Location:					
89	1 of 1	NNW/242.4	332.2 / 2.33	Coultrice Drive lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID:		7421126	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Monitoring	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:		Observation Wells	Date Received:		06/20/2022
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:		6GMGB2O4	Contractor:		7472
Tag:		A348359	Form Version:		9
Constructn Method:			Owner:		
Elevation (m):			County:		YORK
Elevatn Reliabilty:			Lot:		016
Depth to Bedrock:			Concession:		08
Well Depth:			Concession Name:		CON
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421126.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		04/27/2022			
Year Completed:		2022			
Depth (m):		6.096			
Latitude:		44.0277288879958			
Longitude:		-79.2697173313761			
X:		-79.2697171794126			
Y:		44.02772888573875			
Path:		742\7421126.pdf			
Bore Hole Information					
Bore Hole ID:		1009075970	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		638660.00
Code OB Desc:			North83:		4876408.00
Open Hole:			Org CS:		UTM83
Cluster Kind:			UTMRC:		4
Date Completed:		04/27/2022	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		
Location Method Desc:		on Water Well Record	wwr		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1009076070			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009076071			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		10.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009076156			
Layer:		2			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009076135			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009076155			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1009076035			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009076010			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009076090			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009076105			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009076011			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1009076120			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		20.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
90	1 of 1	WNW/245.3	343.4 / 13.55	lot 16 con 8 ON	WWIS
Well ID:		6914332		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	01/12/1978
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2407
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914332.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/10/1977			
Year Completed:		1977			
Depth (m):		33.528			
Latitude:		44.0265452061445			
Longitude:		-79.2718156711055			
X:		-79.27181551938263			
Y:		44.0265452039326			
Path:		691\6914332.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10504908		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638494.60
Code OB Desc:				North83:	4876273.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		09/10/1977		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932769930			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		91			
Material 2 Desc:		WATER-BEARING			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		110.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932769928			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932769929			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		68			
Material 2 Desc:		DRY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966914332			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11053478			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930817959			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		107.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393102			
Layer:		1			
Slot:		008			
Screen Top Depth:		104.0			
Screen End Depth:		107.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996914332			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:		105.0			
Recommended Pump Depth:		106.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		9.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934365294			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934625988			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		80.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935140134			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934876277			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933997500			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.0			
Water Found Depth UOM:		ft			
91	1 of 1	WNW/247.5	343.4 / 13.55	lot 16 con 8 ON	WWIS
Well ID:	6920954			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	04/06/1990
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	54539			Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6920954.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/23/1989				
Year Completed:	1989				
Depth (m):	28.3464				
Latitude:	44.0264921534765				
Longitude:	-79.2718796039642				
X:	-79.27187945246567				
Y:	44.02649215060384				
Path:	692\6920954.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10511269			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638489.60
Code OB Desc:				North83:	4876267.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	12/23/1989			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932805388				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	08				
Material 1 Desc:	FINE SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	16.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932805390				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	10				
Material 1 Desc:	COARSE SAND				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	25.0				
Formation End Depth:	70.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932805389				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	10				
Material 1 Desc:	COARSE SAND				
Material 2:	12				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932805391			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966920954			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11059839			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930825269			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		89.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933397456			
Layer:		1			
Slot:		080			
Screen Top Depth:		88.0			
Screen End Depth:		93.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	996920954				
Pump Set At:					
Static Level:	74.0				
Final Level After Pumping:					
Recommended Pump Depth:	88.0				
Pumping Rate:	5.0				
Flowing Rate:					
Recommended Pump Rate:	4.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:					
Pumping Duration HR:	1				
Pumping Duration MIN:	25				
Flowing:	No				
<u>Water Details</u>					
Water ID:	934003795				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	74.0				
Water Found Depth UOM:	ft				

92	1 of 1	NW/247.5	329.0 / -0.81	lot 16 con 8 ON	WWIS
Well ID: 6908268 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 01/28/1966 Selected Flag: TRUE Abandonment Rec: Contractor: 2407 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908268.pdf			

<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	08/28/1965				
Year Completed:	1965				
Depth (m):	33.2232				
Latitude:	44.0272545852384				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.2710962660681			
X:		-79.27109611363574			
Y:		44.027254582412674			
Path:		690\6908268.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10498959			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638550.60
Code OB Desc:				North83:	4876353.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/28/1965			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741807			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		102.0			
Formation End Depth:		109.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741805			
Layer:		3			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741806			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		96.0			
Formation End Depth:		102.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741803			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741804			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966908268			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047529			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930811480			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		106.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389763			
Layer:		1			
Slot:		008			
Screen Top Depth:		106.0			
Screen End Depth:		109.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908268			
Pump Set At:					
Static Level:		75.0			
Final Level After Pumping:		106.0			
Recommended Pump Depth:		106.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		12			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991540			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		106.0			
Water Found Depth UOM:		ft			
93	1 of 1	WNW/250.2	343.4 / 13.55	lot 16 con 8 ON	WWIS
Well ID:	6924732			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	12/07/1998
Water Type:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:			Abandonment Rec:		
Audit No:	195412			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924732.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/24/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0264570240245			
Longitude:		-79.2719380245791			
X:		-79.27193787348631			
Y:		44.02645702175388			
Path:		692\6924732.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10515010			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638485.00
Code OB Desc:				North83:	4876263.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:	11/24/1998			UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924732			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063580			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
94	1 of 1	E/250.9	346.6 / 16.72	lot 15 con 9 ON	WWIS
Well ID: 6910227 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 03/02/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 5419 Form Version: 1 Owner: County: YORK Lot: 015 Concession: 09 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910227.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/13/1970			
Year Completed:		1970			
Depth (m):		29.8704			
Latitude:		44.0254588609133			
Longitude:		-79.265483467699			
X:		-79.26548331593528			
Y:		44.025458858445084			
Path:		691\6910227.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10500877		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 639004.60	
Code OB Desc:				North83: 4876163.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 4	
Date Completed:		08/13/1970		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: p4	
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932750080			
Layer:		3			
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		55.0			
Formation End Depth:		98.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932750078			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932750079			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910227			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049447			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930813508					
Layer: 1					
Material: 2					
Open Hole or Material: GALVANIZED					
Depth From:					
Depth To: 93.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Casing</u>					
Casing ID: 930813509					
Layer: 2					
Material: 4					
Open Hole or Material: OPEN HOLE					
Depth From:					
Depth To: 98.0					
Casing Diameter:					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996910227					
Pump Set At:					
Static Level: 88.0					
Final Level After Pumping:					
Recommended Pump Depth: 88.0					
Pumping Rate: 5.0					
Flowing Rate:					
Recommended Pump Rate: 5.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 2					
Pumping Duration MIN: 0					
Flowing: No					
<u>Water Details</u>					
Water ID: 933993469					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 88.0					
Water Found Depth UOM: ft					
95	1 of 1	NNW/253.7	330.5 / 0.69	lot 16 con 8 ON	WWIS
Well ID: 6908271					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 09/01/1967					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2204					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908271.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/18/1967			
Year Completed:		1967			
Depth (m):		19.5072			
Latitude:		44.02774325274			
Longitude:		-79.2700713018846			
X:		-79.27007114965585			
Y:		44.027743250383885			
Path:		690\6908271.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10498962			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638631.60
Code OB Desc:				North83:	4876409.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/18/1967			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741821			
Layer:		6			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		56.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741819			
Layer:		4			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741816			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741817			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741818			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741820			
Layer:		5			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		56.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908271			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047532			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811483			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		59.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389766			
Layer:		1			
Slot:		010			
Screen Top Depth:		59.0			
Screen End Depth:		64.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	996908271				
Pump Set At:					
Static Level:	48.0				
Final Level After Pumping:	58.0				
Recommended Pump Depth:	58.0				
Pumping Rate:	4.0				
Flowing Rate:					
Recommended Pump Rate:	4.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933991543				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	56.0				
Water Found Depth UOM:	ft				
96	1 of 1	WNW/253.9	333.3 / 3.45	lot 16 con 8 ON	WWIS
Well ID:	6915167			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/23/1979
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915167.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	07/10/1979				
Year Completed:	1979				
Depth (m):	26.2128				
Latitude:	44.0269913998837				
Longitude:	-79.2715531373432				
X:	-79.27155298498836				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Y:		44.02699139762608			
Path:		691\6915167.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10505736			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638514.60
Code OB Desc:				North83:	4876323.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/10/1979			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932774142				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	22.0				
Formation End Depth:	40.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932774143				
Layer:	4				
Color:	6				
General Color:	BROWN				
Material 1:	10				
Material 1 Desc:	COARSE SAND				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	40.0				
Formation End Depth:	68.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932774140				
Layer:	1				
Color:	6				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932774141			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932774144			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		86.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966915167			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11054306			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930818850					
Layer: 1					
Material: 2					
Open Hole or Material: GALVANIZED					
Depth From:					
Depth To: 82.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933393651					
Layer: 1					
Slot: 080					
Screen Top Depth: 81.0					
Screen End Depth: 86.0					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.25					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP					
Pump Test ID: 996915167					
Pump Set At:					
Static Level: 68.0					
Final Level After Pumping:					
Recommended Pump Depth: 80.0					
Pumping Rate: 5.0					
Flowing Rate:					
Recommended Pump Rate: 5.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 1					
Pumping Duration MIN: 15					
Flowing: No					
<u>Water Details</u>					
Water ID: 933998363					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 68.0					
Water Found Depth UOM: ft					
97	1 of 2	NNW/255.0	332.3 / 2.46	lot 16 con 8 ON	WWIS
Well ID: 6911095					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 10/23/1972					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 1350					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6911095.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/09/1972			
Year Completed:		1972			
Depth (m):		31.0896			
Latitude:		44.0278630091446			
Longitude:		-79.2696560275328			
X:		-79.2696558756903			
Y:		44.02786300692351			
Path:		691\6911095.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10501738			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638664.60
Code OB Desc:				North83:	4876423.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	05/09/1972			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754069			
Layer:		8			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		87.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932754066			
Layer:		5			
Color:		5			
General Color:		YELLOW			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		49.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932754068			
Layer:		7			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		87.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932754063			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932754067			
Layer:		6			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754064			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754065			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		45.0			
Formation End Depth:		49.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754062			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932754070			
Layer:		9			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		96.0			
Formation End Depth:		102.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966911095			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11050308			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930814452			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		99.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391202			
Layer:		1			
Slot:		012			
Screen Top Depth:		99.0			
Screen End Depth:		102.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996911095			
Pump Set At:					
Static Level:		76.0			
Final Level After Pumping:		84.0			
Recommended Pump Depth:		95.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		24			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934878994			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		76.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935140612			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		76.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934628627			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		76.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934357670			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		76.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933994346			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		96.0			
Water Found Depth UOM:		ft			
97	2 of 2	NNW/255.0	332.3 / 2.46	lot 16 con 8 ON	WWIS
Well ID:		6915367		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:				Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
				WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)	
PDF URL (Map):				https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915367.pdf	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: X: Y: Path:				06/14/1979 1979 16.764 44.0278630091446 -79.2696560275328 -79.2696558756903 44.02786300692351 691\6915367.pdf	
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: Elevrc: Zone: 17 East83: 638664.60 North83: 4876423.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5	
10505930				06/14/1979	
Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc: Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:				932774941 1 05 CLAY 0.0 20.0 ft	
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932774942			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966915367			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054500			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930819081			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		51.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393783			
Layer:		1			
Slot:		060			
Screen Top Depth:		51.0			
Screen End Depth:		56.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.125			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996915367			
Pump Set At:					
Static Level:					
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998549			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
98	1 of 1	NNW/255.5	332.3 / 2.46	2 Coultice Dr. lot 16 con 8 Stouffville ON	WWIS
Well ID:	7421336			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	06/24/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	BHMMKT88			Contractor:	7472
Tag:	A353013			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421336.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/02/2022				
Year Completed:	2022				
Depth (m):	4.572				
Latitude:	44.027871743968				
Longitude:	-79.2696383034564				
X:	-79.26963815103632				
Y:	44.02787174194105				
Path:	742\7421336.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1009079988			Elevation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638666.00
Code OB Desc:				North83:	4876424.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/02/2022			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009080086			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009080087			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		5.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009080177			
Layer:		1			
Plug From:		0.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1009080159			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080178			
Layer:		2			
Plug From:		4.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1009080053			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1009080028			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1009080113			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1009080126			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009080029			
Pump Set At:					
Static Level:					
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: ft Rate UOM: GPM Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1009080139 Diameter: 7.5 Depth From: 0.0 Depth To: 15.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
99	1 of 1	W/257.0	336.9 / 7.00	lot 16 con 8 ON	WWIS
Well ID: 6908665 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 08/14/1968 Selected Flag: TRUE Abandonment Rec: Contractor: 2204 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908665.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 06/14/1968 Year Completed: 1968 Depth (m): 20.7264 Latitude: 44.0252009615711 Longitude: -79.272229074564 X: -79.27222892316605 Y: 44.02520095993278 Path: 690\6908665.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10499351 Elevation:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638464.60
Code OB Desc:				North83:	4876123.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	06/14/1968			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743330			
Layer:		5			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743327			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932743331			
Layer:		6			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		54.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743328			
Layer:		3			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		29.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743326			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932743329			
Layer:		4			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		29.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908665			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		11047921			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811886			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		63.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390048			
Layer:		1			
Slot:		007			
Screen Top Depth:		63.0			
Screen End Depth:		68.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908665			
Pump Set At:					
Static Level:		48.0			
Final Level After Pumping:		63.0			
Recommended Pump Depth:		63.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991928			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		54.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
100	1 of 2	WNW/258.2	342.5 / 12.66	lot 16 con 8 ON	WWIS
Well ID:6910039 Construction Date: Use 1st:Domestic Use 2nd:0 Final Well Status:Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:1 Date Received:10/21/1970 Selected Flag:TRUE Abandonment Rec: Contractor:2215 Form Version:1 Owner: County:YORK Lot:016 Concession:08 Concession Name:CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910039.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/23/1970			
Year Completed:		1970			
Depth (m):		27.1272			
Latitude:		44.0261008984189			
Longitude:		-79.2722029272602			
X:		-79.27220277493254			
Y:		44.02610089552535			
Path:		691\6910039.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10500696		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				638464.60	
Cluster Kind:				North83:	
Date Completed:		08/23/1970		4876223.00	
Remarks:				Org CS:	
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		UTMRC:	
Elevrc Desc:				4	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 30 m - 100 m	
Improvement Location Method:				p4	
Source Revision Comment:				Location Method:	
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932749231			
Layer:		2			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749230			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749233			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		89.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932749232			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		966910039			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049266			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813317			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		84.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390654			
Layer:		1			
Slot:		080			
Screen Top Depth:		84.0			
Screen End Depth:		89.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910039			
Pump Set At:					
Static Level:		72.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993293			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			
100	2 of 2	WNW/258.2	342.5 / 12.66	lot 16 con 8 ON	WWIS
Well ID:		6915908		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Water Supply		Date Received:	09/24/1981
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915908.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		09/21/1981			
Year Completed:		1981			
Depth (m):		28.3464			
Latitude:		44.0261008984189			
Longitude:		-79.2722029272602			
X:		-79.27220277493254			
Y:		44.02610089552535			
Path:		691\6915908.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10506458		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638464.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		09/21/1981		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			932777913		
Layer:			2		
Color:			6		
General Color:			BROWN		
Material 1:			28		
Material 1 Desc:			SAND		
Material 2:			05		
Material 2 Desc:			CLAY		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			12.0		
Formation End Depth:			46.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932777915		
Layer:			4		
Color:			6		
General Color:			BROWN		
Material 1:			28		
Material 1 Desc:			SAND		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			72.0		
Formation End Depth:			93.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932777912		
Layer:			1		
Color:			6		
General Color:			BROWN		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			12		
Material 2 Desc:			STONES		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			12.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932777914		
Layer:			3		
Color:			6		
General Color:			BROWN		
Material 1:			10		
Material 1 Desc:			COARSE SAND		
Material 2:			05		
Material 2 Desc:			CLAY		
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		46.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966915908			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055028			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930819675			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		90.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394169			
Layer:		1			
Slot:		080			
Screen Top Depth:		88.0			
Screen End Depth:		93.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996915908			
Pump Set At:					
Static Level:		72.0			
Final Level After Pumping:					
Recommended Pump Depth:		88.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		20			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933999103			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72.0			
Water Found Depth UOM:		ft			
101	1 of 1	WNW/258.3	333.3 / 3.45	LAKESHORE BLVD. lot 16 con 8 MUSSELMAN'S LAKE ON	WWIS
Well ID:	7121247			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	04/02/2009
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z81615			Contractor:	5459
Tag:	A075266			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7121247.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/17/2008				
Year Completed:	2008				
Depth (m):					
Latitude:	44.0269658361666				
Longitude:	-79.2716487155291				
X:	-79.27164856390962				
Y:	44.02696583356128				
Path:	712\7121247.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002037378			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638507.00
Code OB Desc:				North83:	4876320.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/17/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002505853			
Layer:		1			
Plug From:		0.0			
Plug To:		73.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1002505857			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002505848			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002505855			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002505856			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002505854			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1002505852			
Diameter:		2.0			
Depth From:		13.0			
Depth To:		73.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1002505850			
Diameter:		2.0			
Depth From:		0.0			
Depth To:		5.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1002505851			
Diameter:		4.0			
Depth From:		5.0			
Depth To:		13.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>102</u>	1 of 1	E/258.9	346.6 / 16.72	lot 15 con 9 ON	WWIS
Well ID:	6910466			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/14/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	015
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910466.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/04/1971				
Year Completed:	1971				
Depth (m):	32.004				
Latitude:	44.0253669735229				
Longitude:	-79.2653613681505				
X:	-79.26536121607091				
Y:	44.02536697159465				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		691\6910466.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10501111			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	639014.60
Code OB Desc:				North83:	4876153.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	06/04/1971			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932751181				
Layer:	6				
Color:	6				
General Color:	BROWN				
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	92.0				
Formation End Depth:	105.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932751179				
Layer:	4				
Color:	6				
General Color:	BROWN				
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	41.0				
Formation End Depth:	87.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932751178				
Layer:	3				
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751177			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751176			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932751180			
Layer:		5			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		87.0			
Formation End Depth:		92.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		966910466			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11049681			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930813759			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		100.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933390863			
Layer:		1			
Slot:		090			
Screen Top Depth:		100.0			
Screen End Depth:		105.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910466			
Pump Set At:					
Static Level:		88.0			
Final Level After Pumping:					
Recommended Pump Depth:		100.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933993699			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	92.0				
Water Found Depth UOM:	ft				

103	1 of 1	WNW/259.3	339.6 / 9.76	lot 16 con 8 ON	WWIS
Well ID:	6908275			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/23/1967
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908275.pdf				

Additional Detail(s) (Map)

Well Completed Date: 09/13/1967
 Year Completed: 1967
 Depth (m): 30.1752
 Latitude: 44.0269128590939
 Longitude: -79.2717176381216
 X: -79.27171748623414
 Y: 44.02691285682548
 Path: 690\6908275.pdf

Bore Hole Information

Bore Hole ID:	10498966	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638501.60
Code OB Desc:		North83:	4876314.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	09/13/1967	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932741836			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741837			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		56.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741839			
Layer:		4			
Color:					
General Color:					
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		84.0			
Formation End Depth:		99.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932741838			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		56.0			
Formation End Depth:		84.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908275			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047536			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811487			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		94.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389770			
Layer:		1			
Slot:		010			
Screen Top Depth:		94.0			
Screen End Depth:		99.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908275			
Pump Set At:					
Static Level:		82.0			
Final Level After Pumping:		84.0			
Recommended Pump Depth:		82.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933991547			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		84.0			
Water Found Depth UOM:		ft			
104	1 of 1	NNW/263.2	329.8 / -0.03	Coultrice Drive lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID:	7421127			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	06/20/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	I446RGLQ			Contractor:	7472
Tag:	A348382			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421127.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	04/27/2022				
Year Completed:	2022				
Depth (m):	6.096				
Latitude:	44.0277478993392				
Longitude:	-79.2703781370525				
X:	-79.27037798531212				
Y:	44.027747896941456				
Path:	742\7421127.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1009075973			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638607.00
Code OB Desc:				North83:	4876409.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/27/2022			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1009076072			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1009076073			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		10.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076158			
Layer:		2			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076157			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076136			
Layer:		1			
Plug From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009076036			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009076012			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009076091			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009076106			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009076013			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1009076121			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
105	1 of 1	NNW/263.8	333.8 / 3.99	lot 16 con 8 ON	WWIS
Well ID:	6910945			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/15/1972
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910945.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/09/1972				
Year Completed:	1972				
Depth (m):	27.432				
Latitude:	44.0277824613162				
Longitude:	-79.2702822953007				
X:	-79.27028214318374				
Y:	44.027782458578145				
Path:	691\6910945.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10501588			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638614.60
Code OB Desc:				North83:	4876413.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	06/09/1972			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753396			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753398			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753397			
Layer:		3			
Color:					
General Color:					
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753395			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932753399			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966910945			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11050158			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930814286			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		85.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391120			
Layer:		1			
Slot:		006			
Screen Top Depth:		85.0			
Screen End Depth:		90.0			
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996910945			
Pump Set At:					
Static Level:		74.0			
Final Level After Pumping:					
Recommended Pump Depth:		84.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		40			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933994184			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		74.0			
Water Found Depth UOM:		ft			
106	1 of 1	WNW/267.0	340.3 / 10.45	lot 16 con 8 ON	WWIS
Well ID:		6917742		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Water Supply		Date Received: 11/15/1985	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 2218	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 016	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917742.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/02/1985			
Year Completed:		1985			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		24.0792			
Latitude:		44.0261474045332			
Longitude:		-79.272301401082			
X:		-79.27230124911658			
Y:		44.02614740292566			
Path:		691\6917742.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10508085			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638456.60
Code OB Desc:				North83:	4876228.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/02/1985			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932786872				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	5.0				
Formation End Depth:	44.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932786873				
Layer:	4				
Color:	6				
General Color:	BROWN				
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	44.0				
Formation End Depth:	64.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932786871			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932786874			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		64.0			
Formation End Depth:		79.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932786870			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966917742			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056655			
Casing No:		1			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930821616			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		75.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933395235			
Layer:		1			
Slot:		080			
Screen Top Depth:		74.0			
Screen End Depth:		79.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.1109999418258667			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917742			
Pump Set At:					
Static Level:		64.0			
Final Level After Pumping:					
Recommended Pump Depth:		74.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		934000680			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		64.0			
Water Found Depth UOM:		ft			
107	1 of 1	NNW/267.7	333.5 / 3.64	2 Coultice Dr. lot 16 con 8 Stouffville ON	WWIS
Well ID:	7421334			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Date Received:	06/24/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	F8QI4WI7			Contractor:	7472
Tag:	A353012			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421334.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	06/02/2022				
Year Completed:	2022				
Depth (m):	3.9624				
Latitude:	44.0278697348533				
Longitude:	-79.2701000662385				
X:	-79.2700999136907				
Y:	44.02786973259841				
Path:	742\7421334.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1009079982			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638629.00
Code OB Desc:				North83:	4876423.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/02/2022			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1009080082				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	01				
Material 1 Desc:	FILL				
Material 2:					
Material 2 Desc:					
Material 3:	77				
Material 3 Desc:	LOOSE				
Formation Top Depth:	0.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1009080083			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		3.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080174			
Layer:		2			
Plug From:		2.0			
Plug To:		13.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080173			
Layer:		1			
Plug From:		0.0			
Plug To:		2.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080157			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1009080051			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1009080024			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1009080111			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		3.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009080124			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.0			
Screen End Depth:		13.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009080025			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1009080137			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		13.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>108</u>	1 of 1	NE/268.2	335.9 / 6.00	lot 16 con 9 ON	WWIS
Well ID:	6924478			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	07/14/1998

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type: Casing Material: Audit No: 187973 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:			Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 09 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924478.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/19/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0275649972525			
Longitude:		-79.2666274495716			
X:		-79.26662729833497			
Y:		44.02756499488243			
Path:		692\6924478.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514756		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638908.00	
Code OB Desc:				North83: 4876395.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 2	
Date Completed:		06/19/1998		UTMRC Desc: margin of error : 3 - 10 m	
Remarks:				Location Method: gps	
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217810			
Layer:		1			
Plug From:		0.0			
Plug To:		54.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924478			
Method Construction Code:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063326			
Casing No:		1			
Comment:					
Alt Name:					
109	1 of 1	WNW/270.1	333.3 / 3.48	lot 16 con 8 ON	WWIS
Well ID:	6908260			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	11/03/1961
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908260.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	10/19/1961				
Year Completed:	1961				
Depth (m):	23.1648				
Latitude:	44.0270572263577				
Longitude:	-79.2717383988266				
X:	-79.27173824717909				
Y:	44.02705722381911				
Path:	690\6908260.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10498951			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638499.60
Code OB Desc:				North83:	4876330.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/19/1961			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741769			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741768			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741767			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741770			
Layer:		4			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741771			
Layer:		5			
Color:		7			
General Color:		RED			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		68.0			
Formation End Depth:		76.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908260			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047521			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811472			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		71.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389755			
Layer:		1			
Slot:					
Screen Top Depth:		71.0			
Screen End Depth:		76.0			
Screen Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908260			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:		70.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991532			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			
110	1 of 1	NW/271.0	329.6 / -0.24	Coultrice Drive lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID:		7421145		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received:	06/20/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		6J4H4G7V		Contractor:	7472
Tag:		A348357		Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421145.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/27/2022			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		2022			
Depth (m):		7.62			
Latitude:		44.0275334898938			
Longitude:		-79.2710831654663			
X:		-79.27108301348316			
Y:		44.027533487753985			
Path:		742\7421145.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1009076244		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		04/27/2022		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		on Water Well Record		margin of error : 30 m - 100 m	
Elevrc Desc:				wwr	
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009076347			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		10.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009076346			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
Annular Space/Abandonment					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1009076429			
Layer:		2			
Plug From:		14.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009076409			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009076428			
Layer:		1			
Plug From:		0.0			
Plug To:		14.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1009076301			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009076280			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009076363			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		15.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009076378			
Layer:		1			
Slot:		10			
Screen Top Depth:		15.0			
Screen End Depth:		25.0			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009076281			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1009076392			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		25.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
111	1 of 2	ENE/271.8	341.5 / 11.66	lot 16 con 9 ON	WWIS
Well ID:		6915022		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Water Supply		Date Received:	06/12/1979
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915022.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/04/1979			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		1979			
Depth (m):		33.8328			
Latitude:		44.0259969270279			
Longitude:		-79.2653429923288			
X:		-79.26534284008294			
Y:		44.02599692437125			
Path:		691\6915022.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10505591			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	639014.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	06/04/1979			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932773451				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	24.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932773453				
Layer:	3				
Color:	3				
General Color:	BLUE				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	26.0				
Formation End Depth:	49.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932773455			
Layer:		5			
Color:		6			
General Color:		BROWN			
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		94.0			
Formation End Depth:		111.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932773452			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932773454			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		49.0			
Formation End Depth:		94.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966915022			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054161			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818701			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		108.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393559			
Layer:		1			
Slot:		100			
Screen Top Depth:		107.0			
Screen End Depth:		112.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996915022			
Pump Set At:					
Static Level:		94.0			
Final Level After Pumping:					
Recommended Pump Depth:		4.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998216			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		94.0			
Water Found Depth UOM:		ft			
111	2 of 2	ENE/271.8	341.5 / 11.66	lot 16 con 9 ON	WWIS
Well ID:	6915023			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	06/12/1979
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2218
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6915023.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	04/28/1979				
Year Completed:	1979				
Depth (m):	34.7472				
Latitude:	44.0259969270279				
Longitude:	-79.2653429923288				
X:	-79.26534284008294				
Y:	44.02599692437125				
Path:	691\6915023.pdf				
 <u>Bore Hole Information</u>					
Bore Hole ID:	10505592			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	639014.60
Code OB Desc:				North83:	4876223.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	04/28/1979			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932773457				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		44.0			
Formation End Depth:		88.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932773459			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		96.0			
Formation End Depth:		114.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932773456			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932773458			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		88.0			
Formation End Depth:		96.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966915023			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		11054162			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818702			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		110.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393560			
Layer:		1			
Slot:		080			
Screen Top Depth:		109.0			
Screen End Depth:		114.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996915023			
Pump Set At:					
Static Level:		96.0			
Final Level After Pumping:					
Recommended Pump Depth:		109.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998217			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		96.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
112	1 of 1	NW/272.5	333.8 / 3.99	2 Coultice Dr. lot 16 con 8 Stouffville ON	WWIS
Well ID: 7421335 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: FDF329DX Tag: A353011 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 06/24/2022 Selected Flag: TRUE Abandonment Rec: Contractor: 7472 Form Version: 9 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421335.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/02/2022			
Year Completed:		2022			
Depth (m):		4.572			
Latitude:		44.0277863519552			
Longitude:		-79.2705392387644			
X:		-79.27053908732347			
Y:		44.02778634943778			
Path:		742\7421335.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1009079985		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		06/02/2022		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009080085			
Layer:		2			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		5.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1009080084			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080176			
Layer:		2			
Plug From:		4.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080158			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080175			
Layer:		1			
Plug From:		0.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009080052			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1009080026			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009080112			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009080125			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009080027			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1009080138			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
113	1 of 1	NW/276.0	329.9 / 0.00	lot 17 con 8 ON	WWIS
Well ID: 7417739 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z353110 Tag: A198936 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 05/11/2022 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 7 Owner: County: YORK Lot: 017 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)					
Additional Detail(s) (Map)					
Bore Hole ID: 1009042287 Depth M: Year Completed: 2022 Well Completed Dt: 05/02/2022 Audit No: Z353110 Path: Tag No: A198936 Contractor: 5459 Latitude: 44.0277618088418 Longitude: -79.2707021727432 Y: 44.0277618068731 X: -79.27070202100475					
Bore Hole Information					
Bore Hole ID: 1009042287 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 05/02/2022 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 17 East83: 638581.00 North83: 4876410.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: www					
114	1 of 1	NNW/277.1	333.4 / 3.54	Coultrice Drive lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID: 7421125 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: WKLUW9CY Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 06/20/2022 Selected Flag: TRUE Abandonment Rec: Contractor: 7472					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A348360			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421125.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/27/2022			
Year Completed:		2022			
Depth (m):		7.62			
Latitude:		44.0281034596101			
Longitude:		-79.2694818179074			
X:		-79.26948166633983			
Y:		44.02810345778222			
Path:		742\7421125.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1009075967			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638678.00
Code OB Desc:				North83:	4876450.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	04/27/2022			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009076069			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		10.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1009076068			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076153			
Layer:		1			
Plug From:		0.0			
Plug To:		14.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076134			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076154			
Layer:		2			
Plug From:		14.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009076034			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009076008			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1009076089					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 15.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1009076104					
Layer: 1					
Slot: 10					
Screen Top Depth: 15.0					
Screen End Depth: 25.0					
Screen Material: 5					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.5					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID: 1009076009					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1009076119					
Diameter: 7.5					
Depth From: 0.0					
Depth To: 25.0					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
115	1 of 1	NNE/277.1	342.2 / 12.39	lot 16 con 9 ON	WWIS
Well ID: 6913049					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 01/08/1976					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 1314					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6913049.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		12/10/1975			
Year Completed:		1975			
Depth (m):		29.5656			
Latitude:		44.0280680670089			
Longitude:		-79.2677408442604			
X:		-79.26774069235425			
Y:		44.028068064989235			
Path:		691\6913049.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10503642			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638817.60
Code OB Desc:				North83:	4876449.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	12/10/1975			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932763186			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932763185			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932763187			
Layer:		3			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966913049			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11052212			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930816641			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		97.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		933392312			
Layer:		1			
Slot:		008			
Screen Top Depth:		92.0			
Screen End Depth:		97.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996913049			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933996226			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.0			
Water Found Depth UOM:		ft			
116	1 of 1	NNW/279.6	333.5 / 3.64	lot 17 con 8 ON	WWIS
Well ID:	7417738			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	05/11/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z353109			Contractor:	5459
Tag:	A198934			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Additional Detail(s) (Map)

Bore Hole ID:	1009042284	Tag No:	A198934
Depth M:		Contractor:	5459
Year Completed:	2022	Latitude:	44.0279610506737
Well Completed Dt:	04/27/2022	Longitude:	-79.2701847592299
Audit No:	Z353109	Y:	44.02796104847693
Path:		X:	-79.27018460682038

Bore Hole Information

Bore Hole ID:	1009042284	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638622.00
Code OB Desc:		North83:	4876433.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	04/27/2022	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<u>117</u>	1 of 1	NW/280.8	329.6 / -0.24	2 Coultice Dr. lot 16 con 8 Stouffville ON	WWIS

Well ID:	7421333	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	06/24/2022
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	NVTQFXXS	Contractor:	7472
Tag:	A353002	Form Version:	9
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	016
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421333.pdf

Additional Detail(s) (Map)

Well Completed Date:	06/02/2022
Year Completed:	2022
Depth (m):	6.096
Latitude:	44.0276939679877
Longitude:	-79.2709786717863

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
X:		-79.27097851967177			
Y:		44.02769396565507			
Path:		742\7421333.pdf			

Bore Hole Information

Bore Hole ID:	1009079979	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638559.00
Code OB Desc:		North83:	4876402.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/02/2022	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1009080080
Layer:	1
Color:	6
General Color:	BROWN
Material 1:	01
Material 1 Desc:	FILL
Material 2:	
Material 2 Desc:	
Material 3:	77
Material 3 Desc:	LOOSE
Formation Top Depth:	0.0
Formation End Depth:	5.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1009080081
Layer:	2
Color:	6
General Color:	BROWN
Material 1:	28
Material 1 Desc:	SAND
Material 2:	06
Material 2 Desc:	SILT
Material 3:	79
Material 3 Desc:	PACKED
Formation Top Depth:	5.0
Formation End Depth:	20.0
Formation End Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	1009080171
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080172			
Layer:		2			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009080156			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009080050			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009080022			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009080110			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009080123			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	1009080023				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1009080136				
Diameter:	7.5				
Depth From:	0.0				
Depth To:	20.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				

<u>118</u>	1 of 1	WNW/281.0	337.6 / 7.75	lot 16 con 8 ON	WWIS
Well ID:	6908258			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/20/1959
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908258.pdf				

Additional Detail(s) (Map)

Well Completed Date:	05/28/1959
Year Completed:	1959
Depth (m):	14.6304
Latitude:	44.0268821452675
Longitude:	-79.2720679228634

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
X:		-79.27206777069497			
Y:		44.02688214297116			
Path:		690\6908258.pdf			

Bore Hole Information

Bore Hole ID:	10498949	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638473.60
Code OB Desc:		North83:	4876310.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	05/28/1959	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	932741760
Layer:	1
Color:	
General Color:	
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	12
Material 2 Desc:	STONES
Material 3:	
Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	35.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	932741762
Layer:	3
Color:	
General Color:	
Material 1:	09
Material 1 Desc:	MEDIUM SAND
Material 2:	
Material 2 Desc:	
Material 3:	
Material 3 Desc:	
Formation Top Depth:	40.0
Formation End Depth:	48.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	932741761
Layer:	2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908258			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11047519			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930811470			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		43.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933389753			
Layer:		1			
Slot:					
Screen Top Depth:		43.0			
Screen End Depth:		48.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908258			
Pump Set At:					
Static Level:		40.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933991530			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
119	1 of 1	NNW/281.1	333.4 / 3.54	lot 17 con 8 ON	WWIS
Well ID:		7416993		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status: Yes	
Use 2nd:				Data Src:	
Final Well Status:				Date Received: 05/10/2022	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		Z353105		Contractor: 5459	
Tag:		A198931		Form Version: 7	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 017	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:		1009017016		Tag No: A198931	
Depth M:				Contractor: 5459	
Year Completed:		2022		Latitude: 44.0281229700183	
Well Completed Dt:		04/25/2022		Longitude: -79.2695810784787	
Audit No:		Z353105		Y: 44.028122967463645	
Path:				X: -79.2695809256536	
<u>Bore Hole Information</u>					
Bore Hole ID:		1009017016		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638670.00	
Code OB Desc:				North83: 4876452.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		04/25/2022		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	

120	1 of 1	N/281.2	333.4 / 3.58	lot 16 con 8 ON	WWIS
Well ID:	6908254			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/02/1955
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	5419
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):					https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6908254.pdf

Well Completed Date: 02/28/1955
Year Completed: 1955
Depth (m): 23.7744
Latitude: 44.0281640739552
Longitude: -79.269322824024
X: -79.26932267176656
Y: 44.028164071708844
Path: 690\6908254.pdf

Bore Hole ID:	10498945	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	638690.60
Code OB Desc:		North83:	4876457.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	02/28/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Location Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741750			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741751			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932741752			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966908254			
Method Construction Code:		8			
Method Construction:		Jetting			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11047515			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930811466			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		73.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933389749			
Layer:		1			
Slot:					
Screen Top Depth:		73.0			
Screen End Depth:		78.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996908254			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:		70.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933991526			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			
121	1 of 1	NW/281.2	333.8 / 3.99	lot 16 con 8 ON	WWIS
Well ID:	6909663			Flowing (Y/N):	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:			Flow Rate:		
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/02/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909663.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/13/1969				
Year Completed:	1969				
Depth (m):	25.6032				
Latitude:	44.027876232214				
Longitude:	-79.270529137494				
X:	-79.27052898486498				
Y:	44.02787622962678				
Path:	690\6909663.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10500336			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638594.60
Code OB Desc:				North83:	4876423.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/13/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932747644				
Layer:	4				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	10				
Material 2 Desc:	COARSE SAND				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		71.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932747641			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932747642			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932747643			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932747645			
Layer:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		7			
General Color:		RED			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		71.0			
Formation End Depth:		84.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966909663			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11048906			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930812931			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		79.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933390493			
Layer:		1			
Slot:		080			
Screen Top Depth:		79.0			
Screen End Depth:		84.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909663			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:					
Recommended Pump Depth:		78.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		40			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992922			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		71.0			
Water Found Depth UOM:		ft			
122	1 of 1	WNW/282.0	333.3 / 3.48	lot 16 con 8 ON	WWIS
Well ID:		6914266		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src: 1	
Final Well Status:		Water Supply		Date Received: 11/30/1977	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 5419	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 016	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914266.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/12/1977			
Year Completed:		1977			
Depth (m):		28.956			
Latitude:		44.027175161668			
Longitude:		-79.2717973628845			
X:		-79.27179721076824			
Y:		44.02717515968957			
Path:		691\6914266.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10504842		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 638494.60	
Code OB Desc:				North83: 4876343.00	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	08/12/1977			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932769551			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932769553			
Layer:		3			
Color:					
General Color:					
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		95.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932769552			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966914266				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11053412				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930817887				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:					
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933393054				
Layer:	1				
Slot:	010				
Screen Top Depth:	91.0				
Screen End Depth:	96.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.25				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	996914266				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	No				
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID: 933997437 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 80.0 Water Found Depth UOM: ft					
123	1 of 1	WNW/288.2	338.9 / 9.04	lot 16 con 8 ON	WWIS
Well ID: 6924345 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: 187927 Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 05/27/1998 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924345.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 04/07/1998 Year Completed: 1998 Depth (m): Latitude: 44.0263037139069 Longitude: -79.2725164754386 X: -79.27251632278069 Y: 44.026303711388074 Path: 692\6924345.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10514623 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 04/07/1998 Remarks: Location Method Desc: from gps Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: Elevrc: Zone: 17 East83: 638439.00 North83: 4876245.00 Org CS: UTMRC: 2 UTMRC Desc: margin of error : 3 - 10 m Location Method: gps					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217657			
Layer:		1			
Plug From:		0.0			
Plug To:		72.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966924345			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063193			
Casing No:		1			
Comment:					
Alt Name:					
124	1 of 1	NNW/291.6	333.5 / 3.64	lot 16 con 8 ON	WWIS
Well ID:	6909424			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/06/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2204
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6909424.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	09/12/1969				
Year Completed:	1969				
Depth (m):	25.2984				
Latitude:	44.028052441987				
Longitude:	-79.2702744416947				
X:	-79.27027429008984				
Y:	44.0280524397839				
Path:	690\6909424.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10500102			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638614.60
Code OB Desc:				North83:	4876443.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	09/12/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932746575				
Layer:	3				
Color:					
General Color:					
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	10				
Material 2 Desc:	COARSE SAND				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	50.0				
Formation End Depth:	71.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932746573				
Layer:	1				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	14.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932746574				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932746576			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		71.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966909424			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11048672			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930812680			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		78.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930812681			
Layer:		2			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		933390359			
Layer:		1			
Slot:		080			
Screen Top Depth:		78.0			
Screen End Depth:		83.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996909424			
Pump Set At:					
Static Level:		69.0			
Final Level After Pumping:					
Recommended Pump Depth:		77.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		20			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933992687			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		71.0			
Water Found Depth UOM:		ft			
<u>125</u>	1 of 1	NE/292.0	334.8 / 4.95	Home owner 7 Victor Drive Stouffville ON L4A 7X3	GEN
Generator No:		ON5667277			
SIC Code:		562112			
SIC Description:		562112			
Approval Years:		2016			
PO Box No:					
Country:		Canada			
Status:					
Co Admin:		John Cortez			
Choice of Contact:		CO_ADMIN			
Phone No Admin:		(905) 415-6354 Ext.			
Contaminated Facility:		No			
MHSW Facility:		No			
<u>Detail(s)</u>					
Waste Class:		221			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		LIGHT FUELS			
126	1 of 1	N/292.4	334.6 / 4.78	lot 16 con 9 ON	WWIS
Well ID:		6924485		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Abandoned-Other		Date Received:	07/14/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		187975		Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	09
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924485.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/19/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0282871543056			
Longitude:		-79.269127071484			
X:		-79.26912691903637			
Y:		44.0282871517816			
Path:		692\6924485.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514763		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638706.00
Code OB Desc:				North83:	4876471.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	2
Date Completed:		06/19/1998		UTMRC Desc:	margin of error : 3 - 10 m
Remarks:				Location Method:	gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217817			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: 1 Plug From: 0.0 Plug To: 20.0 Plug Depth UOM: ft					
Method of Construction & Well Use Method Construction ID: 966924485 Method Construction Code: 0 Method Construction: Not Known Other Method Construction:					
Pipe Information Pipe ID: 11063333 Casing No: 1 Comment: Alt Name:					
127	1 of 1	N/292.9	334.8 / 4.91	14635 Ninth Line Whitchurch-Stouffville ON L4A 7X3	EHS
Order No: 20200707304 Status: C Report Type: Standard Express Report Report Date: 07-JUL-20 Date Received: 07-JUL-20 Previous Site Name: Lot/Building Size: 150' x 100' Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.2688475 Y: 44.0283076					
128	1 of 1	NW/295.5	330.9 / 1.00	lot 16 con 8 ON	WWIS
Well ID: 6914658 Construction Date: Use 1st: Public Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 09/08/1978 Selected Flag: TRUE Abandonment Rec: Contractor: 2218 Form Version: 1 Owner: County: YORK Lot: 016 Concession: 08 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914658.pdf					
Additional Detail(s) (Map) Well Completed Date: 07/21/1978					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		1978			
Depth (m):		29.5656			
Latitude:		44.0278818972023			
Longitude:		-79.2709033276601			
X:		-79.27090317617956			
Y:		44.02788189474555			
Path:		691\6914658.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10505231			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638564.60
Code OB Desc:				North83:	4876423.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/21/1978			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932771677				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	12				
Material 2 Desc:	STONES				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	16.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932771680				
Layer:	4				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	83.0				
Formation End Depth:	97.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932771678			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932771679			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		10			
Material 1 Desc:		COARSE SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		83.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966914658			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11053801			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818309			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		94.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		933393313			
Layer:		1			
Slot:		060			
Screen Top Depth:		92.0			
Screen End Depth:		97.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.25			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996914658			
Pump Set At:					
Static Level:		83.0			
Final Level After Pumping:					
Recommended Pump Depth:		92.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		10			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933997835			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		83.0			
Water Found Depth UOM:		ft			

129	1 of 1	NW/296.3	332.7 / 2.84	Coultice Drive lot 16 con 8 Whitchurch-Stouffville ON	WWIS
Well ID:	7421129			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	06/20/2022
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	XCSG2R48			Contractor:	7472
Tag:	A348379			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/742\7421129.pdf			
Additional Detail(s) (Map)					
Well Completed Date:	04/27/2022				
Year Completed:	2022				
Depth (m):	4.572				
Latitude:	44.0279515506857				
Longitude:	-79.2707465686513				
X:	-79.2707464166132				
Y:	44.02795154876511				
Path:	742\7421129.pdf				
Bore Hole Information					
Bore Hole ID:	1009075979		Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			East83:		
Code OB Desc:			North83:		
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		
Date Completed:	04/27/2022		UTMRC Desc:		
Remarks:			Location Method:		
Location Method Desc:	on Water Well Record		margin of error : 30 m - 100 m		
Elevrc Desc:			wwr		
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	1009076076				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	01				
Material 1 Desc:	FILL				
Material 2:					
Material 2 Desc:					
Material 3:	77				
Material 3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock					
Materials Interval					
Formation ID:	1009076077				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	05				
Material 3 Desc:	CLAY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		10.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076162			
Layer:		2			
Plug From:		4.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076138			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009076161			
Layer:		1			
Plug From:		0.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009076038			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009076016			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009076093			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1009076108			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009076017			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1009076123			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>130</u>	1 of 1	N/296.8	335.5 / 5.63	lot 16 con 8 ON	WWIS
Well ID:	6924490			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	07/14/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187957			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924490.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/19/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0283444788938			
Longitude:		-79.2687510449695			
X:		-79.26875089335694			
Y:		44.028344476664174			
Path:		692\6924490.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10514768	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		638736.00
Code OB Desc:			North83:		4876478.00
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		3
Date Completed:		06/19/1998	UTMRC Desc:		margin of error : 10 - 30 m
Remarks:			Location Method:		gps
Location Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217822			
Layer:		1			
Plug From:		0.0			
Plug To:		56.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966924490			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11063338			
Casing No:		1			
Comment:					
Alt Name:					
131	1 of 1	WNW/298.8	335.2 / 5.32	lot 16 con 8 ON	WWIS
Well ID:		6924343	Flowing (Y/N):		
Construction Date:			Flow Rate:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	05/27/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	187926			Contractor:	5459
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924343.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/07/1998			
Year Completed:		1998			
Depth (m):					
Latitude:		44.0264846444256			
Longitude:		-79.272573610369			
X:		-79.27257345829321			
Y:		44.02648464198861			
Path:		692\6924343.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514621			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	638434.00
Code OB Desc:				North83:	4876265.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	04/07/1998			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Location Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217655			
Layer:		1			
Plug From:		0.0			
Plug To:		86.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Method Construction ID:</i>		966924343			
<i>Method Construction Code:</i>		0			
<i>Method Construction:</i>		Not Known			
<i>Other Method Construction:</i>					
 <i><u>Pipe Information</u></i>					
<i>Pipe ID:</i>		11063191			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					

Unplottable Summary

Total: 7 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
EBR	Lafarge Canada Inc - Airport Road	Township of Whitchurch-Stouffville Part Lots 13, 14, 15, Concession 9 REGIONAL MUNICIPALITY OF YORK	ON	
ECA	2022988 Ontario Inc. and 2036737 Ontario Inc.		Whitchurch-Stouffville ON	L3Y 3E4
LIMO		Lot 16 Concession 8 WHITCHURCH Whitchurch-Stouffville	ON	
PTTW	Cedar Beach Park		City of York ON	
SPL	Miller Waste Systems Inc.	9th Line, between Bloomington & Musselman's Lake	Whitchurch-Stouffville ON	
WWIS		lot 16 con 9	ON	
WWIS		con 9	ON	

Unplottable Report

Site: *Lafarge Canada Inc - Airport Road*
Township of Whitchurch-Stouffville Part Lots 13, 14, 15, Concession 9 REGIONAL MUNICIPALITY OF YORK ON

Database:
[EBR](#)

EBR Registry No: 012-6571
Ministry Ref No: MNRF INST 5/16
Notice Type: Instrument Decision
Notice Stage:
Notice Date: September 01, 2016
Proposal Date: January 26, 2016
Year: 2016
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: (ARA s. 16 (2)) - Approval of licensee proposed amendment to a site plan
Off Instrument Name:
Posted By:
Company Name: Lafarge Canada Inc - Airport Road
Site Address:
Location Other:
Proponent Name:
Proponent Address: 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7
Comment Period:
URL:
Summary:

Site Location Details:

Township of Whitchurch-Stouffville Part Lots 13, 14, 15, Concession 9 REGIONAL MUNICIPALITY OF YORK

Site: *2022988 Ontario Inc. and 2036737 Ontario Inc.*
Whitchurch-Stouffville ON L3Y 3E4

Database:
[ECA](#)

Approval No: 0459-BJTQBM
Approval Date: 2019-12-17
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: 2022988 Ontario Inc. and 2036737 Ontario Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7700-BJAR7W-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Lot 16 Concession 8 WHITCHURCH Whitchurch-Stouffville ON*

Database:
[LIMO](#)

ECA/Instrument No: X7001
Operation Status: Historic
C of A Issue Date:
C of A Issued to:
Lndfl Gas Mgmt (P):
Lndfl Gas Mgmt (F):
Lndfl Gas Mgmt (E):
Lndfl Gas Mgmt Sys:
Landfill Gas Mntr:
Leachate Coll Sys:
Natural Attenuation:
Liners:
Cover Material:
Leachate Off-Site:
Leachate On Site:
Req Coll Lndfl Gas:
Lndfl Gas Coll:
Total Waste Rec:
TWR Methodology:
TWR Unit:

ERC Est Vol (m3):
ERC Volume Unit:
ERC Dt Last Det:
Landfill Type:
Source File Type: Historic and Closed Landfills
Fill Rate:
Fill Rate Unit:
Tot Fill Area (ha):
Tot Site Area (ha):
Footprint:
Tot Aprv Cap (m3):
Contam Atten Zone:
Grndwtr Mntr:
Surf Wtr Mntr:
Air Emis Monitor:
Approved Waste Type:
Client Site Name:
ERC Methodology:
Site Name:
Site Location Details: Lot 16 Concession 8 WHITCHURCH
Whitchurch-Stouffville
Service Area:
Page URL:

Tot Aprv Cap Unit:
Financial Assurance:
Last Report Year:
Region:
District Office:
Site County:
Lot:
Concession:
Latitude:
Longitude:
Easting:
Northing:
UTM Zone:
Data Source:

Site: Cedar Beach Park
City of York ON

Database:
[PTTW](#)

EBR Registry No: IA6E1061
Ministry Ref No:
Notice Type: Instrument
Notice Stage:
Notice Date:
Proposal Date: 7/9/96
Year: 1996
Instrument Type: OWRA s. 34 - Permit to take water
Off Instrument Name:
Posted By:
Company Name:
Site Address:
Location Other:
Proponent Name:
Proponent Address: Cedar Beach Park Lot 20, Concession 8, Whitchurch-Stouffville, Ontario, .
Comment Period:
URL:
Summary:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

City of York

Site: Miller Waste Systems Inc.
9th Line, between Bloomington & Musselman's Lake Whitchurch-Stouffville ON

Database:
[SPL](#)

Ref No: 1767-BRHNVR
Year:
Incident Dt: 2020/07/14
Dt MOE Arvl on Scn:
MOE Reported Dt: 2020/07/14
Dt Document Closed:
Site No: NA
MOE Response: No
Site County/District: Regional Municipality of York
Site Geo Ref Meth:
Site District Office: York-Durham
Nearest Watercourse:

Municipality No:
Nature of Damage:
Discharger Report:
Material Group:
Impact to Health: 2 - Minor Environment
Agency Involved:

Site Name: York Regional Road<UNOFFICIAL>
Site Address: 9th Line, between Bloomington & Musselman's Lake
Site Region: Central
Site Municipality: Whitchurch-Stouffville
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Incident Cause:
Incident Preceding Spill: Leak/Break
Environment Impact:
Health Env Consequence:
Nature of Impact:
Contaminant Qty: 200 L
Contaminant Qty 1: 200
Contaminant Unit: L
Client Type: Corporation
Source Type: Unknown / N/A
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1: n/a
Receiving Medium: Land
Incident Reason: Unknown / N/A
Incident Summary: Miller Waste: 200 L hydraulic oil on road, contained
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type: Unknown / N/A
SAC Action Class: Land Spills
Call Report Locatn Geodata:
Time Reported:
System Facility Address:
Client Name: Miller Waste Systems Inc.

Site:
 lot 16 con 9 ON

Database:
 WWIS

Well ID:	7037725	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:		Date Received:	11/28/2006
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	Yes
Audit No:	Z51598	Contractor:	4743
Tag:	A045896	Form Version:	3
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	016
Depth to Bedrock:		Concession:	09
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (MARKHAM TWP)		
Site Info:			

Bore Hole Information

Bore Hole ID:	11761204	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	

Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 04/06/2006
Remarks:
Location Method Desc:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

East83:
North83:
Org CS:
UTMRC:
UTMRC Desc:
Location Method:

Overburden and Bedrock
Materials Interval

Formation ID: 933085618
Layer: 1
Color:
General Color:
Material 1:
Material 1 Desc:
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 16.5
Formation End Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 933310407
Layer: 4
Plug From: 4.0
Plug To: 2.299999952316284
Plug Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 933310405
Layer: 2
Plug From: 19.0
Plug To: 17.600000381469727
Plug Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 933310408
Layer: 5
Plug From: 2.299999952316284
Plug To: 2.0
Plug Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 933310404
Layer: 1
Plug From: 29.0
Plug To: 19.0
Plug Depth UOM: m

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933310406
Layer: 3
Plug From: 17.600000381469727
Plug To: 4.0
Plug Depth UOM: m

**Method of Construction & Well
Use**

Method Construction ID: 967037725
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 11768894
Casing No: 1
Comment:
Alt Name:

Site:
con 9 ON

Database:
[WWIS](#)

Well ID:	6927352	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Not Used	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Abandoned-Other	Date Received:	10/21/2003
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	264139	Contractor:	5459
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	09
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	WHITCHURCH-STOUFFVILLE TOWN (WHITCHURCH TWP)		
Site Info:			

Bore Hole Information

Bore Hole ID:	10548533	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	08/29/2003	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Location Method Desc:	Not Applicable i.e. no UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Supplier Comment:

Method of Construction & Well Use

Method Construction ID: 966927352
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 11097103
Casing No: 1
Comment:
Alt Name:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2023

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2024

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2022

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2024

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -May 2024

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jun 2024

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Sep 30, 2024

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024**Delisted Fuel Tanks:**

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023**Environmental Activity and Sector Registry:**

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Sep 30, 2024**Environmental Registry:**

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Sep 30, 2024**Environmental Compliance Approval:**

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Sep 30, 2024**Environmental Effects Monitoring:**

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024**Environmental Issues Inventory System:**

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2023

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2024

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Oct 31, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2022

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2024

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2022

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory 1993-2020:**

Federal

[NPR2](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Sep 2020**National Pollutant Release Inventory - Historic:**

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2024**Ontario Oil and Gas Wells:**

Provincial

[OOGW](#)

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024**Inventory of PCB Storage Sites:**

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Sep 30, 2024

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Sep 30, 2024

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Mar 2024; May 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Sep 2020

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Sep 2020

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Sep 30, 2024

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-Oct 2024

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2024

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERI's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - Sep 30, 2024

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERI's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



APPENDIX D:

Regulatory Requests

Ministry of the Environment, Conservation and Parks

Freedom of Information Request for Property Information

Instructions

Use this form to:

- submit and pay for a new FOI request for access to records/information about a property
- pay for a deposit or a final fee on an existing FOI request

Fields marked with an asterisk (*) are mandatory.

Are you: *

- ☒ Submitting a new FOI Request for Property Information
- ☐ Paying a deposit or final fee for an existing FOI Request for Property Information

Section 1 – Description of Records Requested

Time Period for Records Requested

From (yyyy/mm/dd) *

To (yyyy/mm/dd) *

1880/01/01

2023/09/29

Type of Record(s) *

- ☒ All environmental records relating to the identified property/site exclusive of Environmental Approvals and Registrations
- ☒ Environmental Approvals and Registrations (e.g. Environmental Compliance Approvals; Certificate of Approval; Renewable Energy Approvals; Environmental Activity and Sector Registry Registrations)

Select only if you are seeking access to an Approval or Registration that is not publicly available or if you are also seeking supporting documents relating to the Approval or Registration.

Operator and vendor Pesticide Licenses from September 4, 2018, final Approvals and Registrations are publicly available on the Access Environment website at:

<https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic&lang=en>.

Records of Site Condition (RSC) records are publicly available on the Brownfields Environmental Site Registry (BSER).

- RSC records between 2004 to June 30, 2011 are available at:
<https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>
- RSC records filed after July 2011 are available at:
https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc_search?request_locale=en

☐ Other Specific Document(s)

Type of Approval/Registration *

- ☒ Drinking Water Licenses
- ☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents
- ☒ Pesticide Licenses

Only pesticide licenses post September 2018 are available. Prior to September 2018, only Pesticide license applications and supporting documentation is available

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Permits to Take Water

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

Water Source *

☒ Groundwater ☒ Surface Water

☒ Noise Vibrations Approvals/Registrations

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Air Emissions Approvals/Registrations

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Water Approvals/Registrations - Ontario Water Resources Commission, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster), mains

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Sewage – Treatment, Stormwater, Storm, Leachate & Leachate Treatment & Sewage pump stations, Sanitary

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Waste Water - Industrial discharge

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Waste Sites - Disposal, Landfill sites, Transfer stations, Processing sites, Incinerator sites

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

☒ Waste Management Systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, Polychlorinated Biphenyls (PCBs) storage, transfer or destruction, Waste Generator Systems)

☐ No Supporting Documents ☒ All Supporting Documents ☐ Some Supporting Documents

Company Name

☒ Waste Generator Registration - number/class

List any record(s) that should be excluded from the scope of your request (e.g. email correspondences; records originating from your organization/business; records already in your possession, prior year(s) annual reports for approvals)

Please provide any additional relevant information relating to your request. For example, does your request relate to any other ministry business? Please note that this information is being requested only in order to provide contextual information to the Access and Privacy Office and will not in any way affect or expedite the status of any related ministry business identified.

Phase One ESA

Section 2 – Requester Information

Last Name *

van Loon

First Name *

Niki

Middle Initial

Business/Organization Name (if applicable or indicate "N/A") *

EnVision Consultants Ltd.

Project/Reference Number (if applicable)

23-0462

Are you submitting this request on behalf of a client? *

☐ Yes ☒ No

Mailing Address

Unit Number

Street Number *

Street Name *

6415

Northwest Drive

PO Box

City/Town *

Province *

Postal Code *

Mississauga

ON

L4V 1X1

Telephone Number *

905-677-0202

ext.

Email Address *

nvanloon@envisionconsultants.ca

Is there an alternate contact (e.g. office admin)? *

☐ Yes ☒ No

Section 3 – Current Property Address Information

Is the property a:

☐ Park ☐ Lake ☐ First Nation Band ☐ Wind Farm ☐ Federal Land ☐ Island ☐ Unsurveyed Land

Are you requesting information about multiple addresses? *

☐ Yes ☒ No

Property Address

Unit Number

Street Number

Street Name

2

Wylie Lane

Full Lot Number

Concession

Geographic Township

City/Town/Village *

Whitchurch-Stouffville

Closest Intersection

Section 4 – Previous Property Address Information

Do you want the ministry to search all prior historical addresses for this property/site for the time period of the records requested? *

☐ Yes ☒ No

Section 5 – Owner Information

Please provide all present and previous property owner and/or tenant names for the search years requested.

Current Property Owner/Tenant

2 Wylie Lane
Whitchurch-Stouffville

Owner Name

Unknown

Date of Ownership (yyyy/mm/dd)

Tenant Name

Section 6 – Supporting Documents

Please upload any documents (e.g. Maps) that are relevant to your FOI request.

The total size of all attachments must not be more than 8 MB.

1. File Name

Screenshot 2023-09-29 105141.png

Total File Size

0.09 MB

Ministry of the Environment,
Conservation and Parks

Ministère de l'Environnement, de la
Protection de la nature et des Parcs

Emergency Management and
Access Branch

Direction de la gestion des situations
d'urgence et de l'accès à l'information

40 St. Clair Avenue West
Toronto ON M4V 1M2

40, avenue St. Clair ouest
Toronto ON M4V 1M2



October 16, 2023

Nikita Van Loon
EnVision Consultants Ltd.
6415 Northwest Drive, Unit 37-40
Mississauga, Ontario L4V 1X1
nvanloon@envisionconsultants.ca

Dear Nikita Van Loon:

RE: **MECP FOI A-2023-05747, Your Reference 23-0462 – Decision Letter**

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to 2 Wylie Lane, Whitchurch-Stouffville.

After a thorough search through the ministry files, no records were located responsive to your request. The official responsible for making the access decision on your request is the undersigned.

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at <http://www.ipc.on.ca>. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Tolani Abraham at Tolani.Abraham2@ontario.ca.

Yours truly,

Tolani Abraham

for
Josephine DeSouza
Manager (A), Access and Privacy Office

Niki van Loon

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: September 29, 2023 12:32 PM
To: Niki van Loon
Subject: RE: Fuel Tank Search Request

Hello ,

NO RECORD FOUND IN CURRENT DATABASE

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

- We confirm that there are NO records in our database of **elevating devices** at the subject address(es).
- We confirm that there are NO records in our database of **boilers/pressure vessels** at the subject address(es).
- We confirm that there are NO records in our database of any **fuel storage tanks** at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please apply for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the applications and the Service Prepayment Portal:

Accessing the applications

1. Click [Release of Public Information](#) - TSSA and click "need a copy of a document"
2. Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
3. Proceed to page 3 of the application and click the "TSSA Service Prepayment Portal" link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under "Program Area" select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationsservices@tssa.org.

Kind regards,



Melanie Fowler | Public Information Releases Agent

Legal

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3593 | Fax: +1 416-231-4903 | E-Mail: mfowler@tssa.org

www.tssa.org



Winner of 2023 5-Star Safety Cultures Award

From: Niki van Loon <nvanloon@envisionconsultants.ca>

Sent: Friday, September 29, 2023 10:46 AM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Fuel Tank Search Request

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good Morning,

Can you please search your database for 2 Wylie Lane, Whitchurch-Stouffville, ON L4A 7X3?

Thank you,

Nikita van Loon, B.Sc., GIT

Environmental Scientist

ENVISION
CONSULTANTS LTD

6415 Northwest Drive U37-40,

Mississauga, ON, L4V1X1

Office / 905-677-0202

Email / nvanloon@envisionconsultants.ca

Website / www.envisionconsultants.ca

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



APPENDIX E:

Aerial Photographs



LEGEND

 SITE BOUNDARY

 250 m STUDY AREA

1878 HISTORICAL MAP OF YORK COUNTY

PROJECT

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
WYLIE LANE SUBDIVISION - 2 WYLIE LANE
WHITCHURCH-STOUFFVILLE, ONTARIO

CLIENT

ECO LAKE HOMES

PROJECT NO.

23-0462

DATE

DECEMBER 2024

PREPARED BY

TP

APPROVED BY

RO

FIGURE


E-1



Data Source: County Atlas Project


Data Source: County Atlas Project

C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\X01_Full\23-0462_Figure E-1_1878.aprx Prepared By: TanyaPeterson



Prepared By: Tanya Peterson
C:\Users\Tanya Peterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\01_Full\23-0462_Figure E-2_1954.aprx


LEGEND  SITE BOUNDARY  250 m STUDY AREA Data Source: University of Toronto Map Library	TITLE		PROJECT				
			PHASE ONE ENVIRONMENTAL SITE ASSESSMENT WYLIE LANE SUBDIVISION - 2 WYLIE LANE WHITCHURCH-STOUFFVILLE, ONTARIO				
			CLIENT				
			ECO LAKE HOMES				
			PROJECT NO.	DATE	PREPARED BY	APPROVED BY	FIGURE
			23-0462	DECEMBER 2024	TP	RO	E-2



LEGEND SITE BOUNDARY 250 m STUDY AREA		TITLE 1970 AERIAL PHOTOGRAPH		PROJECT PHASE ONE ENVIRONMENTAL SITE ASSESSMENT WYLIE LANE SUBDIVISION - 2 WYLIE LANE WHITCHURCH-STOUFFVILLE, ONTARIO				
				CLIENT ECO LAKE HOMES				
				PROJECT NO. 23-0462	DATE DECEMBER 2024	PREPARED BY TP	APPROVED BY RO	FIGURE E-3


Data Source: Region of York

C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\XP1_Full\23-0462_Figure E-3_1970.aprx Prepared By: TanyaPeterson



C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\01_Full\23-0462_Figure E-4_1978.aprx Prepared By: TanyaPeterson

LEGEND  SITE BOUNDARY  250 m STUDY AREA



C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\01_Full\23-0462_Figure E-5_1988.aprx Prepared By: TanyaPeterson

LEGEND SITE BOUNDARY 250 m STUDY AREA	TITLE 1988 AERIAL PHOTOGRAPH	PROJECT PHASE ONE ENVIRONMENTAL SITE ASSESSMENT WYLIE LANE SUBDIVISION - 2 WYLIE LANE WHITCHURCH-STOUFFVILLE, ONTARIO				
		CLIENT ECO LAKE HOMES				
		PROJECT NO. 23-0462	DATE DECEMBER 2024	PREPARED BY TP	APPROVED BY RO	FIGURE E-5
		Data Source: Region of York				

Data Source: Region of York



C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\X01_Full\23-0462_Figure E-6_1999.aprx Prepared By: TanyaPeterson

LEGEND

 SITE BOUNDARY

 250 m STUDY AREA

1999 AERIAL PHOTOGRAPH

PROJECT

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
WYLIE LANE SUBDIVISION - 2 WYLIE LANE
WHITCHURCH-STOUFFVILLE, ONTARIO

CLIENT

ECO LAKE HOMES

PROJECT NO.

23-0462

DATE

DECEMBER 2024

PREPARED BY

TP

APPROVED BY

RO



FIGURE

E-6



C:\Users\TanyaPeterson\OneDrive - EnVision Consulting\Documents\Projects\2023\23-0462\23-0462-01\23-0462-01-01\23-0462-01-01-01\23-0462-01-01-01-01\23-0462-01-01-01-01-01\23-0462-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-

Data Source: Region of York



C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\X01_Full\23-0462_Figure E-7 2007.aprx Prepared By: TanyaPeterson

LEGEND SITE BOUNDARY 250 m STUDY AREA </



Data Source: Region of York



Prepared By: Tanya Peterson
C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\X01_Full\23-0462_Figure E-8 2016.aprx

C:\Users\Tanya\Personal\OneDrive - Envision Consulting\Documents\2023\23-0462\23-0462-01\23-0462-01-01\23-0462-01-01-01\23-0462-01-01-01-01\23-0462-01-01-01-01-01\23-0462-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-0462-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01-01\23-04

Data Source: Region of York



Prepared By: Tanya Peterson
C:\Users\TanyaPeterson\OneDrive - Envision Consultants\Documents\12_GIS\Projects\2023\23-0462\APP\XP1_Full\23-0462_Figure E-9_2022.aprx

LEGEND SITE BOUNDARY 250 m STUDY AREA </

Data Source: Region of York



APPENDIX F:

Interview and Site Reconnaissance



PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

SITE INTERVIEW QUESTIONNAIRE

PROJECT INFORMATION

Project No.: 23-0462	Date: 20 November 2024
Interviewer: Shawna Lundrigan	Interviewee: James Spratley
Interview Method/Place ☐ In-Person At _____ ☒ Telephone	Interviewee Title/Responsibility: James Spratley, purchaser of property – developer No. of Years: 2 years

INTERVIEW QUESTIONS

1. Who were the previous owners, and what were the previous uses of the Site?	Bob & Maryanne James 75 years				
2. Has the Phase One Property been used, in whole or in part, for any: a. Industrial use; b. As a commercial garage; c. As a bulk liquid dispensing facility, including a gasoline outlet; and/or, d. For the operation of dry cleaning equipment (where chemicals are used)		Yes	No	Unknown	Comments
	a	☐	☒	☐	
	b	☐	☒	☐	
	c	☐	☒	☐	
	d	☐	☒	☐	
3. Have chemicals, wastes, or other material(s) of environmental concern currently or historically been stored at the Site?	No				
Is the property serviced for waste removal? If yes, by whom? Provide Waste Classifications and Generator Number, if available.	No – vacant parcel of land				
Is the Site serviced for water/waste water?	No – vacant parcel of land				
Have there ever been any septic tanks on the Site?	No – vacant parcel of land				

Are any USTs/ASTs currently, or were any historically, present at the Site?	No
4. Have any spills occurred on the property? Provide approximate volume and location	No
5. Is there any fill (soil imported to the site) on the Site? Have fill materials been historically brought to the Phase One Property?	No, vacant parcel of land that has never been developed
6. Are there any wells on the Phase One Property?	No
7. Have any previous reports been completed for the Site, including ESAs, DSS, BCAs, Geo, HydroG?	No
8. Are you aware of any incidents/activities that have occurred at the Site or adjacent properties that may affect the Site?	No

ADDITONAL COMMENTS/PHOTO LOG

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



APPENDIX G:

Site Photographs



PHOTO 1: View of the front gate to the Phase One Property, located at 2 Wylie Lane, facing west.



PHOTO 2: View of the entrance gate and small shed located within the Phase One Property, facing southeast.



PHOTO 3: Overview of the large shed, new shed (still under construction), grain elevator, and residential dwelling located within the Phase One Property, facing north.



PHOTO 4: View of the residential dwelling located on the Phase One Property, facing northeast.



PHOTO 5: View of the natural gas powered back-up generator located adjacent to the residential dwelling, facing northeast.



PHOTO 6: View of the grain elevator, agricultural fields, solar panel, wind turbine and sheds located in the center and north portions of the Phase One Property, facing southwest.



PHOTO 7: View of the large shed located at the Phase One Property, facing northeast.



PHOTO 8: View of the interior of the large shed, facing south.



PHOTO 9: View of the north adjacent neighbouring property, facing north.



PHOTO 10: View of the agricultural fields located in the southwest portion of the Phase One Property, facing southwest.



PHOTO 11: View of the agricultural, vacant, and wooded lands



PHOTO 12: View of the agricultural fields located in the west portion of the Phase One Property, facing west.



PHOTO 13: View of the center portion of the Phase One Property



PHOTO 14: View of the Phase One Property from the intersection between Valley Road and Wylie Lane, facing west.



PHOTO 15: Overview of Valley Road, east adjacent to the Phase One Property, facing east.



PHOTO 16: Overview of Windsor Road, east adjacent to the Phase One Property, facing east.



PHOTO 17: View of the residential dwelling located on the Phase One Property (behind) from Lakeshore Road, facing southwest.



PHOTO 18: View of Musselman Lake from Lakeshore Road, facing northeast.

2 Wylie Lane, Conveyance Lands along Ninth Line



PHOTO 1: Overview of the proposed Conveyance Lands, facing south.



PHOTO 2: View of the overgrown vegetation on the Conveyance Lands, facing southwest.



PHOTO 3: View of the Conveyance Lands facing east.



PHOTO 4: View of the head wall located on the southern portion of the Conveyance Lands, facing east.



PHOTO 5: View of the southern portion of the Conveyance Lands, facing southwest.



PHOTO 6: View of the Conveyance Lands, facing south.

Part of 2 Wylie Lane, Whitchurch-Stouffville



PHOTO 7: View of the Conveyance Lands and Windsor Lake, located west adjacent to the Conveyance Lands, facing north.



PHOTO 8: View of the Conveyance Lands and Windsor Lake, located west adjacent to the Site, facing south.



PHOTO 9: View of the Conveyance Lands and east adjacent lands, facing south.



PHOTO 10: View of Ninth Line, located east of the Conveyance Lands and north neighboring properties facing northeast.



PHOTO 11: View of Nine Line and the east neighboring lands, facing southeast.



PHOTO 12: View of the southeast neighboring lands, facing southeast.